

VITO

TOOLS FOR THE BRAVE



**MACHINES WITH
INTERCHANGEABLE
BATTERY**

ego
20V Lithium
POWER

'24



The EGO Range features portable power tools that meet the needs of the most professional and everyday jobs. The innovative EGO Battery System allows the use of one battery for multiple machines, increasing versatility and mobility.

From construction to cleaning to gardening, the EGO range includes machines such as drills, vacuum cleaners, angle grinders, lawn mowers and more. An universal battery for all working environments.



VITO

EGO
20V POWER
4.0Ah

EGO
VITO

20V POWER
4.0Ah
LITHIUM ION



EGO 20V *Lithium*
POWER



Table of contents

Machines with Interchangeable Battery 20V




VIBCBSFL20
Percussion combi drill 20V



Pág. 04

VIBCBSFL20
Brushless combi drill 20V



Pág. 04

VIBCBBMCC
Brushless combi drill 20V + case + charger



Pág. 05

VIBCAAGCB20 **NEW**
Brushless drywall screwdriver 20V



Pág. 05

VIBCASF20
Cordless screwdriver 20V



Pág. 07

VIBCAIBSFL20
Brushless impact wrench 20V




Pág. 07

VIBCMPSFL20A
Rotary hammer 20V



Pág. 08

VIBCTICSFL20
Jig saw 20V



Pág. 09

VIBCSCB14020 **NEW**
Brushless circular saw 20V - 140mm



Pág. 09

VIBCSCSFL20
Circular saw 20V - 150mm



Pág. 10

VIBCSCB16520 **NEW**
Brushless circular saw 20V - 165mm



Pág. 10

VIBCSSSFL20
Reciprocating saw 20V



Pág. 11

VIBCMFV20 **NEW**
Oscillating multi tool 20V



Pág. 11

VIBCRSFL20
Angle grinder 20V - 115mm



Pág. 13

VIBCRBSFL20A
Brushless angle grinder 20V - 115mm



Pág. 13

VIBCRBSFL20
Brushless angle grinder 20V - 125mm



Pág. 14

VIBCPB20 **NEW**
Brushless polisher 20V



Pág. 14

VIBCLOSFL20
Orbital sander 20V



Pág. 15

VIBCLOT20 **NEW**
Orbital delta sander 20V



Pág. 15

VIBCPL20 **NEW**
Electric planer 20V - 82mm



Pág. 17

VIBCLR20 **NEW**
Belt sander 20V



Pág. 17

VIBCASLB20SFL20
Brushless wet and dry vacuum cleaner 20V - 20L



Pág. 19

VIBCASCI2SFL20
Ash blower/vacuum cleaner 20V - 12L



Pág. 19

VIBCSA20 **NEW**
Blower/vacuum cleaner 20V



Pág. 20

VIBPCQ20 **NEW**
Glue gun 20V



Pág. 20

VIBPCPSFL20
Cordless air compressor 20V



Pág. 21

VIBCMR20 **NEW**
Lawnmower 20V - 320mm



Pág. 23

VIBCMRB40 **NEW**
Brushless Lawnmower 40V - 400mm




Pág. 23

VIBCCSFL20
Hedge trimmer 20V



Pág. 24

VIBCACSFL20
Grass trimmer 20V




Pág. 24

VIBCSSFL40
Blower 40V



Pág. 25

VIBCP1620 **NEW**
Sprayer 20V - 16L



Pág. 25

VIBCTPBSFL20
Brushless Pruning shears 20V




Pág. 27

VIBCMPC20 **NEW**
Mini chainsaw 20V - 100mm




Pág. 27

VIBCEBSFL40
Brushless electric Chainsaw 40V




Pág. 28

VIBCRSBSFL40
Brushless split Brush cutter 40V



Pág. 28

Pág. 29
Packs



Pág. 37
Accessories



VIBCBSFL20

**Percussion
combi drill 20V**



Find out more:

VIBCBSFL20

**Brushless
Combi drill 20V**



Find out more:

Main features:

- > Variable speed and reverse rotation;
- > Quick-stop function;
- > Metal drill chuck with spindle lock;
- > Impact drilling (hammer function).

Technical data

Rated voltage	20 V DC
Speeds	2
No-load speed - 1st speed	0 - 350 rpm
No-load speed - 2nd speed	0 - 1250 rpm
Impact frequency - 1st speed	0 - 5250 ipm
Impact frequency - 2nd speed	0 - 18750 ipm
Maximum torque	35 Nm
Torque setting positions	16
Drill chuck capacity	2 - 13 mm
Steel drilling	13 mm
Wood drilling	35 mm
Concrete block drilling	13 mm
Functions	3
Sound power level (LWA)	95 dB
Weight	1.33 kg
Dimensions	250 x 75 x 195 mm
Weight with packaging	1.54 kg
Packaging dimensions	240 x 85 x 200 mm
Barcode	5604612690229

Main features:

- > Brushless motor;
- > Metal drill chuck with spindle lock;
- > Variable speed and reverse rotation;
- > Impact drilling (hammer function).

Technical data

Rated voltage	20 V DC
Speeds	2
No-load speed - 1st speed	0 - 500 rpm
No-load speed - 2nd speed	0 - 2000 rpm
Impact frequency - 1st speed	0 - 7500 ipm
Impact frequency - 2nd speed	0 - 30000 ipm
Maximum torque	60 Nm
Torque setting positions	21+1+1
Drill chuck capacity	2 - 13 mm
Steel drilling	13 mm
Wood drilling	35 mm
Concrete block drilling	13 mm
Sound power level (LWA)	86,3 dB
Weight	1,23 kg
Dimensions	185 x 80 x 205 mm
Weight with packaging	1,44 Kg
Packaging dimensions	195 x 90 x 215 mm
Barcode	5604612710880



LED light for work surface illumination



Reversible belt clip



Forward/reverse button



LED light for work surface illumination



Quick tightening



Forward/reverse button

Packaging content

- > Reversible belt clip.

Packaging content

- > Reversible belt clip.

VIBCBBBMCC

Brushless combi drill 20V + case + charger



Find out more:

VIBCAGCB20

Brushless drywall screwdriver 20V



NEW



Find out more:

Main features:

- > Brushless motor;
- > Metal drill chuck with spindle lock;
- > Variable speed and reverse rotation;
- > Impact drilling (hammer function).

Technical data

Rated voltage	20 V DC
Speeds	2
No-load speed - 1st speed	0 - 500 rpm
No-load speed - 2nd speed	0 - 2000 rpm
Impact frequency - 1st speed	0 - 7500 ipm
Impact frequency - 2nd speed	0 - 30000 ipm
Maximum torque	60 Nm
Torque setting positions	21+1+1
Drill chuck capacity	2 - 13 mm
Steel drilling	13 mm
Wood drilling	35 mm
Concrete block drilling	13 mm
Sound power level (LWA)	86,3 dB
Weight	1,23 kg
Dimensions	185 x 205 x 80 mm
Weight with packaging	3 Kg
Packaging dimensions	360 x 285 x 115 mm
Barcode	5604612710897



LED light for work surface illumination



Fast battery charger



BMC case

Packaging content

- > BMC case;
- > 20V Single port charger;
- > Reversible belt clip.

Main features:

- > Brushless motor;
- > Adjustment of screwing depth;
- > Variable speed and reverse rotation;
- > ON/OFF switch lock-on button.

Technical data

Rated voltage	20 V DC
No-load speed	0 - 4400 rpm
Bit drive	Hexagonal - 1/4"
Maximum screw diameter	6 mm
Sound power level (LWA)	86 dB
Weight	0,97 Kg
Dimensions	230 x 75 x 190 mm
Weight with packaging	1,22 Kg
Packaging dimensions	270 x 80 x 190 mm
Barcode	5604612727000



Reversible belt clip



LED light for work surface illumination



Precise adjustment

Packaging content

- > Reversible belt clip.



VITO

VITO
ego 20V LITHIUM POWER
4.0Ah

VIBCASF20

Cordless screwdriver 20V



Find out more:

VIBCAIBSFL20

Brushless impact wrench 20V



Find out more:

Main features:

- > Variable speed and reverse rotation;
- > Quick-stop function.

Technical data

Rated voltage	20 V DC
Speeds	1
No-load speed	0 - 2200 rpm
Impact frequency	0 - 3000 ipm
Maximum torque	180 Nm
Drive	Hexagonal
Sound power level (LWA)	106 dB
Weight	1,17 Kg
Dimensions	180 x 70 x 195 mm
Weight with packaging	1,3 Kg
Packaging dimensions	220 x 85 x 200 mm
Barcode	5604612702137



LED light for work surface illumination



Reversible belt clip

Packaging content

- > Reversible belt clip.

Main features:

- > Brushless motor;
- > Variable speed and reverse rotation;
- > Quick-stop function;
- > Speed setting button with LED indication light;
- > Control of the loosening function.

Technical data

Rated voltage	20 V DC
No-load speed - 1st speed - LED 1	0 - 1800 rpm
No-load speed - 2nd speed - LED 2	0 - 2100 rpm
No-load speed - 3rd speed - LED 3	0 - 2700 rpm
Impact frequency - 1st speed - LED 1	0 - 2520 ipm
Impact frequency - 2nd speed - LED 2	0 - 2940 ipm
Impact frequency - 3rd speed - LED 3	0 - 3780 ipm
Maximum torque - LED 1	220 Nm
Maximum torque - LED 2	250 Nm
Maximum torque - LED 3	300 Nm
Drive	1/2"
Sound power level (LWA)	80 dB
Weight	1,16 Kg
Dimensions	160 x 80 x 205 mm
Weight with packaging	1,34 Kg
Packaging dimensions	212 x 90 x 165 mm
Barcode	5604612710903



Speed setting button



Drive 1/2"



Non-slip rubber grip

Packaging content

- > Reversible belt clip.



VIBCMP5FL20A

Rotary hammer 20V



Find out more:



Main features:

- > Brushless motor;
- > Variable speed and reverse rotation;
- > Quick-stop function;
- > Spindle lock;
- > Impact drilling (hammer function).



LED light for work surface illumination



Seletor do modo de funcionamento



Bucha SDS plus

Technical data

Rated voltage	20 V DC
Impact energy	2,2 J
No-load speed	0 - 1420 rpm
Impact frequency	0 - 4500 ipm
Drill chuck	SDS-Plus
Steel drilling	13 mm
Concrete drilling	22 mm
Wood drilling	28 mm
Functions	3
Sound power level (LWA) - chiselling	97 dB
Weight	2,30 Kg
Dimensions	290 x 80 x 200 mm
Weight with packaging	2,50Kg
Packaging dimensions	296 x 90 x 232 mm
Barcode	5604612702083

Packaging content

- > Auxiliary handle;
- > Depth stop.

VIBCTICSFL20

Jig saw 20V



Find out more:

VIBCSCB14020

Brushless Circular saw 20V - 140mm

NEW



Find out more:

Main features:

- > Quick blade change;
- > Acrylic blade guard;
- > ON/OFF switch lock-on button;
- > Aluminium base plate.

Technical data

Rated voltage	20 V DC
Number of strokes at no load	2400 cpm
Stroke length	25 mm
Pendulum movement positions	4
Type of blade	HCS/HSS
Cutting angle	45° / 0° / 45°
Steel cutting capacity	10 mm
Plastic cutting capacity	12 mm
Wood cutting capacity	80 mm
Metal tube cutting capacity	Ø 5 - 25 mm
Sound power level (LWA)	90 dB
Weight	1,7 Kg
Dimensions	255 x 90 x 210 mm
Weight with packaging	1,99 Kg
Packaging dimensions	235 x 95 x 225 mm
Barcode	5604612690236



LED light for work surface illumination



Dust and shavings suction port adaptor



Pendulum movement adjustment knob

Packaging content

- > Blade for wood cutting;
- > Parallel guide;
- > Dust and shavings suction port adaptor;
- > Hex key.

Main features:


- > Brushless motor;
- > Spindle lock for blade change;
- > ON/OFF switch lock-on button;
- > Blade guard;
- > Aluminium base plate.

Technical data

Rated voltage	20 V DC
No-load speed	6000 rpm
Blade diameter	140 mm
Bore diameter	20 mm
Blade thickness	1.6 mm
Number of teeth on the blade	24
Cutting angle	0 - 45°
Maximum cutting depth (0°)	50 mm
Maximum cutting depth (45°)	35 mm
Sound power level (LWA)	83 dB
Weight	1,99 Kg
Dimensions	370 x 150 x 180 mm
Weight with packaging	2,45 Kg
Packaging dimensions	365 x 190 x 240 mm
Barcode	5604612726966



Adjustable cutting depth and slope



Laser guide



Dust and shavings suction port adaptor

Packaging content

- > Blade for wood cutting 140 mm;
- > Parallel guide;
- > Hex key.

VIBCSCSFL20

Circular saw 20V - 150mm



Find out more:

VIBCSCB16520

Brushless Circular saw 20V - 165mm



NEW



Find out more:

Main features:

- > Spindle lock for blade change;
- > ON/OFF switch lock-on button;
- > Blade guard;
- > Aluminium base plate.

Technical data

Rated voltage	20 V DC
Blade diameter	150 mm
Bore diameter	10 mm
Blade thickness	1,6 mm
Number of teeth on the blade	24
Cutting angle (miter)	0 - 45°
Maximum cutting depth (0°)	48 mm
Maximum cutting depth (45°)	36 mm
No-load speed	4200 rpm
Sound power level (LWA)	90 dB
Weight	2,5 Kg
Dimensions	310 x 160 x 250 mm
Weight with packaging	3,22 Kg
Packaging dimensions	315 x 200 x 285 mm
Barcode	5604612690267



Adjustable cutting depth and slope



Laser guide



Dust and shavings suction port adaptor

Packaging content

- > Blade for wood cutting 150 mm;
- > Parallel guide;
- > Hex key.

Main features:

- > Brushless motor;
- > Spindle lock for blade change;
- > ON/OFF switch lock-on button;
- > Blade guard;
- > Aluminium base plate.

Technical data

Rated voltage	20 V DC
Blade diameter	165 mm
Bore diameter	20 mm
Blade thickness	1,6 mm
Number of teeth on the blade	24
Cutting angle (miter)	0 - 45°
Maximum cutting depth (0°)	48 mm
Maximum cutting depth (45°)	31 mm
No-load speed	4200 rpm
Sound power level (LWA)	86 dB
Weight	2,99 Kg
Dimensions	310 x 165 x 270 mm
Weight with packaging	3,70 Kg
Packaging dimensions	320 x 200 x 295 mm
Barcode	5604612726997



Adjustable cutting depth and slope



Laser guide



Dust and shavings suction port adaptor

Packaging content

- > Blade for wood cutting 165 mm;
- > Parallel guide;
- > Hex key.

VIBCSSFL20

Reciprocating saw 20V



Find out more:

VIBCMTV20

Oscillating multi tool 20V



NEW



Find out more:

Main features:

- > Quick blade change;
- > Safety button;
- > Variable speed.

Technical data

Rated voltage	20 V DC
Number of strokes at no load	0 - 3000 cpm
Stroke length	22 mm
Wood cutting capacity	115 mm
Metal cutting capacity	10 mm
Sound power level (LWA)	92 dB
Weight	1,9 Kg
Dimensions	400 x 70 x 190 mm
Weight with packaging	2,25 Kg
Packaging dimensions	415 x 85 x 185 mm
Barcode	5604612702120

Main features:

- > Variable speed;
- > 3 functions: sanding, cutting and scraping;
- > Metal gearbox;
- > Velcro-type fastening of the sanding sheets;
- > Dust and shavings suction tube.

Technical data

Rated voltage	20 V DC
No-load speed	5000 - 20000 rpm
Speed setting levels	6
Oscillation angle	3°
Sound power level (LWA)	108 dB
Weight	1,26 Kg
Dimensions	300 x 110 x 200 mm
Weight with packaging	1,59 Kg
Packaging dimensions	355 x 90 x 150 mm
Barcode	5604612726942



Adjustable head




Quick blade change -
without use of tools



Safety button



Quick blade change -
without use of tools



Dual LED light for work
surface illumination



Included accessories

Packaging content

- > Blade for wood cutting;
- > Blade for metal cutting.

Packaging content

- > Saw blade;
- > Metal spatula;
- > Sanding pad;
- > Sanding sheets P80 (x2);
- > Sanding sheets P120 (x2);
- > Sanding sheets P180 (x2);
- > Sanding sheets P240 (x2).



VIBCRSFL20

Angle grinder 20V - 115mm



Find out more:

VIBCRBSFL20A

Brushless angle grinder 20V - 115mm



Find out more:

Main features:


- > Quick-stop function;
- > Adjustable disc guard;
- > Spindle lock;
- > Metal gearbox.

Technical data

Rated voltage	20 V DC
No-load speed	10000 rpm
Disc diameter	115 mm
Spindle thread	M14
Auxiliary handle	2
Sound power level (LWA)	96 dB
Weight	1,7 Kg
Dimensions	340 x 110 x 230 mm
Weight with packaging	1,96 Kg
Packaging dimensions	350 x 110 x 135 mm
Barcode	5604612690243



Metal gearbox



2-position
auxiliary handle

Packaging content

- > Disc 115 mm;
- > Disc guard;
- > Pin spanner;
- > Auxiliary handle.

Main features:

- > Brushless motor;
- > Quick-stop function;
- > Adjustable disc guard;
- > Spindle lock;
- > Metal gearbox.

Technical data

Rated voltage	20 V DC
No-load speed	10000 rpm
Disc diameter	115 mm
Spindle thread	M14
Auxiliary handle	3
Sound power level (LWA)	97,2 dB
Weight	1,5 Kg
Dimensions	305 x 115 x 140 mm
Weight with packaging	2,05 Kg
Packaging dimensions	320 x 115 x 145 mm
Barcode	5604612720988



Black lacquered metal
gearbox



Ventilation slot



3-position auxiliary
handle

Packaging content

- > Disc 115 mm;
- > Disc guard;
- > Pin spanner;
- > Auxiliary handle.

VIBCRBSFL20

Brushless angle grinder
20V - 125mm



Find out more:

VIBCPB20

Brushless polisher
20V
NEW



Find out more:

Main features:

- > Brushless motor;
- > Quick-stop function;
- > Adjustable disc guard;
- > Spindle lock;
- > Metal gearbox.

Technical data

Rated voltage	20 V DC
No-load speed	10000 rpm
Disc diameter	125 mm
Spindle thread	M14
Auxiliary handle	3
Sound power level (LWA)	97,2 dB
Weight	1,5 Kg
Dimensions	305 x 115 x 140 mm
Weight with packaging	2,05 Kg
Packaging dimensions	320 x 115 x 145 mm
Barcode	5604612710927

Main features:

- > Brushless motor;
- > Variable speed;
- > Spindle lock for disc change;
- > Safety button;
- > Metal gearbox.

Technical data

Rated voltage	20 V DC
No-load speed	800-2300 rpm
Polishing pad diameter	180 mm
Spindle thread	M14
Speed setting levels	6
Sound power level (LWA)	88 dB
Weight	2,10 Kg
Dimensions	420 x 190 x 190 mm
Weight with packaging	2,68 Kg
Packaging dimensions	460 x 150 x 185 mm
Barcode	5604612727017



Black lacquered metal gearbox



Ventilation slot



3-position auxiliary handle



6 speed-setting levels



Wool polishing pad



Velcro backing pad

Packaging content

- > Disc 115 mm;
- > Disc guard;
- > Pin spanner;
- > Auxiliary handle.

Packaging content

- > Hook and loop backing pad;
- > Wool polishing pad;
- > Flat foam polishing pad;
- > Embossed surface foam polishing pad;
- > Auxiliary handle.

VIBCLOSFL20

Orbital sander 20V



Find out more:

VIBCL0T20

Orbital delta sander 20V



Find out more:

Main features:

- > Hook and loop fastening of the sanding sheets;
- > Variable speed;
- > On/Off switch protected against dust penetration.

Technical data

Rated voltage	20 V DC
No-load speed	2000 - 10000 rpm
Speed setting levels	6
Oscillating circuit diameter	2 mm
Type of sandpaper	Sanding sheet
Sanding sheet dimensions	125 mm
Backing pad diameter	125 mm
Sound power level (LWA)	98 dB
Weight	1,10 Kg
Dimensions	260 x 125 x 160 mm
Weight with packaging	1,25 Kg
Packaging dimensions	182 x 128 x 166 mm
Barcode	5604612703424



6 speed-setting levels



Velcro-type fastening of the sanding sheets



Included accessories

Packaging content

- > Sanding sheets (x2);
- > Dust and shavings suction port adaptor;
- > Dust and shavings collection bag.

Main features:

- > Hook and loop fastening of the sanding sheets;
- > Soft grip for a more comfortable work.

Technical data

Rated voltage	20 V DC
No-load speed	11000 rpm
Type of sandpaper	Sanding sheet
Sanding sheet dimensions	145 x 100 mm
Sanding surface	145 x 100 mm
Sound power level (LWA)	87 dB
Weight	0,89Kg
Dimensions	250 x 100 x 160 mm
Weight with packaging	1.13 Kg
Packaging dimensions	260 x 120 x 165 mm
Barcode	5604612726980



Dust and shavings tank



Velcro-type fastening of the sanding sheets



Included accessories

Packaging content

- > Dust and shavings tank;
- > Sanding sheets x3 (x2).



VIBCPL20

Electric planer

20V - 82mm

NEW



Find out more:

VIBCLR20

Belt sander 20V

NEW



Find out more:

Main features:

- > ON/OFF switch lock-on button;
- > Dust and shavings collection bag.

Technical data

Rated voltage	20 V DC
No-load speed	16000 rpm
Maximum cutting width	82 mm
Maximum cutting depth	1,5 mm
Maximum notch dimensions	82 x 8 mm
Sound power level (LWA)	106 dB
Weight	2,56 Kg
Dimensions	310 x 170 x 180 mm
Weight with packaging	2,88 Kg
Packaging dimensions	310 x 175 x 190 mm
Barcode	5604612726959

Main features:

- > Quick sanding belt change system;
- > 3-position adjustable auxiliary handle;
- > ON/OFF switch lock-on button.

Technical data

Rated voltage	20 V DC
No-load speed	120 - 380 rpm
Speed levels	6
Type of sandpaper	Sanding belt
Sanding belt dimensions	76 x 457 mm
Sanding surface	76 x 120 mm
Sound power level (LWA)	89 dB
Weight	2,48 Kg
Dimensions	270 x 145 x 175 mm
Weight with packaging	2,78 Kg
Packaging dimensions	285 x 160 x 190 mm
Barcode	5604612726973



Cutting depth adjustment



Safety catch for blade guard



Wrench for blade change



Sanding belt adjustment screw



Dust and shavings collection bag



6 Speed setting levels

Packaging content

- > Parallel guide;
- > Rebate depth guide;
- > Double open-end spanner;
- > Hex key;
- > Dust and shavings collection bag.

Packaging content

- > Sanding belt;
- > Dust and shavings collection bag.



VIBCASLB20SFL20

Brushless wet and dry vacuum cleaner 20V - 20L



Find out more:

VIBCASC12SFL20

Ash blower/vacuum cleaner 20V - 12L



Find out more:

Main features:

- > Brushless motor;
- > Suitable for both indoor or outdoor use;
- > 20-litre stainless steel tank;
- > Hepa filter;
- > Flexible and easy to access the hardest to reach areas.

Technical data

Rated voltage	20V DC
Speeds	2
Rated power	180 W
Suction power - 1st speed	12 kPa
Suction power - 2nd speed	18 kPa
Airflow	0.84 m ³ /min
Tank capacity	20 L
Type of vacuumed materials	Solids and liquids
Suction hose	1,5 m x 32 mm
Type of filter	HEPA
Weight	2,8 kg
Dimensions	310 x 340 x 515 mm
Weight with packaging	5,590 kg
Packaging dimensions	335 x 335 x 440 mm
Barcode	5604612715144



Metal latches



Washable HEPA particle filter



2-speed switch

Packaging content

- > Suction hose;
- > Telescopic metal suction tube;
- > HEPA filter;
- > Floor nozzle;
- > Round brush;
- > Crevice nozzle;
- > Wheels.

Main features:

- > Includes blower function;
- > Ideal for cleaning fireplaces, barbecues, wood cookers, pellets, etc;
- > Hepa filter;
- > 12-litre stainless steel tank;

Technical data

Rated voltage	20V DC
Rated power	150 W
Suction power	9 kPa
Airflow	0.6 m ³ /min
Tank capacity	12 L
Maximum temperature of vacuumed materials	40°C
Type of vacuumed materials	Solids
Suction hose	1 m x 35 mm
Metal suction tube	230 mm
Type of filter	HEPA
Weight	2,2 kg
Dimensions	270 x 285 x 290 mm
Weight with packaging	2,690 kg
Packaging dimensions	280 x 280 x 315 mm
Barcode	5604612715137



Metal latches



Washable HEPA particle filter



Carrying handle

Packaging content

- > Suction hose;
- > Metal suction tube;
- > HEPA filter.

VIBCSA20

Blower/vacuum cleaner

20V

NEW



Find out more:

VIBCPCQ20

Glue gun

20V

NEW



Find out more:

Main features:

- > Features vacuuming function;
- > Rubber tube.

Technical data

Rated voltage	20V DC
No-load speed	18000 rpm
Speed setting levels	3
Air speed	240 km/h
Maximum flow rate	102 m ³ /h
Sound power level (LWA)	93 dB
Weight	1,16 Kg
Dimensions	490 x 200 x 190 mm
Weight with packaging	1,42 kg
Packaging dimensions	290 x 190 x 175 mm
Barcode	5604612727031



3 Speed setting levels



Dust and shavings collection bag

Packaging content

- > Dust and shavings collection bag;
- > Rubber tube.

Main features:

- > Anti-overheating mechanism;
- > Soft grip for a more comfortable work;
- > LED battery charging status light.

Technical data

Rated voltage	20V DC
Glue sticks diameter	10 - 12 mm
Heating time	3 min
Weight	0,37 Kg
Dimensions	195 x 65 x 190 mm
Weight with packaging	0,59 kg
Packaging dimensions	200 x 75 x 210 mm
Barcode	5604612727024



2-finger trigger



Working temperature indicator

Packaging content

- > Glue sticks (x3).



VIBCPCSFL20

Cordless air compressor 20V



Find out more:



Main features:

- › 2 push-buttons to adjust the pressure;
- › Front LED light;
- › Maximum pressure of 7 bar/101 psi.



LED light for work surface illumination



Holder for universal adaptors and air hose



Backlit digital display

Technical data

Rated voltage	20 V DC
Maximum pressure	7 bar 101 psi
Sound power level (LWA)	91,5 dB
Weight	0,752 Kg
Dimensions	160 x 65 x 200 mm
Weight with packaging	0,917 kg
Packaging dimensions	170 x 75 x 210 mm
Barcode	5604612710910

Packaging content

- › Air hose with car valve adaptor;
- › Ball inflating needle;
- › Bike tire valves;
- › Universal adaptors.



EGO
20V LITHIUM
POWER
4.0Ah

AVITO
EGO
20V
LITHIUM
POWER
4.0Ah

AVITO

VIBCMR20

Lawnmower 20V - 320mm

NEW



Find out more:

VIBCMRB40

Brushless Lawnmower 40V - 400mm

NEW



Find out more:

Main features:

- > Carbon brush motor;
- > Allows 2, 4 and 6Ah batteries;
- > 3 cutting heights;
- > Carrying handle.

Technical data

Rated voltage	20 V DC
No-load voltage	3500 rpm
Cutting width	320 mm
Cutting height	30, 45, 55 mm
Grass box capacity	30 L
Wheels diameter	125 - 150 mm
Sound power level (L _{WA})	90 dB
Weight	10,24 kg
Dimensions	1000 x 1000 x 450 mm
Weight with packaging	12,5 kg
Packaging dimensions	660 x 450 x 380 mm
Barcode	5604612727055



Safety key



Grass box



Switch with safety button

Packaging content

- > Grass box.

Main features:


- > Brushless motor;
- > Allows 2, 4 and 6Ah batteries;
- > 6 cutting heights adjustable lever;
- > Carrying handle.

Technical data

Rated voltage	40 V DC (2x20V)
No-load voltage	2800 rpm
Cutting width	400 mm
Cutting height	25, 35, 45, 55, 65, 75 mm
Grass box capacity	40 L
Wheels diameter	150 - 200 mm
Sound power level (L _{WA})	92 dB
Weight	15,47 kg
Dimensions	1200 x 1030 x 480 mm
Weight with packaging	18 kg
Packaging dimensions	810 x 500 x 500 mm
Barcode	5604612727048



Safety key



Compact



Grass box

Packaging content

- > Grass box.

VIBCCSSFL20

Hedge trimmer
20V



Find out more:

VIBCACSFL20

Grass trimmer
20V



Find out more:

Main features:

- > Doble-sided blade;
- > Auxiliary handle with safety switch;
- > Suitable for medium-sized hedges.

Technical data

Rated voltage	20 V DC
No-load voltage	1300 rpm
Teeth height	20 mm
Teeth spacing	15 mm
Blade length	510 mm
Adjustable rotating handle	90°
Sound power level (L _{WA})	94 dB
Weight	2,2 kg
Dimensions	200 x 210 x 940 mm
Weight with packaging	3,75 kg
Packaging dimensions	975 x 210 x 200 mm
Barcode	5604612702175

Main features:

- > Blade guard;
- > Adjustable auxiliary handle;
- > Telescopic shaft.

Technical data

Rated voltage	20 V DC
No-load voltage	9000 rpm
Cutting diameter	254 mm
Length	1,12 - 1,42 m
Rotating head	90°
Number of plastic blades	20
Sound power level (L _{WA})	91,9 dB
Weight	1,9 kg
Dimensions	285 x 310 x 1045 mm
Weight with packaging	2,8 kg
Packaging dimensions	1050 x 235 x 140 mm
Barcode	5604612702151



Blade guard



Hand guard



Adjustable handle



Adjustable auxiliary handle



Rotating head



Cutting guide

Packaging content

- > Hand guard;
- > Cutting blade;
- > Blade guard;
- > Tool kit.

Packaging content

- > Set of 20 plastic blades;
- > Guard;
- > Cutting guide.

VIBCSSFL40

Blower 40V



Find out more:

VIBCP1620

Sprayer 20V - 16L

NEW



Find out more:

Main features:


- > Safety button;
- > Turbo switch.

Technical data

Rated voltage	40 V DC (2x20V)
No-load voltage	18000 rpm
Air maximum speed	150 Km/h
Maximum airflow	750 m ³ /h
Sound power level (L _{WA})	95,6 dB
Weight	2,5 kg
Dimensions	170 x 265 x 780 mm
Weight with packaging	3,3 kg
Packaging dimensions	445 x 290 x 275 mm
Barcode	5604612702144



Comfortable handle



Carrying strap

Packaging content

- > Tube;
- > Carrying strap.

Main features:


- > Built-in micro switch on the trigger;
- > Adjustable cone, fan jet and mist;
- > Adjustable straps.

Technical data

Rated voltage	20 V DC
Capacity	16 L
Pressure hose	5 bar
Maximum flow rate	1,4 L/min
Number of spray nozzles	6
Hose	1,5 m
Lance	550 mm
Weight	4 kg
Dimensions	320 x 230 x 565 mm
Weight with packaging	5,7 kg
Packaging dimensions	355 x 290 x 690 mm
Barcode	5604612726843



Fluid adjustment knob



Padded straps



Accessories

Packaging content

- > Lance;
- > Hose;
- > Spray nozzles (x6);
- > Adjustable carrying straps (x2).



VIBCTPBSFL20

Brushless Pruning shears 20V



Find out more:

VIBCMP20

Mini chainsaw 20V - 100mm

NEW



Find out more:

Main features:

- > Brushless motor;
- > Ideal for pruning shrubs, vines, small trees and for cutting branches or logs;
- > Highly durable blade;
- > Audible triggering signals.

Technical data

Rated voltage	20 V DC
Maximum cutting diameter	30 mm
Sound power level (L _{WA})	77 dB
Weight	0,95 kg
Dimensions	295 x 110 x 65 mm
Weight with packaging	1,13 kg
Packaging dimensions	390 x 175 x 90 mm
Barcode	5604612712822



Safe operation mode



Comfortable handle

Packaging content

- > Tool kit.

Main features:

- > Safety button;
- > Flexible guard;
- > Replacement of the chain without the use of tools.

Technical data

Rated voltage	20 V DC
Chain speed	0-8 m/s
Number of drive links	32
Chain pitch	1/4"
Guide bar length	100 mm
Sound power level (L _{WA})	105 dB
Weight	1,43 kg
Dimensions	410 x 70 x 350 mm
Weight with packaging	1,96 kg
Packaging dimensions	450 x 95 x 205 mm
Barcode	5604612727079



Flexible guard



Trigger



Guide bar cover

Packaging content

- > Guide bar;
- > Chain;
- > Guide bar cover.

VIBCEBSFL40

**Brushless electric
Chainsaw
40V**



Find out more:

VIBCRSBSFL40

**Brushless split
Brush cutter
40V**



Find out more:

Main features:

- > Brushless motor;
- > OREGON guide bar and chain;
- > Chain lubrication system.

Technical data

Rated voltage	40 V DC (2x20V)
Chain speed	0-19 m/s
Number of drive links	52
Chain pitch	3/8"
Guide bar length	350 mm
Lubricating oil	160 ml
Sound power level (L _{WA})	101 dB
Weight	3,6 kg
Dimensions	810 x 215 x 225 mm
Weight with packaging	4,2 kg
Packaging dimensions	480 x 230 x 230 mm
Barcode	5604612710934

Main features:

- > Brushless motor;
- > Compact motor;
- > Multi-function control handle;
- > Easy to store.

Technical data

Rated voltage	40 V DC (2x20V)
Rotation speed	0-7000 rpm
Shaft tube length	1350 mm
Shaft tube diameter	26 mm
Blade cutting width	250 mm
Mowing head cutting width with nylon line	350 mm
Nylon line diameter	2 mm
Sound power level (L _{WA})	95 dB
Weight	4,4 kg
Dimensions	1810 x 710 x 440 mm
Weight with packaging	5,8 kg
Packaging dimensions	953 x 175 x 318 mm
Barcode	5604612710941




Electronic brake



Safety button




Guide bar tensioning and adjustment knob



Quick handlebar adjustment



Multi-function control handle




Accessories

Packaging content

- > OREGON guide bar and chain;
- > Guide bar cover.

Packaging content

- > Blade 250 mm;
- > Mowing head;
- > Carrying strap;
- > Tool kit.



PACKS EGO

PACKS

PACK2EGO

Percussion Combi Drill + Angle Grinder 115mm + 2Ah Battery + 4Ah Battery + Single port charger

5604612720957



Find out more:

Pack content

- > 20V Percussion combi drill;
- > 20V Angle grinder 115mm;
- > 20V Single port charger;
- > 2Ah battery;
- > 4Ah battery.



PACK3EGO

Orbital Sander + Jig Saw + Circular Saw + 2Ah Battery + 4Ah Battery + Single port charger

5604612720964



Find out more:

Pack content

- > 20V Orbital Sander;
- > 20V Jig saw;
- > 20V Circular saw;
- > 20V Single port charger;
- > 2Ah battery;
- > 4Ah battery.



PACK4EGO

Brushless Combi Drill + 4Ah Battery + Single port charger + BMC Case

5604612720971



Find out more:

Pack content

- > 20V Brushless Combi Drill;
- > 20V Single port charger;
- > 4Ah battery;
- > BMC Case.



PACKS

PACK5EGO

Reciprocating Saw + 4Ah Battery + Single port charger

5604612734923



Find out more:

Pack content

- > 20V Reciprocating Saw;
- > 20V Single port charger;
- > 4Ah battery.

PACK6EGO

20L Wet And Dry Vacuum Cleaner + 4Ah Battery + Single port charger

5604612734930



Find out more:

Pack content

- > 20V Wet And Dry Vacuum Cleaner - 20L;
- > 20V Single port charger;
- > 4Ah battery.

PACK7EGO

Brushless Angle Grinder 115mm + 4Ah Battery + Single port charger + BMC Case

5604612734930



Find out more:

Pack content

- > 20V Brushless Angle Grinder 115mm
- > 20V Single port charger;
- > 4Ah battery;
- > BMC Case.

PACKS

PACK8EGO

Percussion Combi Drill + 2Ah Battery + Single port charger + BMC Case

5604612741853



Find out more:

Pack content

- > 20V Percussion Combi Drill;
- > 20V Single port charger;
- > 2Ah battery;
- > BMC Case.

PACK1EGOPRO

Brushless Combi Drill + Brushless Angle Grinder 115mm + Tool bag + Dual port charger + 4Ah Battery (2x)

5604612734992



Find out more:

Pack content

- > 20V Brushless Combi Drill;
- > 20v Brushless Angle Grinder 115mm;
- > Tool Bag;
- > 20V Dual port charger;
- > 4Ah Battery (2x).

PACK2EGOPRO

Brushless Combi Drill + Brushless Angle Grinder 125mm + Tool bag + Dual port charger + 4Ah Battery (2x)

5604612735005



Find out more:

Pack content

- > 20V Brushless Combi Drill;
- > 20v Brushless Angle Grinder 125mm;
- > Tool Bag;
- > 20V Dual port charger;
- > 4Ah Battery (2x).

PACKS

PACK3EGOPRO

Rotary Hammer + Brushless Angle Grinder 125mm + Tool bag + Dual port charger + 4Ah Battery + 6Ah Battery

5604612734916



Find out more:

Pack content

- > 20V Rotary Hammer;
- > 20V Brushless Angle Grinder 125mm;
- > Tool Bag;
- > 20V Dual port charger;
- > 4Ah Battery;
- > 6Ah Battery.

PACK4EGOPRO

Brushless Combi Drill + Brushless Angle Grinder 115mm + Brushless Rotary Hammer + Tool bag + Dual port charger + 4Ah Battery (2x) + 6Ah Battery (1x)

5604612735012



Find out more:

Pack content

- > 20V Brushless Combi Drill;
- > 20V Brushless Rotary Hammer;
- > 20V Brushless Angle Grinder 115mm;
- > Tool Bag;
- > 20V Dual port charger;
- > 4Ah Battery (2);
- > 6Ah Battery(1).

PACK1EGOGARDEN

Brushless Pruning Shears + 2Ah Battery + Single port charger

5604612734961



Find out more:

Pack content

- > 20V Brushless Pruning Shears;
- > 20V Single port charger;
- > 2Ah battery;

PACK2EGOGARDEN

40V Brush Cutter + Dual port charger + 4Ah Battery (2x)

5604612735029



Find out more:

Pack content

- > 40V Brushless Brush Cutter;
- > 20V Dual port charger;
- > 4Ah Battery (2x);

PACK3EGOGARDEN

40V Electric Chainsaw + Dual port charger + 4Ah Battery (2x)

5604612734978



Find out more:

Pack content

- > 40V Electric Chainsaw;
- > 20V Dual port charger;
- > 4Ah Battery (2x);

PACK4EGOGARDEN

40V Blower + Dual port charger + 4Ah Battery (2x)

5604612734985



Find out more:

Pack content

- > 40V Blower;
- > 20V Dual port charger;
- > 4Ah Battery (2x);

PACKS

PACK5EGOGARDEN

Hedge Trimmer + Single port charger + 4Ah Battery

5604612734947



Find out more:

Pack content

- > 20V Hedge Trimmer;
- > 20V Single port charger;
- > 4Ah Battery;

PACK6EGOGARDEN

Grass Trimmer + Single port charger + 2Ah Battery

5604612734954



Find out more:

Pack content

- > 20V Hedge Trimmer;
- > 20V Single port charger;
- > 2Ah Battery;

PACK7EGOGARDEN

Mini Chainsaw 100mm + Single port charger + 2Ah Battery

5604612741846



Find out more:

Conteúdo do pack

- > 20V Mini Chainsaw;
- > 20V Single port charger;
- > 2Ah Battery;

PACKS

PACK8EGOGARDEN

40V Brushless Lawnmower - 400mm + Dual port charger + 4Ah Battery (2x)

5604612743901



Find out more:

Pack content

- > 40V Brushless Lawnmower - 400mm;
- > 20V Dual port charger;
- > 4Ah Battery (2x);

PACK9EGOGARDEN

20V Lawnmower - 320mm + Single port charger + 4Ah Battery

5604612743918



Find out more:

Pack content

- > 20V Lawnmower - 320mm;
- > 20V Single port charger;
- > 4Ah Battery;



VITO

EGO
VITO
20V POWER
4.0Ah

ACCESSORIES

BATTERIES

VIBCBL202

Lithium-ion battery 2Ah - 20V

5604612690274



Find out more:

Features

- > No memory effect;
- > Charging level indicator button;
- > LED light indicates the current battery status.

VIBCBL204

Lithium-ion battery 4Ah - 20V

5604612690281



Find out more:

Features

- > No memory effect;
- > Charging level indicator button;
- > LED light indicates the current battery status.

VIBCBL206

Lithium-ion battery 6Ah - 20V

5604612701857



Find out more:

Features

- > No memory effect;
- > Charging level indicator button;
- > LED light indicates the current battery status.

CHARGERS

VIBCCR20

Fast single port battery charger

5604612690298



Find out more:

Features

- > Charging level indicator button;
- > LED light indicates the current battery status;
- > 1.9 m power cord.

VIBCCDR20

Fast dual port battery charger

5604612702069



Find out more:

Features

- > Charging level indicator button;
- > LED light indicates the current battery status;
- > 1.9 m power cord.

ACCESSORIES FOR MACHINES WITH INTERCHANGEABLE BATTERY

CASES

VIBC BMCBA

BMC case for cordless combi drill/ screwdriver



Features:

- > Metal latches;
- > Storage;
- > Customised fitting.



Find out more:

Dimensions

315 x 335 x 100 mm

Ean

5604612710958

Possibility of storage for:

Machines: VIBCBSFL20 or VIBCASF20

Batteries: VIBCBL202 or VIBCBL204

Charger: VIBCCR20

VIBC BMCR

BMC case for angle grinder



Features:

- > Metal latches;
- > Storage;
- > Customised fitting.



Find out more:

Dimensions

425 x 335 x 135 mm

Ean

5604612710965

Possibility of storage for:

Machines: VIBCRSFL20 or VIBCRBSFL20 or VIBCRBSFL20A

Batteries: VIBCBL202 or VIBCBL204

Charger: VIBCCR20

VIBC BMCMP

BMC case for rotary hammer



Features:

- > Metal latches;
- > Storage;
- > Customised fitting.



Find out more:

Dimensions

390 x 345 x 115 mm

Ean

5604612710972

Possibility of storage for:

Machines: VIBCMPSFL20A

Batteries: VIBCBL202 or VIBCBL204

Charger: VIBCCR20

VIBC BMCBBA

BMC case for brushless combi drill/impact wrench



Features:

- > Metal latches;
- > Storage;
- > Customised fitting.



Find out more:

Dimensions

340 x 345 x 110 mm

Ean

5604612712600

Possibility of storage for:

Machines: VIBCBSFL20 or VIBCAIBSFL20

Batteries: VIBCBL202 or VIBCBL204

Charger: VIBCCR20

* Machines not included (sold separately)



www.vito-tools.com

