

**VITO**

TOOLS FOR THE BRAVE

**MACHINES  
AND TOOLS  
AGRO / GARDEN**

'23







# TOOLS FOR FARMING BRAVERY



## **VITO Warranty**

All VITO machines and tools are covered by in force legislation on the warranty of movable property for consumers.

The VITO warranty acts as a safety and confidence label when purchasing any machine or tool.

In the event of a breakdown, the procedures guarantee replacement with original spare parts or a new machine. The qualified professional team is available to solve the problem, quickly deliver the machine or tool and clear up technical or usage doubts.

## **After-sales service**

At VITO, after-sales service is a crucial factor and a way of guaranteeing and increasing confidence in tools and machines. VITO's ambition is not only to lead the market in the marketing and distribution of machines and tools, but also to lead in technical and specialised after-sales service support.

This is a factor that elevates the VITO brand with the market and consumers, transmitting confidence to any user of VITO machines and tools.



## Repair service

Updated stock of parts and components for all references of the range, in order to ensure greater quality and speed in the repair service and warranty.

The specialised team is composed of highly qualified and experienced engineers and mechanics, always available and motivated to ensure that every machine is repaired quickly and accurately.

## Technical assistance

With an area of 2.000m<sup>2</sup>, the technical assistance centre is equipped with specialised repair equipment and machines. It includes 6 performance test rooms in order to assess and test the technical aspects of all machines and tools.



# TABLE OF CONTENTS



**6**  
Machines with interchangeable battery **EGO**

**17**  
Agricultural machinery



**37**  
Forest



**47**  
Water pumps



**65**  
Spraying



**77**  
Hand tools



**109**  
Pruning tools



**119**  
Nets and meshes



**125**  
Garden machinery



**141**  
Irrigation



**151**  
Lubrication



**154**  
Displays



# MACHINES WITH INTERCHANGEABLE BATTERY







**ego** 20V Lithium  
**POWER**

VIBCMR20

**Lawnmower**  
20V - 320mm

**NEW**



Find out more:

VIBCMRB40

**Brushless  
Lawnmower**  
40V - 400mm

**NEW**



Find out more:

**Main features:**

- > Carbon brush motor;
- > Allows 2, 4 and 6Ah batteries;
- > 3 cutting heights;
- > Carrying handle.

**Technical data**

Rated voltage	20 V DC
No-load voltage	3500 rpm
Cutting width	320 mm
Cutting height	25, 35, 45 mm
Grass box capacity	30 L
Wheels diameter	125 - 150 mm
Sound power level (L <sub>WA</sub> )	90 dB
Weight	8.8 kg
Dimensions	1100 x 365 x 965 mm
Weight with packaging	10.5 kg
Packaging dimensions	660 x 455 x 385 mm
Barcode	5604612727055



Safety key



Grass box



Switch with safety button

**Packaging content**

- > Grass box.

Accessories Page 15-16

**Main features:**

- > Brushless motor;
- > Allows 2, 4 and 6Ah batteries;
- > 6 cutting heights adjustable lever;
- > Carrying handle.

**Technical data**


Rated voltage	40 V DC (2x20V)
No-load voltage	2800 rpm
Cutting width	400 mm
Cutting height	25, 35, 45, 55, 65, 75 mm
Grass box capacity	40 L
Wheels diameter	150 - 200 mm
Sound power level (L <sub>WA</sub> )	92 dB
Weight	13 kg
Dimensions	1500 x 480 x 1040 mm
Weight with packaging	14.9 kg
Packaging dimensions	800 x 500 x 490 mm
Barcode	5604612727048



Safety key



Compact



Grass box

**Packaging content**

- > Grass box.

Accessories Page 15-16



VIBCMRSFL40

## Brushless Lawnmower 40V - 405mm



Find out more:



### Main features:

- › Brushless motor;
- › Allows 2 and 4Ah batteries;
- › 6 cutting heights adjustable lever;
- › Metal body.

### Technical data

Rated voltage	40 V DC (2x20V)
No-load voltage	3600 rpm
Cutting width	405 mm
Cutting height	25, 35, 45, 55, 65, 75 mm
Grass box capacity	40 L
Sound power level (LWA)	96 dB
Weight	14 kg
Dimensions	525 x 1620 x 950 mm
Weight with packaging	17.1 kg
Packaging dimensions	760 x 520 x 380 mm
Barcode	5604612702168



Cutting height adjustment



Side discharge



Safety key

### Packaging content

- › Grass box.

Accessories Page 15-16

VIBCCSSFL20

**Hedge trimmer**  
20V



Find out more:

VIBCACSFL20

**Grass trimmer**  
20V



Find out more:

**Main features:**

- > Doble-sided blade;
- > Auxiliary handle with safety switch;
- > Suitable for medium-sized hedges.

**Technical data**

Rated voltage	20 V DC
No-load voltage	1300 spm
Teeth height	20 mm
Teeth spacing	15 mm
Blade length	510 mm
Adjustable rotating handle	90°
Sound power level (L <sub>WA</sub> )	94 dB
Weight	2.2 kg
Dimensions	200 x 210 x 940 mm
Weight with packaging	3.75 kg
Packaging dimensions	975 x 210 x 200 mm
Barcode	5604612702175



Blade guard



Hand guard



Adjustable handle

**Packaging content**

- > Hand guard;
- > Cutting blade;
- > Blade guard;
- > Tool kit.

**Main features:**

- > Blade guard;
- > Adjustable auxiliary handle;
- > Telescopic shaft.

**Technical data**

Rated voltage	20 V DC
No-load voltage	9000 rpm
Cutting diameter	254 mm
Length	1.12 - 1.42 m
Rotating head	90°
Number of plastic blades	20
Sound power level (L <sub>WA</sub> )	91.9 dB
Weight	1.9 kg
Dimensions	285 x 310 x 1045 mm
Weight with packaging	2.8 kg
Packaging dimensions	1050 x 235 x 140 mm
Barcode	5604612702151



Adjustable auxiliary handle



Rotating head



Cutting guide

**Packaging content**

- > Set of 20 plastic blades;
- > Guard;
- > Cutting guide.

Accessories Page 15-16

VIBCSSFL40

## Blower 40V

**EGO**  
20V Lithium  
POWER



Find out more:

VIBCP1620

## Sprayer 20V

NEW

**EGO**  
20V Lithium  
POWER



Find out more:

### Main features:

- > Safety button;
- > Turbo switch.

### Technical data

Rated voltage	40 V DC (2x20V)
No-load voltage	18000 rpm
Air maximum speed	150 Km/h
Maximum airflow	750 m <sup>3</sup> /h
Sound power level (L <sub>WA</sub> )	95.6 dB
Weight	2.5 kg
Dimensions	170 x 265 x 780 mm
Weight with packaging	3.3 kg
Packaging dimensions	445 x 290 x 275 mm
Barcode	5604612702144



Comfortable handle



Carrying strap

### Packaging content

- > Tube;
- > Carrying strap.

### Main features:

- > Micro switch on the trigger;
- > Adjustable cone, fan jet and mist;
- > Adjustable straps;

### Technical data


Rated voltage	20 V DC
Capacity	16 L
Pressure hose	5 bar
Maximum flow rate	1.4 L/min
Number of spray nozzles	6
Hose	1.5 m
Lance	550 mm
Weight	4 kg
Dimensions	320 x 230 x 565 mm
Weight with packaging	5.7 kg
Packaging dimensions	355 x 290 x 690 mm
Barcode	5604612726843



Fluid adjustment knob



Padded straps



Accessories

### Packaging content

- > Lance;
- > Hose;
- > Spray nozzles (x6);
- > Adjustable carrying straps (x2).

Accessories Page 15-16



VIBCTPBSFL20

## Brushless Pruning shears

### 20V

**NEW**

**EGO**  
20V Lithium  
POWER



Find out more:

VIBCMPC20

## Mini chainsaw

### 20V - 100mm

**NEW**

**EGO**  
20V Lithium  
POWER



Find out more:

**Main features:**

- > Brushless motor;
- > Ideal for pruning shrubs, vines, small trees and for cutting branches or logs;
- > Highly durable blade;
- > Audible triggering signals.

**Technical data**

Rated voltage	20 V DC
Maximum cutting diameter	30 mm
Sound power level (L <sub>WA</sub> )	77 dB
Weight	0.95 kg
Dimensions	295 x 110 x 65 mm
Weight with packaging	1.13 kg
Packaging dimensions	390 x 175 x 90 mm
Barcode	5604612712822



Safe operation mode



Comfortable handle

**Packaging content**

- > Tool kit.

**Main features:**

- > Safety button;
- > Flexible guard;
- > Replacement of the chain without the use of tools.

**Technical data**

Rated voltage	20 V DC
Chain speed	0-5 m/s
Number of drive links	32
Chain pitch	1/4 "
Guide bar length	100 mm
Sound power level (L <sub>WA</sub> )	105 dB
Weight	1.39 kg
Dimensions	280 x 70 x 355 mm
Weight with packaging	2.2 kg
Packaging dimensions	460 x 245 x 100 mm
Barcode	5604612727079



Flexible guard



Trigger



Guide bar cover

**Packaging content**

- > Guide bar;
- > Chain;
- > Guide bar cover.

Accessories Page 15-16

VIBCEBSFL40

## Brushless electric Chainsaw 40V

**NEW**



Find out more:

VIBCRSBSFL40

## Brushless split Brush cutter 40V

**NEW**



Find out more:

### Main features:

- > Brushless motor;
- > OREGON guide bar and chain;
- > Chain lubrication system.

### Technical data

Rated voltage	40 V DC (2x20V)
Chain speed	0-19 m/s
Number of drive links	52
Chain pitch	3/8 "
Guide bar length	350 mm
Lubricating oil	160 ml
Sound power level (L <sub>WA</sub> )	101 dB
Weight	3.6 kg
Dimensions	810 x 225 x 215 mm
Weight with packaging	4.2 kg
Packaging dimensions	480 x 230 x 230 mm
Barcode	5604612710934



Electronic brake



Safety button



Guide bar tensioning and adjustment knob

### Packaging content

- > OREGON guide bar and chain;
- > Guide bar cover.


Accessories Page 15-16

### Main features:

- > Brushless motor;
- > Compact motor;
- > Multi-function control handle;
- > Easy to store.

### Technical data


Rated voltage	40 V DC (2x20V)
Rotation speed	0-7000 rpm
Shaft tube length	1350 mm
Shaft tube diameter	26 mm
Blade cutting width	250 mm
Mowing head cutting width with nylon line	350 mm
Nylon line diameter	2 mm
Sound power level (L <sub>WA</sub> )	95 dB
Weight	4.4 kg
Dimensions	1810 x 710 x 440 mm
Weight with packaging	5.8 kg
Packaging dimensions	953 x 175 x 318 mm
Barcode	5604612710941



Quick handlebar adjustment



Multi-function control handle



Accessories

### Packaging content

- > Blade 250 mm;
- > Mowing head;
- > Carrying strap;
- > Tool kit.

Accessories Page 33-36



## 20V rechargeable lithium-ion battery

### Features:

- > No memory effect;
- > Charging level indicator button;
- > LED light indicates the current battery status.



Reference	Amp	Dim			Ean
VIBCBL202	2.0 Ah	125 x 80 x 50 mm	0.4 kg	10	5604612690274
VIBCBL204	4.0 Ah	125 x 80 x 70 mm	0.64 g	10	5604612690281
VIBCBL206	6.0 Ah	130 x 85 x 85 mm	0.91 g	10	5604612701857

## Fast battery charger

### Features:

- > 1.9 m power cord;
- > LED light indicates the current battery status.



Reference	Dim			Ean
VIBCCR20	165 x 80 x 60 mm	0.34 kg	10	5604612690298

## Fast battery charger - dual

### Features:

- > 1.9 m power cord;
- > LED light indicates the current battery status.



Reference	Dim			Ean
VIBCCDR20	165 x 230 x 70 mm	0.79 kg	10	5604612702069

## Chain for electric chainsaw and mini chainsaw EGO

**NEW**



Reference	Compatible:	Dim			Ean
VICE3857	VIBCEBSFL40	3/8 "	52	1	5604612721299
VICMP1432	VIBC MPC20	1/4 "	32	1	5604612727901

## Guide bar for electric chainsaw and mini chainsaw EGO

**NEW**



Reference	Compatible:		Ean
VILE14A38	VIBCEBSFL40	1	5604612721282
VILMP1432	VIBC MPC20	1	5604612727925

**Blades for lawnmower EGO**

**NEW**



Reference	Compatible:		Ean
VIBCMR20.1.048	VIBCMRB20	1	5604612727956
VIBCMRB40.1.002	VIBCMRB40	1	5604612727949
VIBCMRSF.1.067	VIBCMRSFL40	1	5604612727932

**Plastic blade for grass trimmer EGO**

**NEW**

**Features:**

- > Reinforced plastic;
- > 20 units.



Reference	Compatible:		Ean
VIBCACSFL20.L	VIBCACSFL20	1	5604612707071

**Set of 6 sprayer nozzles EGO**

**NEW**



Reference	Compatible:		Ean
VIBCP1620P	VIBCP1620	1	5604612727819

**Stainless steel lance for sprayer EGO**

**NEW**



Reference	Compatible:		Ean
VIBCP1620L	VIBCP1620	1	5604612727826

**Set of straps for sprayer EGO**

**NEW**



Reference	Compatible:		Ean
VIBCP1620A	VIBCP1620	1	5604612727833

**Lid with sealing for sprayer EGO**

**NEW**



Reference	Compatible:		Ean
VIBCP1620T	VIBCP1620	1	5604612727840

# AGRICULTURAL MACHINERY



VIAB43

## Earth auger 43cc



Find out more:

VIRR52E

## Wheeled brush cutter 52cc

**NEW**



Find out more:

### Main features:


- > Fuel primer bulbs;
- > Easy start system;
- > Different drilling diameters.

### Technical data

Engine	2-ST combustion
Engine power	1.6 hp   1.2 kW
Engine displacement	43 cc
Rotation speed	9200 rpm
Drill bit rotation	2800 rpm
Drill bits length	730 mm
Drill bits diameter	100 mm, 150 mm, 200 mm
Drill bits weight	2 kg / 2.5 kg / 3 kg
Fuel	Mixture - 1:30 ratio
Fuel tank capacity	1 L
Running time	1.5h
Sound power level (L <sub>WA</sub> )	102 dB
Weight	8.5 kg
Dimensions	320 x 380 x 500 mm
Weight with packaging	19.7 kg
Packaging dimensions	780 x 460 x 450 mm
Barcode	5604612705312



Fuel primer bulb



Drill bit



Tool kit

### Packaging content

- > Drill bits (x3);
- > Tool kit;
- > Fuel mixing bottle.

Accessories Page 33

### Main features:

- > Fuel primer bulbs;
- > Easy start system;
- > Easy displacement;
- > Pneumatic wheels.

### Technical data

Engine	2-ST combustion
Power	2.15 hp   1.6 kW
Engine displacement	52 cc
Rotation speed	8500 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	1 L
Running time	1.5h
Shaft tube length	500 mm
Shaft tube diameter	26 mm
Blade cutting width	255 mm
Sound power level (L <sub>WA</sub> )	114 dB
Weight	13.5 kg
Dimensions	1200 x 430 x 1030 mm
Weight with packaging	15.3 kg
Packaging dimensions	575 x 320 x 465 mm
Barcode	5604612717377



Rear wheel for changing direction



Side exhaust



Tool kit

### Packaging content

- > Blade 255 mm;
- > Tool kit.

Accessories Page 33-36

VIRMF33

## Multi-function brush cutter 33cc



Find out more:

VIR43E

## Brush cutter 43cc



Find out more:

### Main features:


- › Several operating modes: brush cutter, pruning chainsaw, hedge trimmer;
- › Easy start system;
- › Easy accessory coupling;
- › Multi-function control handle.

### Technical data

Engine	2-ST combustion
Engine power	1.6 hp   1.2 kW
Engine displacement	33 cc
Rotation speed	7500 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	1 L
Running time	1.5h
Shaft tube length	1500 mm
Shaft tube diameter	26 mm
Blade cutting width - Brush cutter mode	255 mm
Guide bar length - Hedge trimmer mode	450 mm
Cutting diameter - hedge trimmer mode	19 mm
Guide bar length - pruning chainsaw mode	300 mm
Lubricating oil - pruning chainsaw mode	H150 / 150 ml
Sound power level (L <sub>WA</sub> )	113 dB
Weight	6.6 kg
Dimensions	255 x 1940 x 640 mm
Weight with packaging	15 kg
Packaging dimensions	1065 x 290 x 315 mm
Barcode	5604612689575



Fuel primer bulb



Tool kit



Carrying strap

### Packaging content

- › Blade 255 mm;
- › Mowing head;
- › Guide bar for pruning chainsaw;
- › Blade for hedge trimmer;
- › Carrying strap;
- › Tool kit.

Accessories Page 33-36

### Main features:

- › Easy start system;
- › Anti-vibration system.

### Technical data

Engine	2-ST combustion
Engine power	1.5 hp   1.1 kW
Engine displacement	43 cc
Rotation speed	7500 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	1 L
Running time	1.5h
Shaft tube length	1500 mm
Nylon line diameter	2.4 mm
Shaft tube diameter	26 mm
Blade cutting width	255 mm
Mowing head cutting width with nylon line	440 mm
Sound power level (L <sub>WA</sub> )	112 dB
Weight	6.1 kg
Dimensions	470 x 1800 x 570 mm
Weight with packaging	7.5 kg
Packaging dimensions	310 x 230 x 350 mm
Barcode	5604612690021



Fuel primer bulb



Tool kit



Carrying strap

### Packaging content

- › Blade 255 mm;
- › Mowing head;
- › Carrying strap;
- › Tool kit.

Accessories Page 33-36

VIR43B

## Rigid brush cutter 43cc



Find out more:

VIR52B

## Rigid brush cutter 52cc



Find out more:

### Main features:

- > Fuel primer bulb;
- > Easy start system;
- > Anti-vibration system.

### Technical data

Engine	2-ST combustion
Engine power	1.6 hp   1.2 kW
Engine displacement	43 cc
Rotation speed	7000 rpm
Fuel	Mixture - 1:30 ratio
Fuel tank capacity	1 L
Running time	1.5h
Shaft tube length	1500 mm
Nylon line diameter	2.5 mm
Shaft tube diameter	26 mm
Blade cutting width	255 / 305 mm
Mowing head cutting width with nylon line	415 mm
Sound power level (L <sub>WA</sub> )	109 dB
Weight	9 kg
Dimensions	290 x 1890 x 700 mm
Weight with packaging	12.2 kg
Packaging dimensions	1832 x 301 x 301 mm
Barcode	5604612705299



Anti-vibration system



Tool kit



Harness

### Packaging content

- > Blade 255 mm;
- > Mowing head;
- > Harness;
- > Tool kit.

Accessories Page 33-36

### Main features:

- > Fuel primer bulb;
- > Easy start system;
- > Anti-vibration system.

### Technical data

Engine	2-ST combustion
Engine power	1.9 hp   1.4 kW
Engine displacement	52 cc
Rotation speed	7000 rpm
Fuel	Mixture - 1:30 ratio
Fuel tank capacity	1 L
Running time	1.5h
Shaft tube length	1500 mm
Nylon line diameter	2.5 mm
Shaft tube diameter	26 mm
Blade cutting width	255 / 305 mm
Mowing head cutting width with nylon line	415 mm
Sound power level (L <sub>WA</sub> )	109 dB
Weight	9 kg
Dimensions	290 x 1890 x 700 mm
Weight with packaging	12.2 kg
Packaging dimensions	1832 x 301 x 301 mm
Barcode	5604612705305



Anti-vibration system



Tool kit



Harness

### Packaging content

- > Blade 255 mm;
- > Mowing head;
- > Harness;
- > Tool kit.

Accessories Page 33-36

VIR42

## Professional rigid brush cutter

### 42cc



Find out more:

VIR47

## Professional rigid brush cutter

### 47cc



Find out more:

#### Main features:

- › Fuel primer bulb;
- › Easy start system;
- › Advanced anti-vibration system;
- › Cylinder coating in nickel-plated silicon carbide;
- › Quick-release handlebar.

#### Technical data

Engine	2-ST combustion
Engine power	2.4 hp   1.8 kW
Engine displacement	42 cc
Rotation speed	8150 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	1 L
Running time	1.5h
Shaft tube length	1500 mm
Nylon line diameter	2.4 mm
Shaft tube diameter	28 mm
Blade cutting width	255 mm
Mowing head cutting width with nylon line	430 mm
Sound power level (L <sub>WA</sub> )	114 dB
Weight	9.4 kg
Dimensions	250 x 1860 x 665 mm
Weight with packaging	13 kg
Packaging dimensions	1850 x 290 x 280 mm
Barcode	5604612705923



Advanced anti-vibration system



Professional harness



Tool kit

#### Packaging content

- › Blade 255 mm;
- › Mowing head;
- › Professional harness;
- › Tool kit.

Accessories Page 33-36

#### Main features:


- › Fuel primer bulb;
- › Easy start system;
- › Advanced anti-vibration system;
- › Cylinder coating in nickel-plated silicon carbide;
- › Quick-release handlebar.

#### Technical data

Engine	2-ST combustion
Engine power	2.7 hp   2.0 kW
Engine displacement	47 cc
Rotation speed	10000 / 10500 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	1 L
Running time	1.5h
Shaft tube length	1500 mm
Nylon line diameter	2.4 mm
Shaft tube diameter	28 mm
Blade cutting width	255 mm
Nylon line cutting width	430 mm
Sound power level (L <sub>WA</sub> )	114 dB
Weight	9.4 kg
Dimensions	250 x 1860 x 665 mm
Weight with packaging	13 kg
Packaging dimensions	1850 x 290 x 280 mm
Barcode	5604612703196



Advanced anti-vibration system



Professional harness



Tool kit

#### Packaging content

- › Blade 255 mm;
- › Mowing head;
- › Professional harness;
- › Tool kit.

Accessories Page 33-36





VIRM52E

**Backpack brush cutter**

52cc

**NEW**

Find out more:

VIRM47

**Backpack brush cutter**

47cc



Find out more:

**Main features:**

- > Fuel primer bulb;
- > Easy start system;
- > Multi-function control handle.

**Technical data**

Engine	2-ST combustion
Engine power	2.15 hp   1.6 kW
Engine displacement	52 cc
Rotation speed	8500 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	1 L
Running time	1.5h
Shaft tube diameter	26 mm
Blade cutting width	255 mm
Nylon line cutting width	440 mm
Nylon line diameter	2.4 mm
Sound power level (L <sub>WA</sub> )	114 dB
Weight	8.4 kg
Dimensions	2630 x 300 x 440 mm
Weight with packaging	10.5 kg
Packaging dimensions	330 x 430 x 315 mm
Barcode	5604612717360



Padded straps



Tool kit

**Packaging content**

- > Blade 255 mm;
- > Mowing head;
- > Tool kit.

Accessories Page 33-36

**Main features:**

- > Fuel primer bulb;
- > Easy start system;
- > Advanced anti-vibration system;
- > Cylinder coating in nickel-plated silicon carbide.

**Technical data**

Engine	2-ST combustion
Engine power	2.7 hp   2.0 kW
Engine displacement	47 cc
Rotation speed	10000 / 10500 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	1 L
Running time	1.5h
Shaft tube diameter	28 mm
Blade cutting width	255 mm
Nylon line cutting width	430 mm
Nylon line diameter	2.4 mm
Sound power level (L <sub>WA</sub> )	114 dB
Weight	13 kg
Dimensions	570 x 2700 x 560 mm
Weight with packaging	16.5 kg
Packaging dimensions	1440 x 275 x 350 mm
Barcode	5604612692087

Padded straps  
CONFORT PLUSCompartment for  
toolsAssembly tools  
kit**Packaging content**

- > Blade 255 mm;
- > Mowing head;
- > Tool kit.

Accessories Page 33-36

## Brush cutters



Technical data	VIRMF33	VIR43E	VIR43B	VIR52B
Engine	2-ST combustion	2-ST combustion	2-ST combustion	2-ST combustion
Engine power	1.6 hp   1.2 kW	1.5 hp   1.1 kW	1.6 hp   1.2 kW	1.9 hp   1.4 kW
Engine displacement	33 cc	43 cc	43 cc	52 cc
Rotation speed	7500 rpm	7500 rpm	7000 rpm	7000 rpm
Fuel	Mixture - 1:40 ratio	Mixture - 1:40 ratio	Mixture - 1:30 ratio	Mixture - 1:30 ratio
Fuel tank capacity	1 L	1 L	1 L	1 L
Running time	1.5h	1.5h	1.5h	1.5h
Shaft tube length	1500 mm	1500 mm	1500 mm	1500 mm
Nylon line diameter	2.4 mm	2.4 mm	2.5 mm	2.5 mm
Shaft tube diameter	26 mm	26 mm	26 mm	26 mm
Blade cutting width	255 mm	255 mm	255 / 305 mm	255 / 305 mm
Nylon cutting width	415 mm	440 mm	415 mm	415 mm
Blade cutting width - Brush cutter mode	255 mm	-	-	-
Guide bar length - Hedge trimmer mode	450 mm	-	-	-
Cutting diameter - hedge trimmer mode	19 mm	-	-	-
Guide bar length - pruning chainsaw	300 mm	-	-	-
Lubricating oil - pruning chainsaw	H150 / 150 ml	-	-	-
Sound power level (L <sub>WA</sub> )	113 dB	112 dB	109 dB	109 dB
Weight	6.6 kg	7.5 kg	9 kg	9 kg
Dimensions	255 x 1940 x 640 mm	470 x 1800 x 570 mm	290 x 1890 x 700 mm	290 x 1890 x 700 mm

### Packaging content

Carrying strap	✓	✓	-	-
Harness	-	-	-	-
Professional harness	-	-	-	-
Blade	✓	✓	✓	✓
Mowing head	✓	✓	✓	✓
Tools kit	✓	✓	✓	✓
Fuel mixing bottle	✓	✓	✓	✓
Weight with packaging	15 kg	6.1 kg	12.2 kg	12.2 kg
Packaging dimensions	1065 x 290 x 315 mm	310 x 230 x 350 mm	1832 x 301 x 301 mm	1832 x 301 x 301 mm

## Overview

**Brush cutters**

Technical data	VIR42	VIR47	VIRM52E	VIRM47
Engine	2-ST combustion	2-ST combustion	2-ST combustion	2-ST combustion
Engine power	2.4 hp   1.8 kW	2.7 hp   2.0 kW	2.15 hp   1.6 kW	2.7 hp   2.0 kW
Engine displacement	42 cc	47 cc	52 cc	47 cc
Rotation speed	8150 rpm	10000 / 10500 rpm	8500 rpm	10000 / 10500 rpm
Fuel	Mixture - 1:40 ratio	Mixture - 1:40 ratio	Mixture - 1:40 ratio	Mixture - 1:40 ratio
Fuel tank capacity	1 L	1 L	1 L	1 L
Running time	1.5h	1.5h	1.5h	1.5h
Shaft tube length	1500 mm	1500 mm	-	-
Nylon line diameter	2.4 mm	2.4 mm	2.4 mm	2.4 mm
Shaft tube diameter	28 mm	28 mm	28 mm	28 mm
Blade cutting width	255 mm	255 mm	255 mm	255 mm
Nylon cutting width	430 mm	430 mm	440 mm	430 mm
Vibration level only with main handle	3.05 ± 1.5	3.05 ± 1.5	3.05 ± 1.5	3.05 ± 1.5
Vibration level only with auxiliary handle	3.39 ± 1.5	3.39 ± 1.5	3.39 ± 1.5	3.39 ± 1.5
Sound power level (L <sub>WA</sub> )	114 dB	114 dB	114 dB	114 dB
Weight	9.4 kg	9.4 kg	8.4 kg	13 kg
Dimensions	250 x 1860 x 665 mm	250 x 1860 x 665 mm	2630 x 300 x 440 mm	570 x 2550 x 560 mm
<b>Packaging content</b>				
Carrying strap	-	-	-	-
Harness	-	✓	-	-
Professional harness	✓	✓	-	-
Blade	✓	✓	✓	✓
Mowing head	✓	✓	✓	✓
Tools kit	✓	✓	✓	✓
Fuel mixing bottle	✓	✓	✓	✓
Weight with packaging	13 kg	13 kg	10.5 kg	16.5 kg
Packaging dimensions	1850 x 290 x 280 mm	1850 x 290 x 280 mm	330 x 430 x 315 mm	1440 x 275 x 350 mm



VIME7A

## Petrol belt-driven tiller

### 7hp

**NEW**

Find out more:

VIMETD7A

## Petrol tiller with direct transmission

### 7hp

**NEW**

Find out more:

#### Main features:

- > Triple filter system;
- > Oil level sensor.

#### Technical data

Engine	4-ST combustion
Engine power	7 hp   5.2 kW
Engine displacement	212 cc
Rotation speed	3600 rpm
Drive	Belt
Speeds	2 forward + 1 reverse
Fuel	Petrol
Fuel tank capacity	3.6 L
Working width	700 - 850 mm
Tines diameter	350 mm
Engine oil	15W40
Engine oil crankcase capacity	0.6 L
Gearbox oil crankcase capacity	1.4 L
Sound power level (L <sub>WA</sub> )	98 dB
Weight	82 kg
Dimensions	870 x 1600 x 1100 mm
Weight with packaging	87 kg
Packaging dimensions	840 x 470 x 650 mm
Barcode	5604612722890

#### Assembled product:

VIME7A.M 5604612728403



Engine guard



Tool box



Double drive belt

#### Packaging content

- > Furrow opener;
- > Tines;
- > Depth rod;
- > Tool kit.

Accessories Page 31

#### Main features:


- > Triple filter system;
- > Oil level sensor;
- > Front wheel quick adjustment.

#### Technical data


Engine	4-ST combustion
Engine power	7 hp   5.2 kW
Engine displacement	212 cc
Rotation speed	3600 rpm
Drive	Direct
Speeds	2 forward + 1 reverse
Fuel	Petrol
Fuel tank capacity	3.6 L
Working width	1050 - 1200 mm
Tines diameter	350 mm
Engine oil	15W40
Engine oil crankcase capacity	0.6 L
Gearbox oil crankcase capacity	2 L
Sound power level (L <sub>WA</sub> )	98 dB
Weight	99 kg
Dimensions	870 x 1460 x 1260 mm
Weight with packaging	105 kg
Packaging dimensions	880 x 510 x 770 mm
Barcode	5604612722883

#### Assembled product:

VIMETD7A.M 5604612728410



Engine guard



Tool box



Engine cover

#### Packaging content

- > Furrow opener;
- > Tines;
- > Depth rod;
- > Tool kit.

Accessories Page 31

VIMEDTD7A

## Diesel tiller with direct transmission

7hp



Find out more:

VIMEDTD12A

## Diesel tiller with direct transmission

12hp



Find out more:

### Main features:

- > Electric start;
- > Triple filter system;
- > Oil level sensor;
- > Front stand.

### Technical data

Engine	4-ST combustion
Engine power	7 hp   5.2 kW
Engine displacement	246 cc
Rotation speed	3600 rpm
Drive	Direct
Speeds	2 forward + 1 reverse
Fuel	Diesel
Fuel tank capacity	3.6 L
Working width	1150 mm
Tines diameter	350 mm
Engine oil	15W40
Engine oil crankcase capacity	0.6 L
Gearbox oil crankcase capacity	2 L
Sound power level (Lwa)	98 dB
Weight	117 kg
Dimensions	670 x 1300 x 1130 mm
Weight with packaging	127 kg
Packaging dimensions	880 x 455 x 815 mm
Barcode	5604612689438

### Assembled product:

VIMEDTD7A.M	5604612701963
-------------	---------------



Tool box



Triple filter system



Electric start

### Packaging content

- > Furrow opener;
- > Tines;
- > Depth rod;
- > Tool kit.

Accessories Page 31

### Main features:

- > Electric start;
- > Triple filter system;
- > Oil level sensor;
- > Front grille guard with headlight.

### Technical data

Engine	4-ST combustion
Engine power	12 hp   8.9 kW
Engine displacement	456 cc
Rotation speed	3600 rpm
Drive	Direct
Speeds	2 forward + 1 reverse
Fuel	Diesel
Fuel tank capacity	5.5 L
Working width	1450 mm
Tines diameter	360 mm
Engine oil	15W40
Engine oil crankcase capacity	1.65 L
Gearbox oil crankcase capacity	2.5 L
Sound power level (Lwa)	98 dB
Weight	180 kg
Dimensions	1450 x 1400 x 1750 mm
Weight with packaging	194 kg
Packaging dimensions	1010 x 650 x 820 mm
Barcode	5604612721084

### Assembled product:

VIMEDTD12A.M	5604612712181
--------------	---------------



Tool box



Triple filter system



Electric start

### Packaging content

- > Double furrow opener;
- > Tines;
- > Depth rod;
- > Tool kit.

Accessories Page 31

## Overview

**Tillers**

Technical data	VIME7A	VIMETD7A	VIMEDTD7A	VIMEDTD12A
Engine	4-ST combustion	4-ST combustion	4-ST combustion	4-ST combustion
Engine power	7 hp   5.2 kW	7 hp   5.2 kW	7 hp   5.2 kW	12 hp   8.9 kW
Engine displacement	212 cc	212 cc	246 cc	456 cc
Rotation speed	3600 rpm	3600 rpm	3600 rpm	3600 rpm
Drive	Belt	Direct	Direct	Direct
Speeds	2 forward + 1 reverse	2 forward + 1 reverse	2 forward + 1 reverse	2 forward + 1 reverse
Fuel	Petrol	Petrol	Diesel	Diesel
Fuel tank capacity	3.6 L	3.6 L	3.6 L	5.5 L
Working width	700 - 850 mm	1050 - 1200 mm	1150 mm	1450 mm
Tines diameter	350 mm	350 mm	350 mm	360 mm
Engine oil	15W40	15W40	15W40	15W40
Engine oil crankcase capacity	0.6 L	0.6 L	0.6 L	1.65 L
Gearbox oil crankcase capacity	1.4 L	2 L	2 L	2.5 L
Handlebar adjustment	✓	✓	✓	✓
Electric start	-	-	✓	✓
Sound power level (L <sub>WA</sub> )	98 dB	98 dB	98 dB	98 dB
Weight	82 kg	99 kg	117 kg	180 kg
Dimensions	870 x 1600 x 1100 mm	870 x 1460 x 1260 mm	660 x 1500 x 1200 mm	1450 x 1400 x 1750 mm

**Packaging content**

Tines	✓	✓	✓	✓
Furrow opener	✓	✓	✓	✓
Handlebar	✓	✓	✓	✓
Front wheel	✓	✓	-	-
Drive wheels	✓	✓	✓	✓
Depth rod	✓	✓	✓	✓
Set of keys	-	-	✓	✓
Battery	-	-	✓	✓
Weight with packaging	87 kg	105 kg	127 kg	194 kg
Packaging dimensions	840 x 470 x 655 mm	880 x 510 x 770 mm	880 x 455 x 815 mm	1010 x 650 x 820 mm



VIM7

## Petrol cultivator 7hp



Find out more:



### Main features:

- > Triple filter system;
- > Oil level sensor;
- > Independent tines drive;
- > Quick handlebar adjustment.



Rear wheel for displacement



Engine grille guard



Dual direction tines

### Packaging content

- > Dual direction tines;
- > Metal wheels;
- > Tool kit.

### Technical data

Engine	4-ST combustion
Engine power	7 hp   5.2 kW
Engine displacement	212 cc
Rotation speed	3600 rpm
Drive	Direct
Speeds	2 forward + 1 reverse
Fuel	Petrol
Fuel tank capacity	3.6 L
Working width	620 mm
Tines diameter	320 mm (x8)
Engine oil	15W40
Engine oil crankcase capacity	0.6 L
Gearbox oil crankcase capacity	1.4 L
Tines oil crankcase capacity	1 L
Sound power level (LWA)	98 dB
Weight	100 kg
Dimensions	700 x 1400 x 1115 mm
Weight with packaging	132 kg
Packaging dimensions	1190 x 555 x 650 mm
Barcode	5604612721077

### Assembled product:

VIM7.M	5604612696450
--------	---------------



## Plough



Reference	Compatible with:		Ean
VIME7.16	VIME7A / VIMETD7A / VIMEDTD7A	1	5604612663995

## Furrow opener



Reference	Compatible with:		Ean
VIME7.17	VIME7A / VIMETD7A / VIMEDTD7A	1	5604612715687

## Double furrow opener



Reference	Compatible with:		Ean
VIMEDTD12AARD	VIMEDTD12 / VIMEDTD12A	1	5604612714314

## Potato lifter



Reference	Compatible with:		Ean
VIME7AB	VIME7A / VIMETD7A / VIMEDTD7A	1	5604612649913

## Set of 2 tines

**Features:**  
> ● Hexagonal shaft fitting 25 mm.



Reference	Compatible with:	working width		Ean
VIME7.C.6.000	VIME7A	700 - 850 mm	1	5604612668747
VIMEDTD7.C.16.000	VIMETD7A / VIMEDTD7A	1150 - 1200 mm	1	5604612726621
VIMEDTD12A.C17.000	VIMEDTD12A	1450 mm	1	5604612725372

## Set of 2 metal wheels

**Features:**  
> ● Hexagonal shaft fitting 25 mm.



Reference	Compatible with:		Ean
VIME7RM	VIME7A / VIMETD7A / VIMEDTD7A	1	5604612650834

## Valve tube



Reference	Compatible with:		Ean
VIME7.4008C	VIME7A / VIMETD7A	1	5604612729417
VIMEDTD12A.C16.051	VIMEDTD12 / VIMEDTD12A	1	5604612729424
VIM7.1.C11.010	VIM7	1	5604612729431

## Pneumatic wheel

**Features:**  
> ● Hexagonal shaft fitting 25 mm.



Reference	Compatible with:	Sides		Ean
VIME7.4008D	VIME7A / VIMETD7A / VIMEDTD7A	Direito	1	5604612647315
VIME7.4008E	VIME7A / VIMETD7A / VIMEDTD7A	Esquerdo	1	5604612647322

### Garden and rubble wheelbarrow PVC

**Features:**

- > 100L capacity;
- > Pneumatic wheels;
- > 3.50 - 8" wheel;
- > PVC and metal.



Ref. VIRO1  
Ean 5604612658946



Ref. VIRO2  
Ean 5604612658953



Ref. VIROD3  
Ean 5604612673178

Reference	Dim		Ean
VICA19	940 x 600 x 580 mm	1	5604612627065

### Farmer handcart with brake

**Features:**

- > 130kg capacity;
- > 495 x 150 mm pneumatic wheels;
- > Steel chassis;
- > Brake.



Ref. COR09  
Ean 5604612724658

Reference	Packaging dimensions		Ean
VICA8	1000 x 720 x 365 mm	1	5604612111977

### Farmer handcart without brake

**Features:**

- > 130kg capacity;
- > Pneumatic wheels;
- > Steel chassis.



Ref. COR08  
Ean 5604612112004

Reference	Packaging dimensions		Ean
VICA9	1000 x 720 x 365 mm	1	5604612111984

### Tiller trailer mod. 7

**Features:**

- > 325kg capacity;
- > 410 x 100 mm pneumatic wheels;
- > Reflective back plate;
- > Steel chassis;
- > Brake.



Reference	Packaging dimensions		Ean
VIAME7A	1205 x 912 x 315 mm	1	5604612668792

### Tiller trailer mod. 12

**Features:**

- > 450kg capacity;
- > 495 x 150 mm pneumatic wheels;
- > Reflective back plate;
- > Steel chassis;
- > Brake.



Reference	Packaging dimensions		Ean
VIAME12A	1505 x 1110 x 385 mm	1	5604612689957

## Spark plug



Reference	Dim		Ean
VIVELA5510	55 x 10 mm	1	5604612679835
VIVELA8020	80 x 20 mm	1	5604612679842
VIVELA5510B	55 x 10 mm	1	5604612715403
VIVELA8020B	80 x 20 mm	1	5604612715410

## Drill bit for earth auger



Reference	Dim	Ø		Ean
VIAB43.100	730 x 50 mm	100 mm	1	5604612705671
VIAB43.150	730 x 75 mm	150 mm	1	5604612705688
VIAB43.200	730 x 100 mm	200 mm	1	5604612705695

## Steel brush for brush cutter

**NEW**

**Features:**  
 > 0.5 mm wire.



Reference	Dim	Ø		Ean
VIEAR150	150 mm	25.4 mm	1	5604612718091
VIEAR200	200 mm	25.4 mm	1	5604612718107

## Nylon brush for brush cutter

**NEW**



Reference	Dim.	Ø		Ean
VIENTR200	200 mm	25.4 mm	1	5604612718114

## Automatic brush cutter head

**Features:**  
 > For use with 1 - 3 mm nylon line.



Reference	Dim	Ø nylon line		Ean
VICRA	110 x 80 mm	2.4 mm	25	5604612663285

## 4-hole aluminium head for brush cutter

**Features:**  
 > For use with 1 - 3 mm nylon line.



Reference	Dim	Ø nylon line		Ean
VICAR4	450 x 550 mm	2 mm	50	5604612663278

**4 square nylon lines**



Reference	Ø nylon line		Ean
VIFRQ43	2 mm	12	5604612608019
VIFRQ44	3 mm	12	5604612608026

**Twisted nylon line for brush cutter**



Reference	Ø nylon line	Dim		Ean
VIFRT1315	1.3 mm	15 m	1	5604612662844
VIFRT1360	<b>NEW</b> 1.3 mm	60 m	1	5604612716318
VIFRT13100	<b>NEW</b> 1.3 mm	100 m	1	5604612716325
VIFRT13200	<b>NEW</b> 1.3 mm	200 m	1	5604612716332
VIFRT2015	2.0 mm	15 m	1	5604612662851
VIFRT2060	<b>NEW</b> 2.0 mm	60 m	1	5604612716349
VIFRT20100	<b>NEW</b> 2.0 mm	100 m	1	5604612716356
VIFRT20200	<b>NEW</b> 2.0 mm	200 m	1	5604612716363

**Twisted nylon line plus for brush cutter**



Reference	Ø nylon line	Dim		Ean
VIFRTP2415	2.4 mm	15 m	1	5604612662868
VIFRTP2460	<b>NEW</b> 2.4 mm	60 m	1	5604612716370
VIFRTP24200	<b>NEW</b> 2.4 mm	200 m	1	5604612716387
VIFRTP24360	<b>NEW</b> 2.4 mm	360 m	1	5604612716394
VIFRTP3015	3.0 mm	15 m	1	5604612662875
VIFRTP360	3.0 mm	60 m	1	5604612690397
VIFRTP30186	<b>NEW</b> 3.0 mm	186 m	1	5604612716400
VIFRTP4015	<b>NEW</b> 4.0 mm	15 m	1	5604612716417
VIFRTP4040	<b>NEW</b> 4.0 mm	40 m	1	5604612716424
VIFRTP40160	<b>NEW</b> 4.0 mm	160 m	1	5604612716431

**Rond nylon line for brush cutter**



Reference	Ø nylon line	Dim		Ean
VIFR12	1.3 mm	12 m	1	5604612034481
VIFR1360	<b>NEW</b> 1.3 mm	60 m	1	5604612716479
VIFR13100	<b>NEW</b> 1.3 mm	100 m	1	5604612716486
VIFR13200	<b>NEW</b> 1.3 mm	200 m	1	5604612716493
VIFR16	1.6 mm	15 m	1	5604612690694
VIFR1660	<b>NEW</b> 1.6 mm	60 m	1	5604612716509
VIFR16100	<b>NEW</b> 1.6 mm	100 m	1	5604612716516
VIFR16200	<b>NEW</b> 1.6 mm	200 m	1	5604612716523
VIFR215	2.0 mm	15 m	1	5604612026271
VIFR2060	<b>NEW</b> 2.0 mm	60 m	1	5604612716530
VIFR20100	<b>NEW</b> 2.0 mm	100 m	1	5604612716547
VIFR20200	<b>NEW</b> 2.0 mm	200 m	1	5604612716554
VIFR15	2.4 mm	15 m	1	5604612034498
VIFR2460	<b>NEW</b> 2.4 mm	60 m	1	5604612716561
VIFR24150	<b>NEW</b> 2.4 mm	150 m	1	5604612716578
VIFR24300	<b>NEW</b> 2.4 mm	300 m	1	5604612716585
VIFR315	3.0 mm	15 m	1	5604612034511
VIFR60	3.0 mm	60 m	1	5604612034504
VIFR30120	<b>NEW</b> 3.0 mm	120 m	1	5604612716592
VIFR30255	<b>NEW</b> 3.0 mm	255 m	1	5604612716608

**Square nylon line for brush cutter**



Reference	Ø nylon line	Dim		Ean
VIFRQ315	3.0 mm	15 m	1	5604612608033
VIFRQ360	3.0 mm	60 m	1	5604612608040
VIFRQ30100	<b>NEW</b> 3.0 mm	100 m	1	5604612716448
VIFRQ30230	<b>NEW</b> 3.0 mm	230 m	1	5604612716455
VIFRQ4087	4.0 mm	87 m	1	5604612662837
VIFRQ40140	<b>NEW</b> 4.0 mm	140 m	1	5604612716462

## Shredder blade

Features:  
> 2 teeth.




Reference	Dim.		Ean
VIDCM2	310 mm	6	5604612109530

## Professional shredder blade

Features:  
> 3 teeth;  
> Greater cutting stability and more precision.



Reference	Dim.		Ean
VIDCMP2	310 mm	6	5604612675912

## Brush knife

Features:  
> 3 teeth;



Reference	Dim.		Ean
VIDCM3	255 mm	6	5604612022549

## Circular grass cutting blade

Features:  
> 8 teeth.




Reference	Dim.		Ean
VIDCM8	255 mm	6	5604612022556

## Circular cutting blade

Features:  
> 20 teeth.



Reference	Dim.		Ean
VIDCE20	255 mm	6	5604612022518

## Circular grass cutting blade

Features:  
> 40 teeth.



Reference	Dim.		Ean
VIDCE40	255 mm	6	5604612022525

### Circular grass cutting blade

- Features:**
- > 80 teeth.



Reference	Dim.		Ean
VIDCE80	255 mm	6	5604612022532

### Carbide-tipped circular blade PRO

- Features:**
- > 30 teeth;
  - > Diamond tooth height 11 mm.



Reference	Dim.		Ean
VIDEP30	255 mm	6	5604612675905

### Carbide-tipped circular blade

- Features:**
- > 40 teeth;
  - > Diamond tooth height 11 mm.



Reference	Dim.		Ean
VIDE40	255 mm	6	5604612013554

### Harness for brush cutter

- Features:**
- > Use - occasional;
  - > Easy to transport;
  - > Ergonomical;
  - > Universal;
  - > Adjustable straps;
  - > Nylon and metal material;
  - > Padded;
  - > Lumbar area protection.



Reference		Ean
VICSR	1	5604612663377

### Professional harness for brush cutter

- Features:**
- > Use - professional;
  - > Rigid support;
  - > Adjustable waist band;
  - > Adjustable straps;
  - > Nylon and metal material;
  - > Padded;
  - > Lumbar region protection.



Reference		Ean
VICSPR	1	5604612673505

**FOREST**



VIRL7A

## Horizontal log splitter 7 ton



Find out more:

VIRLV9

## Vertical log splitter 9 ton



Find out more:

### Main features:

- > Two control levers;
- > Safety guard;
- > Easy to transport.

### Technical data

Splitting force	7 t
Motor power	2900 W
Maximum cutting length	520 mm
Maximum cutting diameter	230 mm
Duty cycle	S3 - 40%
Supply voltage	230 V - 50 Hz
Operation temperature	5 - 40 °C
Hydraulic oil	ISO VG 22
Sound power level (L <sub>WA</sub> )	75 dB
Weight	73 kg
Dimensions	1220 x 400 x 1240 mm
Packaging 1 weight	53.3 kg
Packaging 1 dimensions	1020 x 310 x 480 mm
Packaging 2 weight	20 kg
Packaging 2 dimensions	930 x 415 x 150 mm
Barcode	5604612698249

### Main features:

- > Two control levers;
- > 3 cutting positions;
- > Side guard;
- > Easy to transport.

### Technical data

Splitting force	9 t
Motor power	3500 W
Maximum cutting length	1000 mm
Maximum cutting diameter	350 mm
Cutting heights	560, 780, 1000 mm
Duty cycle	S6 - 40%
Supply voltage	230 V - 50 Hz
Temperature	5 - 40 °C
Hydraulic oil	ISO VG 22
Sound power level (L <sub>WA</sub> )	85 dB
Weight	130.5 kg
Dimensions	1100 x 680 x 1500 mm
Weight with packaging	132 kg
Packaging dimensions	500 x 450 x 990 mm
Barcode	5604612698232



Electric motor



Metal log saw horse



Safety guard



Electric motor



Adjustable base plate



Side log holder

### Packaging content

- > Metal log saw horse with wheels;
- > Safety guard.

### Packaging content

- > Cutting accessories.





VIRLG12

## Petrol log splitter 12 ton



Find out more:



### Main features:


- > Two control levers;
- > 3 cutting positions: vertical, horizontal, diagonal;
- > Splits in 2 or 4 parts.



Combustion engine



Cutting position quick adjustment



Wedges

### Packaging content

- > Full length beam;
- > Ram stop;
- > Wedge ;
- > Cross wedge.

### Technical data

Splitting force	12 t
Engine	4-ST combustion
Engine power	7 cv   5.2 kW
Engine displacement	208 cc
Rotation speed	2800 rpm
Fuel	Petrol
Fuel tank capacity	3.6 L
Running time	2.5 h
Engine oil	15W40
Engine oil crankcase capacity	0.6 L
Hydraulic oil	ISO VG 22
Hydraulic oil tank capacity	5 L
Duty cycle	29 s
Control handles	Double
Maximum cutting length	520 mm
Maximum cutting diameter	300 mm
Sound power level (L <sub>WA</sub> )	118 dB
Weight	127 kg
Dimensions	1315 x 525 x 1480 mm
Weight with packaging	135 kg
Packaging dimensions	745 x 455 x 1115 mm
Barcode	5604612721060

### Assembled product:

VIRLG12.M	5604612687083
-----------	---------------



VIMP2810

## Pruning chainsaw 28.5cc

**NEW**



Find out more:

VIE1800A

## Brushless electric chainsaw 1800W



Find out more:

### Main features:

- > WALBRO carburetor primer bulb;
- > OREGON guide bar and chain;
- > Anti-vibration system.

### Technical data

Engine	2-ST combustion
Engine displacement	28.5 cc
Engine power	1.3 hp   1 kW
Rotation speed	12000 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	0.21 L
Maximum cutting length	250 mm
Number of drive links	40
Chain pitch	3/8 "
Lubricating oil	H150 - 200 ml
Sound power level (L <sub>WA</sub> )	109.3 dB
Weight	3.9 kg
Dimensions	540 x 240 x 232 mm
Weight with packaging	5 kg
Packaging dimensions	300 x 260 x 265 mm
Barcode	5604612708573



WALBRO carburetor primer bulb



Captive nuts



Tools kit

### Packaging content

- > OREGON guide bar and chain;
- > Guide bar cover;
- > Tool kit.

Accessories Page 46

### Main features:

- > Oil tank with level indicator;
- > OREGON guide bar;

### Technical data

Power	1800 W
Maximum cutting length	400 mm
Number of drive links	57
Chain pitch	3/8
Lubricating oil	H150 / 240 ml
Supply voltage	230 V - 50 Hz
Sound power level (L <sub>WA</sub> )	108 dB
Weight	4.7 kg
Dimensions	275 x 800 x 180 mm
Weight with packaging	5.5 kg
Packaging dimensions	515 x 300 x 200 mm
Barcode	5604612665036



Chain tensioning knob

### Packaging content

- > OREGON guide bar and chain;
- > Guide bar cover;
- > Tool kit.

Accessories Page 46

VIMS37

## Chainsaw

37cc

**NEW**

**MAGNUM**



Find out more:

VIMS45B

## Chainsaw

45cc

**NEW**

**MAGNUM**



Find out more:

### Main features:

- > WALBRO carburetor primer bulb;
- > OREGON guide bar and chain;
- > Easy start system;
- > Anti-vibration system;
- > Automatic return of the CHOKE lever.

### Technical data

Engine	2-ST combustion
Engine power	2.1 hp   1.55 kW
Engine displacement	37 cc
Rotation speed	12000 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	0.55 L
Maximum cutting length	400 mm
Number of drive links	57
Chain pitch	3/8 "
Lubricating oil	H150 - 260 ml
Sound power level (L <sub>WA</sub> )	110.9 dB
Weight	6.3 kg
Dimensions	790 x 245 x 275 mm
Weight with packaging	7.4 kg
Packaging dimensions	440 x 275 x 310 mm
Barcode	5604612708580

### Main features:

- > WALBRO carburetor primer bulb;
- > OREGON guide bar and chain;
- > Easy start system;
- > Anti-vibration system;
- > Automatic return of the CHOKE lever.

### Technical data

Engine	2-ST combustion
Engine power	2.5 hp   1.95 kW
Engine displacement	45 cc
Rotation speed	12000 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	0.52 L
Maximum cutting length	450 mm
Number of drive links	72
Chain pitch	0.325"
Lubricating oil	H150 - 250 ml
Sound power level (L <sub>WA</sub> )	109.3 dB
Weight	7.4 kg
Dimensions	890 x 295 x 245 mm
Weight with packaging	8.6 kg
Packaging dimensions	470 x 277 x 312 mm
Barcode	5604612708597



WALBRO carburetor primer bulb



Captive nuts



Slot for wrench



WALBRO carburetor primer bulb



Captive nuts



Slot for wrench

### Packaging content

- > OREGON guide bar and chain;
- > Guide bar cover;
- > Tool kit.

Accessories Page 46

### Packaging content

- > OREGON guide bar and chain;
- > Guide bar cover;
- > Tool kit.

Accessories Page 46



VIMS55

## Chainsaw

55cc

**MAGNUM**

**NEW**



Find out more:



### Main features:

- > WALBRO carburetor primer bulb;
- > OREGON guide bar and chain;
- > Easy start system;
- > Anti-vibration system;
- > Automatic return of the CHOKE lever.



WALBRO carburetor primer bulb



Captive nuts



Slot for wrench

### Packaging content

- > OREGON guide bar and chain;
- > Guide bar cover;
- > Tool kit.

Accessories Page 46

### Technical data

Engine	2-ST combustion
Engine power	3.2 hp   2.4 kW
Engine displacement	55 cc
Rotation speed	12000 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	0.52 L
Maximum cutting length	500 mm
Number of drive links	78
Chain pitch	0.325"
Lubricating oil	250 ml
Sound power level (L <sub>WA</sub> )	110.5 dB
Weight	7.4 kg
Dimensions	890 x 300 x 245 mm
Weight with packaging	9 kg
Packaging dimensions	530 x 278 x 320 mm
Barcode	5604612708603

# Chainsaws



Technical data	VIMS37	VIMS45B	VIMS55	VIE1800A
Engine	2-ST combustion	2-ST combustion	2-ST combustion	-
Engine power	2.1 hp   1.55 kW	2.5 hp   1.95 kW	3.2 hp   2.4 kW	1800 W
Engine displacement	37 cc	45 cc	55 cc	-
Supply voltage	-	-	-	230 V - 50 Hz
Rotation speed	12.000 rpm	12.000 rpm	12.000 rpm	-
Fuel	Mixture - 1:40 ratio	Mixture - 1:40 ratio	Mixture - 1:40 ratio	-
Fuel tank capacity	0.55 L	0.52 L	0.52 L	-
Maximum cutting length	400 mm	450 mm	500 mm	400 mm
Number of drive links	57	72	78	57
Chain pitch	3/8 "	0.325"	0.325"	3/8 "
Lubricating oil	H150 - 260 ml	H150 - 250 ml	H150 - 250 ml	H150 / 240 ml
Sound power level (L <sub>WA</sub> )	110.9 dB	109.3 dB	110.5 dB	108 dB
Weight	6.3 kg	7.4 kg	7.4 kg	4.7 kg
Dimensions	790 x 245 x 275 mm	890 x 295 x 245 mm	890 x 300 x 245 mm	275 x 860 x 190 mm

## Packaging content

OREGON guide bar	✓	✓	✓	✓
OREGON chain	✓	✓	✓	✓
Guide bar cover	✓	✓	✓	✓
Tools kit	✓	✓	✓	✓
Weight with packaging	7.425 kg	8.630 kg	9.010 kg	5.5 kg
Packaging dimensions	440 x 275 x 310 mm	470 x 277 x 312 mm	530 x 278 x 320 mm	515 x 300 x 200 mm

VIACE85

## Electric chainsaw sharpener 85W



Find out more:

### Main features:

- › Angle adjustment up to 35°;
- › Angle scale.

### Technical data

Power	85 W
Rotations per minute	4800 rpm
Continuous operation	20 min
Grinding wheel outer diameter	108 mm
Grinding wheel inner diameter	23 mm
Grinding wheel thickness	3.3 mm
Sharpening angles	35°/35°
Supply voltage	230 V - 50 Hz
Sound power level (L <sub>WA</sub> )	77 dB
Weight	2 kg
Dimensions	200 x 230 x 310 mm
Weight with packaging	2.3 kg
Packaging dimensions	255 x 220 x 170 mm
Barcode	5604612668280



Examples of use



Angle scale

### Packaging content

- › Grinding wheel.

Accessories Page 46

VICMCL

## Metal log saw horse




### Main features:

- › Gripping teeth in the metal frame to block the rotation of the log during the cut;
- › Angled, robust profiles.

### Technical data

Material	Aluminium
Maximum weight capacity	200 kg
Maximum log diameter	300 mm
Weight	7 kg
Dimensions	795 x 880 x 320 mm
Weight with packaging	7.4 kg
Packaging dimensions	102 x 35 x 160 mm
Barcode	5604612699505



Gripping teeth

### Packaging content

- › Metal bars (x10);
- › Screws and nuts (x41);
- › Hex screws (x3).

**Guide bar for pruning chainsaw**



Reference	Compatible with:		Ean
VILMP25	VIMP2810 / VIMP2510A	1	5604612689889

**Guide bar for chainsaw**



Reference	Compatible with:		Ean
VILMS38	VIMS37 / VIMS38A	1	5604612689896
VILMS45	VIMS45B / VIMS45A	1	5604612689902
VILMS55	VIMS55	1	5604612715700
VILMS62	VIMS62A	1	5604612689919

**Guide bar for electric chainsaw**



Reference	Compatible with:		Ean
VILES1800	VIE1800A	1	5604612689926

**Chain for chainsaw/ electric chainsaw**



Reference	Dim		Compatible with:		Ean
VICMP25	3/8 " - 40		VIMP2510A / VIMP2810	1	5604612689841
VICMS38	3/8 " - 57		VIMS38A / VIE1800A / VIMS37	1	5604612689858
VICMS45	0.325" - 72		VIMS45A / VIMS45B	1	5604612689865
VICMS55	0.325" - 78		VIMS55	1	5604612715717
VICMS62	3/8 " - 72		VIMS62A	1	5604612689872

**File for chainsaw**



Reference	Dim		Ean
VILM532	5/32 " - 3.96 mm	10	5604612106461
VILM316	3/16 " - 4.76 mm	10	5604612106454
VILM732	7/32 " - 5.56 mm	10	5604612106478
VILM14	1/4 " - 6.35 mm	10	5604612106485

**Set of 4 files for chainsaw**



Reference	Dim		Ean
VILM4532	5/32 " - 3.96 mm	10	5604612670535
VILM4316	3/16 " - 4.76 mm	10	5604612670542
VILM4732	7/32 " - 5.56 mm	10	5604612670528
VILM414	1/4 " - 6.35 mm	10	5604612670511

**Carburetor adjustment screwdriver**



Reference		Ean
VICPC	10	5604612677596

**Grinding wheel for chainsaw sharpener**



Reference	Ø		Ean
VIDAF	108 mm	1	5604612668839



# WATER PUMPS



VIBSS750

## Submersible water pump 750W



Find out more:

VIBSS1100

## Submersible water pump 1100W



Find out more:


### Main features:

- > Stainless steel and cast iron pump body;
- > Height-adjustable float switch;
- > Allows a maximum lifting height of 10 m.

### Technical data

Power	750 W
Maximum flow rate	24000 L/h
Maximum immersion depth	5 m
Maximum pumping height	10 m
Maximum particles size	35 mm
Threads	2" / 50 mm
Power cord	6 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IP68
Weight	17.5 kg
Dimensions	240 x 160 x 450 mm
Weight with packaging	19 kg
Packaging dimensions	280 x 200 x 475 mm
Barcode	5604612654795

### Manometric chart



### Packaging content

- > Hose connector.

Accessories Page 62-64

Dirty water


### Main features:

- > Stainless steel and cast iron pump body;
- > Height-adjustable float switch;
- > Allows a maximum lifting height of 13 m.

### Technical data

Power	1100 W
Maximum flow rate	30000 L/h
Maximum immersion depth	5 m
Maximum pumping height	13 m
Maximum particles size	35 mm
Threads	2" / 50 mm
Power cord	6 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IP68
Weight	19.1 kg
Dimensions	240 x 160 x 470 mm
Weight with packaging	20.8 kg
Packaging dimensions	280 x 200 x 490 mm
Barcode	5604612654801

### Manometric chart



### Packaging content

- > Hose connector.

Accessories Page 62-64

Dirty water



VIBSS1500

## Submersible water pump 1500W




Find out more:



### Main features:

- › Stainless steel and cast iron pump body;
- › Height-adjustable float switch;
- › Allows a maximum lifting height of 13 m.

### Manometric chart



### Packaging content

- › Hose connector.

Accessories Page 62-64

### Technical data

Power	1500 W
Maximum flow rate	36000 L/h
Maximum immersion depth	5 m
Maximum pumping height	13 m
Maximum particles size	35 mm
Threads	2" / 50 mm
Power cord	6 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IP68
Weight	20.9 kg
Dimensions	240 x 160 x 490 mm
Weight with packaging	22.7 kg
Packaging dimensions	280 x 200 x 515 mm
Barcode	5604612654818

Dirty water

VIBAS400

## Submersible dirty water pump 400W



Find out more:

VIBAS550

## Submersible dirty water pump 550W



Find out more:


### Main features:

- > Plastic pump body;
- > Height-adjustable float switch;
- > Allows a maximum lifting height of 5 m.

### Technical data

Power	400 W
Maximum flow rate	7500 L/h
Maximum immersion depth	5 m
Maximum pumping height	5 m
Maximum particles size	35 mm
Outlet - hose	25   32 mm
Outlet - threaded	1"   1/2"
Power cord	10 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX8
Weight	3.7 kg
Dimensions	150 x 170 x 310 mm
Weight with packaging	4 kg
Packaging dimensions	220 x 160 x 340 mm
Barcode	5604612697167

### Manometric chart



### Packaging content

- > Hose connector.

Accessories Page 62-64



Dirty water


### Main features:

- > Stainless steel pump body;
- > Height-adjustable float switch;
- > Allows a maximum lifting height of 7 m.

### Technical data

Power	550 W
Maximum flow rate	10500 L/h
Maximum immersion depth	7 m
Maximum pumping height	7 m
Maximum particles size	35 mm
Outlet - hose	25   32 mm
Outlet - threaded	1"   1/2"
Power cord	10 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX8
Weight	4.2 kg
Dimensions	155 x 160 x 325 mm
Weight with packaging	4.6 kg
Packaging dimensions	220 x 160 x 370 mm
Barcode	5604612697181

### Manometric chart



### Packaging content

- > Hose connector.

Accessories Page 62-64



Dirty water

VIBAS750

## Submersible dirty water pump

### 750W

**NEW**

Find out more:

VIBAS1100

## Submersible dirty water pump

### 1100W



Find out more:


#### Main features:

- › Plastic pump body;
- › Height-adjustable float switch;
- › Allows a maximum lifting height of 8 m.

#### Technical data

Power	750 W
Maximum flow rate	12500 L/h
Maximum immersion depth	5 m
Maximum pumping height	8 m
Maximum particles size	35 mm
Outlet - hose	25   32 mm
Outlet - threaded	1"   1/2"
Power cord	10 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX8
Weight	3.7 kg
Dimensions	150 x 170 x 310 mm
Weight with packaging	4 kg
Packaging dimensions	220 x 160 x 340 mm
Barcode	5604612725457

#### Manometric chart



#### Packaging content

- › Hose connector.

Accessories Page 62-64



Dirty water


#### Main features:

- › Stainless steel pump body;
- › Height-adjustable float switch;
- › Allows a maximum lifting height of 9.5 m.

#### Technical data

Power	1100 W
Maximum flow rate	15000 L/h
Maximum immersion depth	7 m
Maximum pumping height	9.5 m
Maximum particles size	35 mm
Outlet - hose	25   32 mm
Outlet - threaded	1"   1/2"
Power cord	10 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX8
Weight	6 kg
Dimensions	165 x 190 x 375 mm
Weight with packaging	6.4 kg
Packaging dimensions	225 x 160 x 385 mm
Barcode	5604612697198

#### Manometric chart



#### Packaging content

- › Hose connector.

Accessories Page 62-64



Dirty water

VIBAL400

## Submersible clean water pump 400W



Find out more:

VIBAL550A

## Submersible clean water pump 550W



Find out more:


### Main features:

- > Plastic pump body;
- > Height-adjustable float switch;
- > Allows a maximum lifting height of 5 m.

### Technical data

Power	400 W
Maximum flow rate	7000 L/h
Maximum immersion depth	7 m
Maximum pumping height	5 m
Maximum particles size	5 mm
Outlet - hose	25   32 mm
Outlet - threaded	1"   1/2"
Power cord	10 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX8
Weight	3.6 kg
Dimensions	150 x 170 x 280 mm
Weight with packaging	4 kg
Packaging dimensions	220 x 160 x 310 mm
Barcode	5604612701468

### Manometric chart



### Packaging content

- > Hose connector.

Accessories Page 62-64

Clean water


### Main features:

- > Stainless steel pump body;
- > Height-adjustable float switch;
- > Allows a maximum lifting height of 7.5 m.

### Technical data

Power	550 W
Maximum flow rate	8500 L/h
Maximum immersion depth	7 m
Maximum pumping height	7.5 m
Maximum particles size	5 mm
Outlet - hose	25   32 mm
Outlet - threaded	1"   1/2"
Power cord	10 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX8
Weight	4 kg
Dimensions	150 x 170 x 280 mm
Weight with packaging	4.6 kg
Packaging dimensions	220 x 165 x 340 mm
Barcode	5604612697150

### Manometric chart



### Packaging content

- > Hose connector.

Accessories Page 62-64

Clean water

VIBAL750

## Submersible clean water pump

### 750W

NEW



Find out more:

VIBSMAL1000

## Multistage submersible water pump for clean water

### 1000W

NEW



Find out more:


#### Main features:

- › Plastic pump body;
- › Height-adjustable float switch;
- › Allows a maximum lifting height of 9 m.

#### Technical data

Power	750 W
Maximum flow rate	11000 L/h
Maximum immersion depth	7 m
Maximum pumping height	9 m
Maximum particles size	5 mm
Outlet - hose	25   32 mm
Outlet - threaded	1"   1/2"
Power cord	10 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX8
Weight	3.6 kg
Dimensions	150 x 170 x 280 mm
Weight with packaging	4 kg
Packaging dimensions	220 x 160 x 310 mm
Barcode	5604612725440

#### Manometric chart



#### Packaging content

- › Hose connector.

Accessories Page 62-64

Clean water


#### Main features:

- › Stainless steel pump body;
- › Height-adjustable float switch;
- › Allows a maximum lifting height of 40 m.
- › Equipped with 3 impellers.

#### Technical data

Power	1000 W
Maximum flow rate	6500 L/h
Maximum immersion depth	7 m
Maximum pumping height	40 m
Maximum particles size	1 mm
Outlet - threaded	1"
Power cord	10 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX8
Weight	9.5 kg
Dimensions	150 x 440 x 150 mm
Weight with packaging	10.125 kg
Packaging dimensions	220 x 200 x 500 mm
Barcode	5604612710439

#### Manometric chart



#### Packaging content

- › Hose connector.

Accessories Page 62-64

Clean water





VIBAF750A

## Self-priming jet pump 750W



Find out more:

VIBAF1100A

## Self-priming jet pump 1100W



Find out more:


### Main features:

- > Cast iron pump body;
- > Anti-rust treatment.

### Technical data

Power	750 W
Maximum flow rate	3000 L/h
Maximum immersion depth	9 m
Maximum pumping height	40 m
Pressure	4 bar
Inlet - threaded	1"
Outlet - threaded	1"
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IP54
Sound power level (L <sub>WA</sub> )	70 dB
Weight	11 kg
Dimensions	180 x 410 x 200 mm
Weight with packaging	12 kg
Packaging dimensions	450 x 210 x 235 mm
Barcode	5604612696696

### Manometric chart



Accessories Page 62-64

Clean water


### Main features:

- > Cast iron pump body;
- > Anti-rust treatment.

### Technical data

Power	1100 W
Maximum flow rate	4800 L/h
Maximum immersion depth	9 m
Maximum pumping height	55 m
Pressure	5.7 bar
Inlet - threaded	1.5"
Outlet - threaded	1"
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IP54
Sound power level (L <sub>WA</sub> )	75 dB
Weight	24.5 kg
Dimensions	200 x 500 x 245 mm
Weight with packaging	26 kg
Packaging dimensions	550 x 250 x 290 mm
Barcode	5604612696702

### Manometric chart



Accessories Page 62-64

Clean water

VIIPMA

## Pressure control switch



Find out more:

VIBAF1500A

## Self-priming jet pump 1500W



Find out more:

### Main features:

- > Electronic control system;
- > Compatible with references VIBAF750A and VIBAF1100A.

### Technical data

Maximum power	1100 W
Minimum pressure	1.5 bar
Maximum pressure	10 bar
Inlet - threaded	1"
Outlet - threaded	1"
Maximum water temperature	60° C
Supply voltage	230 V - 50 Hz
IP code	IP65
Weight	0.7 kg
Dimensions	155 x 120 x 170 mm
Weight with packaging	0.8 kg
Packaging dimensions	145 x 145 x 165 mm
Box/Barcode	5604612684907


### Main features:

- > Cast iron pump body;
- > Anti-rust treatment.

### Technical data

Power	1500 W
Maximum flow rate	7800 L/h
Maximum immersion depth	9 m
Maximum pumping height	51 m
Pressure	5.1 bar
Inlet - threaded	1.5"
Outlet - threaded	1"
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IP54
Sound power level (L <sub>WA</sub> )	77 dB
Weight	26 kg
Dimensions	200 x 500 x 245 mm
Weight with packaging	28 kg
Packaging dimensions	550 x 250 x 290 mm
Barcode	5604612696719

### Manometric chart



Accessories Page 62-64



Clean water



Clean water

VIBCM900

## Multistage centrifugal pump 900W



Find out more:

VIBCM1100

## Multistage centrifugal pump 1100W



Find out more:


### Main features:

- › Stainless steel and cast iron pump body;
- › Anti-rust treatment;
- › Equipped with 3 impellers.

### Technical data

Power	900 W
Maximum flow rate	5400 L/h
Maximum immersion depth	8 m
Maximum pumping height	36 m
Inlet - threaded	1"
Outlet - threaded	1"
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX4
Sound power level (L <sub>WA</sub> )	86 dB
Weight	12.3 kg
Dimensions	175 x 390 x 185 mm
Weight with packaging	13 kg
Packaging dimensions	421 x 206 x 229 mm
Barcode	5604612645670

### Manometric chart



Accessories Page 62-64

Clean water


### Main features:

- › Stainless steel and cast iron pump body;
- › Anti-rust treatment;
- › Equipped with 4 impellers.

### Technical data

Power	1100 W
Maximum flow rate	5400 L/h
Maximum immersion depth	8 m
Maximum pumping height	48 m
Inlet - threaded	1"
Outlet - threaded	1"
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX4
Sound power level (L <sub>WA</sub> )	86 dB
Weight	13 kg
Dimensions	175 x 410 x 185 mm
Weight with packaging	14 kg
Packaging dimensions	449 x 220 x 270 mm
Barcode	5604612642204

### Manometric chart



Accessories Page 62-64

Clean water

VIBTI800A

## Stainless steel garden jet pump 800W



Find out more:

VIGP800

## Booster pump 800W



Find out more:


### Main features:

- > Stainless steel pump body;
- > Anti-rust treatment;
- > Water drain plug;
- > Water filling plug;
- > Ergonomic handle and easy to transport.

### Technical data

Power	800 W
Maximum flow rate	3000 L/h
Maximum immersion depth	8 m
Maximum pumping height	40 m
Maximum particles size	1 mm
Threads	1" - 25 mm
Power cord	1.2 m
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX4
Weight	5.8 kg
Dimensions	170 x 330 x 260 mm
Weight with packaging	6.4 kg
Packaging dimensions	380 x 250 x 275 mm
Barcode	5604612697204

### Manometric chart



Accessories Page 62-64

Clean water


### Main features:

- > Stainless steel pump body;
- > Anti-rust treatment;
- > Water drain plug;
- > Water filling plug;
- > Stainless steel connection hose;
- > Tank with bladder.

### Technical data

Power	800 W
Maximum flow rate	3200 L/h
Maximum immersion depth	8 m
Maximum pumping height	38 m
Pressure	1,5-3,8 bar
Tank capacity	24 L
Threads	1"
Maximum water temperature	35° C
Supply voltage	230 V - 50 Hz
IP code	IPX8
Sound power level (L <sub>WA</sub> )	86 dB
Weight	11.7 kg
Dimensions	265 x 500 x 560 mm
Weight with packaging	13.4 kg
Packaging dimensions	525 x 300 x 570 mm
Barcode	5604612645687

### Manometric chart



Accessories Page 62-64

Clean water

VIMB12TA

## Petrol water pump 1"



Find out more:

VIMB15A

## Petrol water pump 1.5"



Find out more:

### Main features:

- › Compact and easy to transport;
- › Rubber feet.

### Technical data

Engine	2-ST combustion
Engine power	1.5 cv / 1.1 kW
Engine displacement	43 cc
Rotation speed	7000 rpm
Suction depth	8 m
Maximum pumping height	30 m
Fuel	Mixture - 1:50 ratio
Fuel tank capacity	1 L
Running time	1.5h
Maximum flow rate	6500 L/h
Outlet thread	1" / 25 mm
Sound power level (L <sub>WA</sub> )	89.7 dB
Weight	7.5 kg
Dimensions	290 x 390 x 345 mm
Weight with packaging	8.8 kg
Packaging dimensions	405 x 310 x 350 mm
Barcode	5604612684396



Accessories

### Packaging content

- › Filter;
- › Spark plug wrench;
- › Connectors with O-rings (x2);
- › Clamps (x3);
- › Fuel mixing bottle.

Accessories Page 63-64

Clean water

### Main features:

- › Metal frame for protection and transport;
- › Rubber feet.

### Technical data

Engine	4-ST combustion
Engine power	3 cv / 2.2 kW
Engine displacement	105 cc
Rotation speed	3600 rpm
Suction depth	6 m
Maximum pumping height	20 m
Fuel	Petrol
Fuel tank capacity	1.4 L
Running time	2 h
Maximum flow rate	10000 L/h
Outlet thread	1.5" / 40 mm
Sound power level (L <sub>WA</sub> )	110 dB
Weight	15 kg
Dimensions	420 x 320 x 330 mm
Weight with packaging	16.7 kg
Packaging dimensions	430 x 350 x 365 mm
Barcode	5604612697563



ON/OFF switch



Accessories

### Packaging content

- › Filter;
- › Spark plug wrench;
- › Connectors with O-rings (x2);
- › Clamps (x3).

Accessories Page 63-64

Clean water

VIMB2LA

## Petrol water pump 2"



Find out more:

VIMBD2A

## Diesel water pump 2"



Find out more:

### Main features:

- > Metal frame for protection and transport;
- > Rubber feet.

### Technical data

Engine	4-ST combustion
Engine power	5.5 cv / 4.1 kW
Engine displacement	163 cc
Rotation speed	3600 rpm
Suction depth	8 m
Maximum pumping height	26 m
Fuel	Petrol
Fuel tank capacity	3.6 L
Running time	3 h
Maximum flow rate	30000 L/h
Outlet thread	2" / 50 mm
Sound power level (L <sub>WA</sub> )	98.4 dB
Weight	21.6 kg
Dimensions	470 x 370 x 390 mm
Weight with packaging	23.5 kg
Packaging dimensions	480 x 390 x 400 mm
Barcode	5604612684402



ON/OFF switch



Accessories

### Packaging content

- > Filter;
- > Spark plug wrench;
- > Connectors with O-rings (x2);
- > Clamps (x3).

Accessories Page 63-64

Clean water

### Main features:

- > Metal frame for protection and transport;
- > Rubber feet;
- > Shock absorber.

### Technical data

Engine	Diesel
Engine power	5 cv / 3.7 kW
Engine displacement	246 cc
Rotation speed	3600 rpm
Suction depth	7 m
Maximum pumping height	30 m
Fuel	Diesel
Fuel tank capacity	13 L
Running time	13 h
Maximum flow rate	30000 L/h
Outlet thread	2" / 50 mm
Sound power level (L <sub>WA</sub> )	103 dB
Weight	54 kg
Dimensions	570 x 520 x 650 mm
Weight with packaging	57 kg
Packaging dimensions	585 x 540 x 675 mm
Barcode	5604612670856



Electric start



Shock absorber



Accessories

### Packaging content

- > Filter;
- > Spark plug wrench;
- > Clamps (x3);
- > Tool kit.

Accessories Page 63-64

Clean water

VIMBD3A

## Diesel water pump 3"



Find out more:

VIMBD4A

## Diesel water pump 4"



Find out more:

### Main features:

- › Metal frame for protection and transport;
- › Rubber feet;
- › Shock absorbers.

### Technical data

Engine	Diesel
Engine power	5 cv / 3.7 kW
Engine displacement	246 cc
Rotation speed	3600 rpm
Suction depth	7 m
Maximum pumping height	21 m
Fuel	Diesel
Fuel tank capacity	13 L
Running time	11 h
Maximum flow rate	52000 L/h
Outlet thread	3" / 80 mm
Sound power level (L <sub>WA</sub> )	105 dB
Weight	57 kg
Dimensions	570 x 520 x 650 mm
Weight with packaging	60 kg
Packaging dimensions	585 x 540 x 675 mm
Barcode	5604612670863



Electric start



Shock absorber



Accessories

### Packaging content

- › Filter;
- › Spark plug wrench;
- › Clamps (x3);
- › Tool kit.

Accessories Page 63-64

Clean water

### Main features:

- › Metal frame for protection and transport;
- › Rubber feet;
- › Shock absorbers.

### Technical data

Engine	Diesel
Engine power	9 cv / 6.7 kW
Engine displacement	418 cc
Rotation speed	3600 rpm
Suction depth	7 m
Maximum pumping height	25 m
Fuel	Diesel
Fuel tank capacity	13 L
Running time	7.5 h
Maximum flow rate	70000 L/h
Outlet thread	4" / 100 mm
Sound power level (L <sub>WA</sub> )	107 dB
Weight	81.6 kg
Dimensions	700 x 540 x 740 mm
Weight with packaging	85 kg
Packaging dimensions	585 x 540 x 675 mm
Barcode	5604612670870



Electric start



Shock absorber



Accessories

### Packaging content

- › Filter;
- › Spark plug wrench;
- › Clamps (x3);
- › Tool kit.

Accessories Page 63-64

Clean water

### Tank

24 L

**Features:**

- > 60° C;
- > 8 bar (115 PSI);
- > Metal body;
- > With bladder on the inside.



Reference	Cap.		Ean
VIDF24	24 L	1	5604612648954

### Tank

24 L

**Features:**

- > 60° C;
- > 8 bar (115 PSI);
- > Stainless steel body;
- > With bladder on the inside.



Reference	Cap.		Ean
VIDI24	24 L	1	5604612648961

### Vertical tank

**Features:**

- > 60° C;
- > 8 bar (115 PSI);
- > Ø 1" - 26 mm;
- > Metal body.



Reference	Cap.		Ean
VIDV24	24 L	1	5604612648930
VIDV50	50 L	1	5604612648947

### Rubber bladder for tank



Reference	Cap.		Ean
VIMBD24	24 L	1	5604612648978
VIMBD50	50 L	1	5604612648985

### Float switch with counterweight



Reference	Dim		Ean
VIBB15	1.5 m	30	5604612649005
VIBB3	3 m	30	5604612649012
VIBB5	5 m	30	5604612649029

### Pressure switch water pump

**Features:**

- > 230 V - 50Hz;
- > 6 bar (87.02 PSI).



Reference	Ø		Ean
VIPBM	1/4" 6 mm	1	5604612648992

### Pressure gauge

**Features:**

- > 230 V - 50Hz;
- > 6 bar (87.02 PSI).




Reference	Ø		Ean
VIMBM	1/4" 6 mm	1	5604612649036



## Metal hose




Reference	Dim	Ø		Ean
VIB100	50 cm	1/4 "	1	5604612649043

## Small water filter

### Features:

- > 6 bar
- > 30 L/min.
- > Max. 40 °C.



Reference	Cap.	Ø		Ean
VIFAPP	1 L	1"	1	5604612649104

## Big water filter


### Features:


- > 6 bar
- > 30 L/min.
- > Max. 40 °C.



Reference	Cap.	Ø		Ean
VIFAPG	2 L	1"	1	5604612649111

## Filter recharge



Reference	Cap.		Ean
VIRFP	1 L	1	5604612649128
VIRFG	2 L	1	5604612649135

## 3-way brass connector

### Features:

- > Ø 3 ways - 1.25" x 3.




Reference		Ean
VIT3	1	5604612649050

## 5-way brass connector

### Features:

- > Ø 5 ways - 1.25" x 2 / 0.5" x 2.



Reference		Ean
VIT5	1	5604612649067

## Brass foot valve

- > With strainer 1".



Reference	Ø		Ean
VIFRA1	1"	1	5604612649074

**Suction hose with non-return valve**



Reference	Dim	Ø		Ean
VIP9	9 m	1"	1	5604612649098

**Suction hose**



Reference	Dim	Ø		Ean
VIMS257	7 m	25 mm	1	5604612690892
VIMS387	7 m	28 mm	1	5604612724627
VIMS427	7 m	42 mm	1	5604612690908
VIMS537	7 m	53 mm	1	5604612690915
VIMS507	7 m	50 mm	1	5604612724634
VIMS1007	7 m	100 mm	1	5604612694449
VIMS25	50 m	25 mm	1	5604612649265
VIMS35	50 m	35 mm	1	5604612650896
VIMS38MM	50 m	38 mm	1	5604612724641
VIMS42	50 m	42 mm	1	5604612650902
VIMS50	50 m	50 mm	1	5604612665395
VIMS53	50 m	53 mm	1	5604612649241
VIMS78	50 m	78 mm	1	5604612649258
VIMS100	50 m	100 mm	1	5604612649234

**Discharge hose**



Reference	Dim	Ø		Ean
VIMSB2525	25 m	25 mm	1	5604612690861
VIMSB4025	25 m	40 mm	1	5604612690878
VIMSB5525	25 m	55 mm	1	5604612690885
VIMSB25	50 m	25 mm	1	5604612649289
VIMSB40	50 m	40 mm	1	5604612650872
VIMSB45	50 m	45 mm	1	5604612650889
VIMSB55	50 m	55 mm	1	5604612649296
VIMSB76	50 m	76 mm	1	5604612649302
VIMSB102	50 m	102 mm	1	5604612649272

**SPRAYING**





VIPU1K

## Sprayer 1L



Find out more:

VIPU1,5

## Sprayer 1.5L




Find out more:

### Main features:

- › For cleaning and disinfection;
- › Ideal for spraying plants;
- › Adjustable cone, fan jet and mist;
- › Nebulizer.

### Technical data

Maximum reach	1 m
Capacity	1 L
Material	Plastic
Weight	0.11 kg
Dimensions	120 x 280 mm
Barcode	5604612656478



Mist and jet function

### Main features:


- › Suitable for fertilizers, pesticides and cleaning products;
- › Pressure relief valve with a maximum pressure of 2 bars;
- › Trigger lock;
- › Adjustable cone, fan jet and mist;
- › Nebulizer.

### Technical data

Maximum reach	1 m
Capacity	1.5 L
Material	Plastic
Weight	0.3 kg
Dimensions	190 x 320 mm
Barcode	5604612014728



Pressure relief valve



Mist and jet function

Accessories Page 73

VIPU5

**Sprayer**  
5L



Find out more:

VIPU8

**Sprayer**  
8L



Find out more:

**Main features:**


- > Suitable for fertilizers, pesticides and cleaning products;
- > Pressure relief valve with a maximum pressure of 3 bars;
- > Trigger lock;
- > Adjustable cone, fan jet and mist;
- > Adjustable strap.

**Technical data**

Capacity	5 L
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Weight	1 kg
Dimensions	180 x 430 mm
Weight with packaging	1.3 kg
Packaging dimensions	185 x 180 x 425 mm
Barcode	5604612014438



Pressure relief valve



Mist and jet function

**Packaging content**

- > Elbow nozzle;
- > Lance;
- > Hose;
- > Carrying strap.

Accessories Page 73-76

**Main features:**


- > Suitable for fertilizers, pesticides and cleaning products;
- > Pressure relief valve with a maximum pressure of 3 bars;
- > Trigger lock;
- > Adjustable cone, fan jet and mist;
- > Adjustable strap.

**Technical data**

Capacity	8 L
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Weight	1.45 kg
Dimensions	180 x 550 mm
Weight with packaging	1.7 kg
Packaging dimensions	190 x 180 x 560 mm
Barcode	5604612014445



Pressure relief valve



Mist and jet function

**Packaging content**

- > Elbow nozzle;
- > Lance;
- > Hose;
- > Carrying strap.

Accessories Page 73-76

VIPU12

## Sprayer 12L



Find out more:

VIPU12K

## Sprayer 12L



Find out more:

### Main features:

- > Agricultural use;
- > High-flow spray gun;
- > Adjustable cone, fan jet and mist.

### Technical data

Maximum reach	2 m
Capacity	12 L
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Number of spray nozzles	1
Weight	2 kg
Dimensions	285 x 470 x 160 mm
Weight with packaging	2.4 kg
Packaging dimensions	295 x 200 x 510 mm
Barcode	5604612034375



Brass lance with pump

### Packaging content

- > Spray nozzle;
- > Lance;
- > Hose;
- > Carrying strap.

Accessories Page 73-76

### Main features:

- > Ideal for wide agricultural and garden areas;
- > Adjustable back straps;
- > Adjustable cone, fan jet and mist.

### Technical data

Maximum reach	2.5 m
Capacity	12 L
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Number of spray nozzles	1
Weight	2.9 kg
Dimensions	320 x 550 x 135 mm
Weight with packaging	3.6 kg
Packaging dimensions	430 x 165 x 585 mm
Barcode	5604612636920



Trigger lock



Spray nozzles

### Packaging content

- > Spray nozzles (x3);
- > Lance;
- > Hose;
- > Carrying strap.

Accessories Page 73-76

VIPU16

## Sprayer 16L



Find out more:

VIPU16BB1

## Battery-powered sprayer 16L



Find out more:

### Main features:

- > Ideal for wide agricultural and garden areas;
- > Adjustable back straps;
- > Adjustable cone, fan jet and mist;
- > Flat jet and mist.

### Technical data

Maximum reach	2.5 m
Capacity	16 L
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Number of spray nozzles	4
Weight	3.2 kg
Dimensions	350 x 580 x 170 mm
Weight with packaging	3.8 kg
Packaging dimensions	425 x 200 x 580 mm
Barcode	5604612034344



Trigger lock



Spray nozzles

### Packaging content

- > Spray nozzles (x3);
- > Lance;
- > Hose;
- > Carrying straps (x2).

Accessories Page 73-76

### Main features:

- > Ideal for wide agricultural and garden areas;
- > Adjustable back straps;
- > Adjustable cone, fan jet and mist;
- > Stainless steel lance.

### Technical data


Capacity	16 L
Pressure	5,5 - 6 bar
Maximum flow rate	4.5 L/min
Battery	12 V - 8Ah
Running time	3 h
Charging time	8 h
Number of spray nozzles	4
Hose	1.2 m
Telescopic lance	60 - 100 cm
Weight	5 kg
Dimensions	480 x 200 x 410 mm
Weight with packaging	6 kg
Packaging dimensions	415 x 220 x 510 mm
Barcode	5604612726102



Voltage regulator



Trigger lock



Spray nozzles

### Packaging content

- > Spray nozzles (x4);
- > Lance;
- > Hose;
- > Carrying straps CONFORT PLUS (x2);
- > Charger.

Accessories Page 73-76





VIPU16BC1

## Lithium-ion battery sprayer 16L



Find out more:



### Main features:

- › Lithium-ion battery;
- › Super light - 3,9 kg;
- › Adjustable back straps;
- › Stainless steel lance.



CONFORT PLUS straps



Voltage regulator



Trigger lock

### Packaging content

- › Spray nozzles (x4);
- › Lance;
- › Hose;
- › Carrying straps CONFORT PLUS (x2);
- › Charger.

### Technical data

Capacity	16 L
Pressure	5.5 - 6 bar
Maximum flow rate	4.5 L/min
Battery	12 V - 8Ah
Running time	3.5 - 4 h
Charging time	8 h
Number of spray nozzles	4
Hose	1.2 m
Telescopic lance	60 - 100 cm
Weight	3.9 kg
Dimensions	480 x 200 x 410 mm
Weight with packaging	4.8 kg
Packaging dimensions	415 x 220 x 510 mm
Barcode	5604612726119

Accessories Page 73-76



VIAT33

## Mist duster 40cc



Find out more:



### Main features:

- › Suitable for larger surfaces;
- › Lifting pump;
- › Can be operated with liquid or powder.



Opening of the valve and throttle.



Liquid regulating valve.



Nozzles.

### Packaging content

- › Carrying straps (x2);
- › Lance and tube;
- › Tool kit.

### Technical data

Engine	2-ST combustion
Power	2.45 cv / 1.83 kW
Engine displacement	40 cc
Rotation speed	6000 rpm
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	1.3 L
Chemical tank	14 L
Liquid flow rate	2.3 L/min
Dust flow rate	6 kg/min.
Maximum reach (horizontal)	12 m
Maximum reach (vertical)	7 - 8 m
Weight	10.4 kg
Dimensions	650 x 320 x 450 mm
Weight with packaging	12 kg
Packaging dimensions	539 x 440 x 710 mm
Barcode	5604612642471

**Nozzle  
for sprayer**  
1.5L



Reference		Ean
VIPUB1.5	1	5604612659028
VIPUB1.5BL	1	5604612677473

**Pressure relief valve  
for sprayer**  
5-8L



Reference		Ean
VIPUV58	1	5604612659059
VIPUV58BL	1	5604612677503

**Fan nozzle  
for sprayer**  
16L



Reference		Ean
VIPUBL	1	5604612683320

**Set of 2 elbow nozzles  
for sprayer**  
5-8L



Reference		Ean
VIPUC58	1	5604612619640
VIPUC58BL	1	5604612677336

**Set of 4 nozzles  
for sprayer**  
16L



Reference		Ean
VIPUP016BA	1	5604612673055

**Service kit  
for sprayer**  
16L



Reference		Ean
VIPU16KR	1	5604612619268
VIPU16KRBL	1	5604612677374

**Straps for battery-powered sprayer**  
16L



Reference		Ean
VIPUA16BA	1	5604612692124

**Conical spray hood**



Reference	Dim		Ean
VIPUC229	22 x 9 cm	1	5604612682798
VIPUC3512	35 x 12 cm	1	5604612682804

**Pump gasket for sprayer**  
16L



Reference		Ean
VIPUVB16	1	5604612608552
VIPUVB16BL	1	5604612677510

**Set of 10 O-rings for sprayer**  
12L



Reference		Ean
VIPU010	1	5604612619671
VIPU010BL	1	5604612677343

**Filter for sprayer**



Reference	Compatible with:		Ean
VIPUMA12	12 L	1	5604612098247
VIPUMA12BL	12 L	1	5604612677350
VIPUMA16	16 L	1	5604612098254
VIPUMA16BL	16 L	1	5604612677367

**Cover for sprayer**



Reference	Compatible with:		Ean
VIPUT12	12 L	1	5604612619664
VIPUT12BL	12 L	1	5604612677480
VIPUT16	16 L	1	5604612619718
VIPUT16BL	16 L	1	5604612677497

### Pressure pump for sprayer 5-8L



Reference		Ean
VIPUB58	1	5604612619657
VIPUB58BL	1	5604612677312

### Pressure pump for sprayer 16L



Reference	Dim	▲	☐	Ean
VIPUB16	430 x 85 mm	205 g	1	5604612130817
VIPUB16BL	430 x 85 mm	205 g	1	5604612677329

### Trigger handle for sprayer



Reference	Dim	▲	☐	Ean
VIPUP58	180 mm	30 g	1	5604612659035
VIPUP58BL	180 mm	30 g	1	5604612677459
VIPUP16	180 mm	30 g	1	5604612619695
VIPUP16BL	180 mm	30 g	1	5604612677466

### Trigger handle for battery-powered sprayer 16L



Reference	Dim	▲	☐	Ean
VIPUP16BA	205 mm	80 g	1	5604612673048

### Hose for sprayer 12L



Reference	Dim	▲	☐	Ean
VIPUM12	1500 x 10 mm	115 g	1	5604612090012
VIPUM12BL	1500 x 10 mm	115 g	1	5604612677435

### Hose for sprayer 16 L



Reference	Dim	▲	☐	Ean
VIPUM16	1500 x 22 mm	140 g	1	5604612098285
VIPUM16BL	1500 x 22 mm	140 g	1	5604612677442

**Hose for battery-powered sprayer**  
16L



Reference	Dim			Ean
VIPUM16BA	1200 x 23 mm	145 g	1	5604612673024

**Hose for sprayer**  
5-8L



Reference	Dim			Ean
VIPUM58	1425 x 25 mm	105 g	1	5604612619633
VIPUM58BL	1425 x 25 mm	105 g	1	5604612677428

**Full lance for sprayer**  
5-8L



Reference	Dim			Ean
VIPUL58	430 mm	35 g	1	5604612659042
VIPUL58BL	430 mm	35 g	1	5604612677381

**Full Brass lance with pump**  
12L




Reference	Dim			Ean
VIPULC12	530 mm	265 g	1	5604612119508
VIPULC12BL	530 mm	265 g	1	5604612677398

**Full lance for sprayer**  
16L



Reference	Dim			Ean
VIPUL16	750 mm	75 g	1	5604612619688
VIPUL16BL	750 mm	75 g	1	5604612677404

**Full lance for sprayer sprayer**  
16L



Reference	Dim			Ean
VIPUL16BA	510 - 910 mm	75 g	1	5604612673031
VIPUL16BBL	510 - 910 mm	75 g	1	5604612677411

# HAND TOOLS









## Portuguese-model Hoe

### Features:

> Hardened steel.






Reference	No.	A x B	Ø				Ean
VI1172	00000	100 x 110 mm	32 mm	0.73 kg	VI4058	6	5604612098919
VI1171	0000	110 x 120 mm	32 mm	0.42 kg	VI4058	6	5604612096243
VI1170	000	120 x 125 mm	32 mm	0.43 kg	VI4058	6	5604612006297
VI1160	00	130 x 140 mm	32 mm	0.48 kg	VI4058	6	5604612006303
VI1155	0	140 x 145 mm	32 mm	0.49 kg	VI4058	6	5604612006310
VI1175	1	155 x 165 mm	31 mm	0.65 kg	VI4055/56	6	5604612006259
VI1180	1.5	165 x 175 mm	36 mm	0.68 kg	VI4055/56	6	5604612006266
VI1185	2	185 x 195 mm	37 mm	0.88 kg	VI4015	6	5604612006273
VI1190	2.5	200 x 210 mm	36 mm	0.93 kg	VI4015	6	5604612006280
VI1195	3	205 x 215 mm	37 mm	1.04 kg	VI4015	6	5604612015022
VI1200	3.5	225 x 235 mm	38 mm	1.25 kg	VI4015	6	5604612028824

## Cancela Hoe

### Features:

> Hardened steel.







Reference	No.	A x B	Ø				Ean
VI0430	000	90 x 150 mm	32 mm	0.40 kg	VI4015	6	5604612104443
VI0431	00	110 x 170 mm	32 mm	0.49 kg	VI4015	6	5604612104412
VI0432	0	130 x 185 mm	32 mm	0.58 kg	VI4015	6	5604612104429
VI0433	1	145 x 200 mm	37 mm	0.80 kg	VI4052	6	5604612120672
VI0434	2	170 x 225 mm	37 mm	1 kg	VI4052	6	5604612120689
VI0435	3	190 x 230 mm	37 mm	1.15 kg	VI4052	6	5604612139643

## Orense Hoe

### Features:

> Hardened steel.



Reference	No.	A x B	Ø				Ean
VIENXA1039	00	140 x 155 mm	35 mm	0.67 kg	VI4058	6	5604612614539
VIENXA1040	0	150 x 165 mm	35 mm	0.74 kg	VI4015	6	5604612614546
VIENXA1041	1	160 x 175 mm	38 mm	0.82 kg	VI4015	6	5604612614553
VIENXA1042	2	170 x 170 mm	37 mm	0.86 kg	VI4015	6	5604612614560
VIENXA1043	3	190 x 195 mm	37 mm	1.06 kg	VI4015	6	5604612614577
VIENXA1044	4	200 x 225 mm	36 mm	1.22 kg	VI4015	6	5604612614584






## Spanish-model Hoe

### Features:

> Hardened steel.



Reference	No.	A x B	Ø				Ean
VIENXA1000	000	125 x 175 mm	33 mm	0.45 kg	VI4058	6	5604612614591
VIENXA1001	00	140 x 190 mm	35 mm	0.57 kg	VI4015	6	5604612614607
VIENXA1002	0	150 x 200 mm	35 mm	0.62 kg	VI4015	6	5604612614614
VIENXA1003	1	160 x 215 mm	35 mm	0.67 kg	VI4015	6	5604612614621
VIENXA1004	1.5	170 x 225 mm	36 mm	0.72 kg	VI4015	6	5604612614638
VIENXA1005	2	175 x 235 mm	36 mm	0.81 kg	VI4015	6	5604612614645
VIENXA1006	2.5	185 x 255 mm	38 mm	0.89 kg	VI4015	6	5604612614652
VIENXA1007	3	195 x 265 mm	36 mm	0.98 kg	VI4015	6	5604612614669
VIENXA1008	3.5	205 x 275 mm	38 mm	1.11 kg	VI4015	6	5604612614676
VIENXA1009	4	220 x 290 mm	36 mm	1.44 kg	VI4015	6	5604612613730
VIENXA1011	5	245 x 320 mm	36 mm	1.76 kg	VI4015	6	5604612614683

## Moncorvo Hoe

### Features:

> Hardened steel.




Reference	No.	A x B	Ø				Ean
VI1249	00	110 x 160 mm	32 mm	0.43 kg	VI4058	6	5604612028855
VI1250	0	125 x 180 mm	33 mm	0.64 kg	VI4058	6	5604612008963
VI1255	1	125 x 190 mm	32 mm	0.61 kg	VI4015	6	5604612005283
VI1260	2	135 x 215 mm	37 mm	0.75 kg	VI4015	6	5604612005269
VI1265	3	165 x 235 mm	37 mm	0.94 kg	VI4015	6	5604612008970
VI1270	4	175 x 240 mm	36 mm	0.95 kg	VI4015	6	5604612008987

## Funchal Hoe

### Features:


> Hardened steel.



Reference	No.	A x B	Ø				Ean
VIETF0	0	80 x 230 mm	38 mm	0.61 kg	VI4015	6	5604612678531
VIETF1	1	90 x 255 mm	38 mm	0.71 kg	VI4015	6	5604612678548
VIETF2	2	100 x 270 mm	38 mm	0.8 kg	VI4015	6	5604612678555

### Algarve Hoe


**Features:**  
 > Hardened steel.



Reference	No.	A x B	Ø				Ean
VI1196	3	175 x 225 mm	38 mm	1.16 kg	VI4015	6	5604612028817

### Southern-type Hoe


**Features:**  
 > Hardened steel.



Reference	No.	A x B	Ø				Ean
VI0275	0	140 x 185 mm	37 mm	0.85 kg	VI4015	1	5604612116439

### Guine Hoe


**Features:**  
 > Hardened steel.



Reference	No.	A x B	Ø				Ean
VI155A	2	185 x 215 mm	43 mm	1.11 kg	VI4052	6	5604612627218

### Large Cape verde Hoe


**Features:**  
 > Hardened steel.



Reference	No.	A x B	Ø				Ean
VI1271	1	135 x 265 mm	37 mm	0.68 kg	VI4015	6	5604612105396
VI1272	2	160 x 285 mm	37 mm	0.84 kg	VI4015	6	5604612105402
VI1273	3	160 x 320 mm	37 mm	0.96 kg	VI4015	6	5604612105419

### São Vicente Hoe

**Features:**  
 > Hardened steel.



Reference	No.	A x B	Ø				Ean
VIETSV0	0	110 x 200 mm	38 mm	0.68 kg	VI4015	6	5604612681005
VIETSV1	1	120 x 230 mm	38 mm	0.81 kg	VI4015	6	5604612681012
VIETSV2	2	140 x 255 mm	38 mm	1 kg	VI4015	6	5604612681029

## Pointed USA hoe

### Features:

> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI1110	00	140 x 185 mm	32 mm	0.46 kg	VI4015	6	5604612142803
VI1105	0	155 x 205 mm	32 mm	0.52 kg	VI4015	6	5604612142797
VI1095	1	165 x 225 mm	38 mm	0.66 kg	VI4015	6	5604612020095
VI1100	2	190 x 250 mm	38 mm	0.60 kg	VI4015	6	5604612024390

## Cape verde Brushwood Hoe

### Features:

> Hardened steel.




Reference	No.	A x B	Ø				Ean
VI2024	2	220 x 175 mm	38 mm	1 kg	VI4015	6	5604612627195
VI2025	3	230 x 185 mm	38 mm	1.1 kg	VI4015	6	5604612627201

## Brushwood hoe

### Features:

> Hardened steel.




Reference	No.	A x B	Ø				Ean
VI1220	2.5	205 x 180 mm	38 mm	0.96 kg	VI4015	6	5604612017019

## 2-pointed prong fork hoe

### Features:

> Hardened steel.




Reference	No.	A x B	Ø				Ean
VI1150	2	120 x 245 mm	38 mm	0.75 kg	VI4015	6	5604612008994

## 2-flat prong fork hoe

### Features:


> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI1090	3	120 x 280 mm	38 mm	1.15 kg	VI4015	6	5604612017118

## 2-prong fork hoe


**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI1245	0	90 x 220 mm	32 mm	0.64 kg	VI4055	6	5604612028848
VI1240	1	100 x 255 mm	38 mm	0.86 kg	VI4055	6	5604612017002
VI1235	2	130 x 290 mm	37 mm	0.97 kg	VI4015	6	5604612028831

## Grubbing mattock


**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI1075	000	75 x 250 mm	32 mm	0.52 kg	VI4058	6	5604612028732
VI1076	00	85 x 265 mm	32 mm	0.57 kg	VI4058	6	5604612028749

## Vila Real Double hoe


**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI1210	0000	110 x 260 mm	32 mm	0.42 kg	VI4058	6	5604612130893

## Viseu double hoe


**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI0222	000	90 x 260 mm	34 mm	0.41 kg	VI4059	6	5604612116453

## Girona double hoe

**Features:**  
> Hardened steel.




Reference	No.	A x B	Ø				Ean
VI0465	0	70 x 265 mm	32 mm	0.34 kg	VI4059	6	5604612139599
VI0466	1	80 x 275 mm	32 mm	0.41 kg	VI4059	6	5604612139605
VI0467	2	85 x 290 mm	32 mm	0.42 kg	VI4059	6	5604612139612
VI0468	3	95 x 310 mm	35 mm	0.52 kg	VI4059	6	5604612139629

## Pick mattock

### Features:

> Hardened steel.




Reference	No.	A x B	Ø				Ean
VI1323	1	100 x 290 mm	34 mm	0.37 kg	VI4059	6	5604612020637

## Moncorvo Double Hoe

### Features:

> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI1750	0	85 x 260 mm	31 mm	0.41 kg	VI4059	6	5604612008956
VI1760	1	95 x 260 mm	31 mm	0.46 kg	VI4059	6	5604612017026
VI1770	2	100 x 290 mm	31 mm	0.51 kg	VI4059	6	5604612005290
VI1780	3	100 x 295 mm	32 mm	0.56 kg	VI4059	6	5604612029067

## Heart shaped double hoe 2 prong

### Features:

> Hardened steel.




Reference	No.	A x B	Ø				Ean
VI0004	2	100 x 250 mm	32 mm	0.35 kg	VI4059	6	5604612139537

## 2-flat prong Girona double hoe

### Features:

> Hardened steel.




Reference	No.	A x B	Ø				Ean
VI0460	0	65 x 270 mm	33 mm	0.36 kg	VI4059	6	5604612139551
VI0461	1	75 x 290 mm	33 mm	0.38 kg	VI4059	6	5604612139568
VI0462	2	85 x 310 mm	33 mm	0.46 kg	VI4059	6	5604612139575
VI0463	3	100 x 330 mm	33 mm	0.53 kg	VI4059	6	5604612139582

## 2-prong Spanish-type double hoe

### Features:

> Hardened steel.



Reference	No.	A x B	Ø				Ean
VISACH1010	0	90 x 270 mm	33 mm	0.37 kg	VI4059	6	5604612614485
VISACH1011	1	95 x 280 mm	31 mm	0.38 kg	VI4059	6	5604612614492
VISACH1012	2	100 x 305 mm	33 mm	0.43 kg	VI4059	6	5604612614508
VISACH1013	3	110 x 320 mm	31 mm	0.51 kg	VI4059	6	5604612614515
VISACH1014	4	115 x 340 mm	30 mm	0.60 kg	VI4059	6	5604612614522

### Heart shaped double hoe 3 prong

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI0005	2	100 x 260 mm	32 mm	0.39 kg	VI4059	6	5604612139544

### Onion digging hoe

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI0311	1	55 x 160 mm	33 mm	0.26 kg	VI4059	6	5604612116446

### Spanish type Double hoe

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø				Ean
VISACH1000	0	85 x 120 mm	32 mm	0.28 kg	VI4059	6	5604612614430
VISACH1001	1	95 x 130 mm	30 mm	0.30 kg	VI4059	6	5604612614447
VISACH1002	2	105 x 140 mm	32 mm	0.33 kg	VI4059	6	5604612614454
VISACH1003	3	110 x 150 mm	30 mm	0.36 kg	VI4059	6	5604612614461
VISACH1004	4	120 x 165 mm	33 mm	0.43 kg	VI4059	6	5604612614478

### Ourense Double hoe

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI1790	1	80 x 170 mm	32 mm	0.31 kg	VI40575	6	5604612653514

### Heart shaped Double hoe

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI3350	3	110 x 275 mm	32 mm	0.38 kg	VI4059	6	5604612017033

### Heart shaped double hoe 1 prong

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø				Ean
VI0002	2	100 x 255 mm	32 mm	0.34 kg	VI4059	6	5604612139520

## Heart shaped double hoe with tip

### Features:

> Hardened steel.




Reference	No.	A x B	Ø				Ean
VI0045	2	65 x 280 mm	31 mm	0.33 kg	VI4059	6	5604612116422

## Heart shaped double hoe 1 prong with handle

### Features:

> Hardened steel.




Reference	No.	A x B x C	Ø				Ean
VI3350CM	3	110 x 275 x 1300 mm	32 mm	1.23 kg	VI4057	6	5604612653491

## Heart shaped double hoe with handle

### Features:

> Hardened steel.



Reference	No.	A x B x C	Ø				Ean
VI3350C	3	110 x 275 x 1390 mm	32 mm	1 kg	VI4059	6	5604612020125

## Ourense double hoe with handle

### Features:

> Hardened steel.




Reference	No.	A x B x C	Ø				Ean
VI1790C	1	80 x 170 x 1300 mm	32 mm	0.95 kg	VI4057	6	5604612653521

## 2-flat prong Girona double hoe with handle

### Features:


> Hardened steel.



Reference	No.	A x B x C	Ø				Ean
VI0463C	3	100 x 330 x 1295 mm	33 mm	1.15 kg	VI4057	6	5604612653484

### Digging fork 3 prong

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø	⚖️	🔩	📦	Ean
VI1425	3	240 x 270 mm	36 mm	1.58 kg	VI4018	6	5604612012731

### Round eye digging fork

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø	⚖️	🔩	📦	Ean
VI1440	3	200 x 230 mm	36 mm	1 kg	VI4016	6	5604612000806

### 3-pointed prong Digging fork

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø	⚖️	🔩	📦	Ean
VI1435	1	145 x 165 mm	38 mm	0.49 kg	VI4058	6	5604612028954
VI1430	2	190 x 205 mm	38 mm	0.74 kg	VI4058	6	5604612015039
VI1436	3	200 x 235 mm	38 mm	0.97 kg	VI4058	6	5604612028961

### Madeira digging fork 3 prong

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø	⚖️	🔩	📦	Ean
VI1450	4	170 x 310 mm	44 mm	1.73 kg	VI4018	6	5604612028978

### Digging fork 4 prong

**Features:**  
> Hardened steel.



Reference	No.	A x B	Ø	⚖️	🔩	📦	Ean
VI1420	3	230 x 255 mm	37 mm	1 kg	VI4018	6	5604612028947

### Manure fork

**Features:**  
> Hardened steel.




Reference	🔩	A x B	Ø	⚖️	🔩	📦	Ean
VI1375	3	205 x 310 mm	33 mm	0.70 kg	VI4020	6	5604612128654
VI1380	4	215 x 325 mm	33 mm	0.82 kg	VI4020	6	5604612028916
VI1390	5	240 x 320 mm	33 mm	1.02 kg	VI4020	6	5604612000585
VI1395	6	300 x 230 mm	33 mm	1.2 kg	VI4020	6	5604612028923



## Curved-tine manure fork

### Features:

> Hardened steel.




Reference		A x B	Ø				Ean
VI1360	4	220 x 210 mm	34 mm	0.81 kg	VI4020	6	5604612016999
VI1365	5	240 x 215 mm	33 mm	0.98 kg	VI4020	6	5604612000615
VI1370	6	290 x 215 mm	33 mm	1.06 kg	VI4020	6	5604612028909

## Rake-hoe

### Features:

> Hardened steel.




Reference		A x B	Ø				Ean
VIXXA0365	8	300 x 190 mm	32 mm	1.30 kg	VI4056	6	5604612613723

## 5-tine Leiria Rake

### Features:

> Hardened steel.




Reference		A x B	Ø				Ean
VI0020	5	235 x 145 mm	35 mm	0.73 kg	VI4055	6	5604612116408

## 12-tine garden rake

### Features:

> Hardened steel.




Reference		A x B	Ø				Ean
VIES12	12	320 x 85 mm	25 mm	0.43 kg	VI4010	24	5604612649876

## Traditional rake

### Features:

> Hardened steel.




Reference		A x B	Ø				Ean
VIA6	6	190 x 100 mm	28 mm	0.50 kg	VI4010	6	5604612028770
VIA8	8	260 x 100 mm	28 mm	0.64 kg	VI4010	6	5604612108892
VIA10	10	235 x 100 mm	28 mm	0.77 kg	VI4010	6	5604612108908
VIA12	12	395 x 100 mm	28 mm	0.88 kg	VI4010	6	5604612108922
VIA14	14	460 x 100 mm	28 mm	0.98 kg	VI4010	6	5604612108915

## Rake

### Features:


> Hardened steel.



Reference		A x B	Ø				Ean
VIAJ8	8	205 x 100 mm	34 mm	0.34 kg	VI4010	6	5604612108847
VIAJ10	10	260 x 100 mm	34 mm	0.49 kg	VI4010	6	5604612108854
VIAJ12	12	320 x 100 mm	34 mm	0.67 kg	VI4010	6	5604612108861
VIAJ14	14	375 x 100 mm	34 mm	0.66 kg	VI4010	6	5604612108878

### Manure fork with wooden handle


**Features:**  
 > Hardened steel.



Reference		A x B x C			Ean
VIFD4CM	4	230 x 330 x 1800 mm	1.84 kg	6	5604612108816
VIFD5CM	5	265 x 330 x 1800 mm	2 kg	6	5604612108823
VIFD6CM	6	310 x 330 x 1800 mm	2.17 kg	6	5604612108830

### Manure fork with iron handle


**Features:**  
 > Hardened steel.



Reference		A x B x C			Ean
VI1340	4	210 x 330 x 1460 mm	1.50 kg	6	5604612024406
VI1345	5	240 x 340 x 1465 mm	1.83 kg	6	5604612011451
VI1350	6	300 x 330 x 1460 mm	2.20 kg	6	5604612024413

### Manure fork with iron handle

**Features:**  
 > Hardened steel.



Reference		A x B x C			Ean
VI1341	2	190 x 345 x 1460 mm	1.43 kg	6	5604612022211

### Garden scraper


**Features:**  
 > CK47 steel blade  
 (resistant to impacts and wear)



Reference	A x B x C			Ean
VIRPJ	160 x 255 x 1570 mm	0.94 kg	6	5604612709150

### Rake with handle


**Features:**  
 > Hardened steel.



Reference		A x B x C			Ean
VIAJ10C	10	260 x 100 x 1420 mm	1.10 kg	1	5604612119645
VIAJ12C	12	320 x 100 x 1430 mm	1.20 kg	1	5604612119652
VIAJ14C	14	380 x 100 x 1440 mm	1,30 kg	1	5604612639020

### Round eye digging fork with handle


**Features:**  
 > Hardened steel.



Reference		A x B x C			Ean
VI1440C	3	200 x 230 x 1370 mm	1.98 kg	6	5604612653477

## Lawn edger


**Features:**  
 > Hardened steel.



Reference	A x B x C			Ean
VI1321	250 x 150 x 1065 mm	1.74 kg	1	5604612020613

## Fencing spade


**Features:**  
 > Hardened steel.



Reference	A x B x C			Ean
VI1020	185 x 205 x 1140 mm	6 kg	1	5604612015053

## Crossover post hole digger

**Features:**  
 > Hardened steel.




Reference	A x B x C			Ean
VI1025	85 x 235 x 1215 mm	4.7 kg	1	5604612008000

## Post hole digger

2 hands with wooden handle

**Features:**  
 > Hardened steel.




Reference	A x B x C			Ean
VICC2	95 x 245 x 1430 mm	3.33 kg	1	5604612108936

## Post hole digger

2 hands with iron handle


**Features:**  
 > Hardened steel.



Reference	A x B x C			Ean
VI1021	160 x 240 x 1475 mm	3.9 kg	1	5604612028756

## Hand earth auger

**Features:**  
 > Hardened steel.



Reference	A x B x C			Ean
VI1800	150 x 165 x 1225 mm	2.8 kg	1	5604612029074




## Fiberglass handle axe



### Features:

- > PTFE coating blade;
- > Steel blade.




Reference	A x B x C	Weight	Units	Ean
VIMFE600	70 x 120 x 355 mm	0.6 kg	6	5604612695453
VIMFE1400	90 x 155 x 710 mm	1.4 kg	6	5604612695460
VIMFE2100	110 x 180 x 805 mm	2.1 kg	6	5604612703387

## Bimaterial handle axe

### Features:

- > Steel blade.




Reference	A x B x C	Weight	Units	Ean
VIMCB600	105 x 145 x 340 mm	0.9 kg	6	5604612658335
VIMCB1500	130 x 185 x 570 mm	1.7 kg	6	5604612658342
VIMCB2000	140 x 200 x 850 mm	2.85 kg	6	5604612658359

## Wooden handle axe

### Features:

- > Steel blade.



Reference	A x B x C	Ø	Weight	Units	Ean
VIMM600	105 x 150 x 365 mm	44 mm	0.86 kg	6	5604612108649

## Northern-type Axe with handle

### Features:

- > Steel blade.



Reference	A x B x C	Ø	Weight	Units	Ean
VIMN2C	130 x 220 x 1000 mm	59 mm	2.88 kg	6	5604612023737

## Splitting axe with handle

### Features:

- > Steel blade.



Reference	A x B x C	Ø	Weight	Units	Ean
VI3311	75 x 210 x 900 mm	48 mm	3.56 kg	6	5604612098933

## Northern-type axe head

### Features:

- > Steel blade.



Reference	A x B	Ø	Weight	Accessories	Units	Ean
VIMN2	130 x 220 mm	53 mm	1.7 kg	VI4035	10	5604612617417

## Splitting axe head

### Features:


- > Steel blade.



Reference	A x B	Ø	Weight	Accessories	Units	Ean
VI3310	75 x 210 mm	45 mm	2.39 kg	VI3312	6	5604612652395

### Forestry hatchet with handle


**Features:**  
 > Steel blade.



Reference	A x B x C	Ø			Ean
VI1520	80 x 120 x 335 mm	33 mm	0.3 kg	6	5604612015008

### Universal hatchet with handle


**Features:**  
 > Steel blade.



Reference	A x B x C	Ø			Ean
VI1500	110 x 170 x 370 mm	42 mm	0.78 kg	6	5604612000929

### Carpenter's hatchet with handle


**Features:**  
 > Steel blade.



Reference	No.	A x B x C	Ø			Ean
VI1550	000	95 x 150 x 400 mm	41 mm	0.60 kg	6	5604612028992
VI1540	00	100 x 155 x 505 mm	41 mm	0.70 kg	6	5604612017040
VI1530	0	105 x 160 x 400 mm	41 mm	0.66 kg	6	5604612028985

### Hammer hatchet with handle


**Features:**  
 > Steel blade.



Reference	A x B x C	Ø			Ean
VI1510	105 x 195 x 370 mm	45 mm	0.91 kg	6	5604612000912

### Hatchet with nail pulling claw and handle

**Features:**  
 > Steel blade.



Reference	A x B x C	Ø			Ean
VI1590	105 x 195 x 370 mm	45 mm	1 kg	6	5604612000905

### Carpenter's hatchet head

**Features:**  
 > Steel blade.



Reference	NO.	A x B	Ø				Ean
VI1560	1	110 x 190 mm	46 mm	0.59 kg	VI4031	6	5604612029005
VI1570	2	120 x 185 mm	45 mm	0.74 kg	VI4031	6	5604612029012
VI1580	3	145 x 220 mm	53 mm	1 kg	VI4031	6	5604612029029

### Southern-type axe head


**Features:**  
 > Steel blade.



Reference	A x B	Ø				Ean
VI3301	140 x 240 mm	57 mm	2.11 kg	VI4035	10	5604612098926

## Portuguese machete


**Features:**  
 > Hardened steel.



Reference	A x B x C			Ean
VI6000P	400 x 120 x 565 mm	0.53 kg	6	5604612679903

## Machete


**Features:**  
 > Hardened steel.



Reference	A x B x C			Ean
VI6000	400 x 115 x 550 mm	0.41 kg	6	5604612156800

## Sickle


**Features:**  
 > Hardened steel.



Reference	No.	A x B x C			Ean
VIFC000	000	165 x 180 x 285 mm	0.16 kg	6	5604612671617
VIFC00	00	185 x 200 x 305 mm	0.18 kg	6	5604612671600
VIFC0	0	200 x 200 x 320 mm	0.19 kg	6	5604612671594

## Knee sickle


**Features:**  
 > Hardened steel.



Reference	A x B x C			Ean
VIFCJ	205 x 200 x 365 mm	0.20 kg	6	5604612671624

## Lisa sickle

**Features:**  
 > Hardened steel.




Reference	No.	A x B x C			Ean
VI2002	0	240 x 210 x 400 mm	0.27 kg	6	5604612142834
VI2003	1	250 x 235 x 395 mm	0.28 kg	6	5604612139636
VI2004	2	275 x 265 x 430 mm	0.30 kg	6	5604612104436

## Brussels Billhook

**Features:**

> Hardened steel.




Reference	A x B x C			Ean
VI1650	275 x 180 x 425 mm	0.45 kg	6	5604612005245

## Banana billhook

**Features:**

> Hardened steel.




Reference	No.	A x B x C			Ean
VI1670	1	145 x 110 x 280 mm	0.14 kg	6	5604612615697
VI1671	2	155 x 110 x 285 mm	0.15 kg	6	5604612029043
VI1673	3	160 x 120 x 290 mm	0.15 kg	6	5604612615628

## Lamego billhook no.2

**Features:**

> Hardened steel.




Reference	No.	A x B x C			Ean
VI1680	2	255 x 155 x 355 mm	0.42 kg	6	5604612017057

## Medium-sized billhook

**Features:**

> Hardened steel.




Reference	No.	A x B x C			Ean
VI1322	2	120 x 85 x 230 mm	0.1 kg	6	5604612020620

## Large billhook

**Features:**

> Hardened steel.




Reference	No.	A x B x C			Ean
VI1324	3	135 x 100 x 245mm	0.13 kg	6	5604612615864



## Wicker billhook

### Features:

> Hardened steel.




Reference	A x B x C			Ean
VI1672	150 x 115 x 265 mm	0.14 kg	6	5604612029050

## Double-edged billhook

### Features:

> Hardened steel.




Reference	No.	A x B x C			Ean
VI1660	2	230 x 190 x 360 mm	0.46 kg	6	5604612029036

## Traditional billhook

### Features:

> Hardened steel.




Reference	A x B x C			Ean
VI1290	315 x 105 x 440 mm	0.55 kg	6	5604612000721

## Penafiel billhook with handle

### Features:

> Hardened steel.




Reference	A x B x C			Ean
VI1315	260 x 90 x 380 mm	0.53 kg	6	5604612015060

## Minho half-moon billhook

### Features:

> Hardened steel.




Reference	A x B x C			Ean
VI1620	250 x 200 x 375 mm	0.65 kg	VI4033 6	5604612012748

### Traditional billhook

**Features:**

> Hardened steel.




Reference	A x B x C				Ean
VI1295	210 x 105 x 320 mm	0.47 kg	VI4033	6	5604612028879

### Lamego Billhook

**Features:**

> Hardened steel.




Reference	NO.	A x B x C				Ean
VI1309	1	200 x 140 x 305 mm	0.48 kg	VI4033	6	5604612096250
VI1310	2	220 x 155 x 325 mm	0.53 kg	VI4033	6	5604612017064

### Limpa Billhook

**Features:**

> Hardened steel.




Reference	A x B x C				Ean
VI1320	220 x 135 x 335 mm	0.51 kg	VI4033	6	5604612028893

### Half-moon Billhook

**Features:**

> Hardened steel.




Reference	A x B x C				Ean
VI1600	250 x 190 x 400 mm	0.72 kg	VI4033	6	5604612001100

### Half-moon billhook with spike

**Features:**

> Hardened steel.




Reference	A x B x C				Ean
VI1610	255 x 265 x 400 mm	0.78 kg	VI4033	6	5604612001117

### Leiria billhook with spike

**Features:**

> Hardened steel.



Reference	A x B x C				Ean
VI1311	230 x 205 x 360 mm	0.89 kg	VI4033	6	5604612028886

## Right/left hand grip scythe handle



Reference	A x B	Weight	Units	Ean
VI4800	1410 x 165 mm	1.3 kg	1	5604612004538
VI4805	1410 x 165 mm	1.3 kg	1	5604612016623

## Spanish-type Scythe handle



Reference	A x B	Weight	Units	Ean
VI0054	1375 x 165 mm	1.34 kg	1	5604612609092


## Bush scythe

Features:  
 > Hardened steel.




Reference	A x B	Weight	Reference	Units	Ean
VI1410	440 x 135 mm	0.67 kg	VI4800	6	5604612028930

## Baker's paddle



Reference	A x B	Ø	Weight	Reference	Units	Ean
VI1035	240 x 240 mm	29 mm	1 kg	VI4020	6	5604612028763

## Wedge for handles



Reference	A x B	Unit	Weight	Units	Ean
VI1010	40 x 23 mm	1 unit	16 g	6	5604612114824
VI1010BL	40 x 23 mm	2 units	32 g	6	5604612142841

## Wedge




Reference	A x B	Weight	Units	Ean
VI3250	180 x 51 mm	1 kg	6	5604612006556
VI3255	190 x 51 mm	1.5 kg	6	5604612006563
VI3260	230 x 51 mm	2 kg	6	5604612006570
VI3265	225 x 53 mm	2.5 kg	6	5604612006587
VI3270	270 x 53 mm	3 kg	6	5604612006594
VI3275	270 x 60 mm	3.5 kg	6	5604612006600
VI3280	290 x 57 mm	4 kg	6	5604612006174
VI3285	300 x 70 mm	5 kg	6	5604612006624



## Transplanting trowel

### Features:

> Stainless steel;




Reference	A x B x C			Ean
VIPTP	65 x 135 x 315 mm	0.23 kg	6	5604612170653
VIPTG	90 x 150 x 330 mm	0.25 kg	6	5604612170646

## Small double hoe

### Features:

> Stainless steel;




Reference	A x B x C			Ean
VISPQ	70 x 150 x 255 mm	0.22 kg	6	5604612170677

## 5-tine hand rake

### Features:

> Stainless steel;




Reference	A x B x C				Ean
VIA5D	85 x 65 x 260 mm	5	0.20 kg	6	5604612170660

## Small leaf rake

### Features:

> Stainless steel;




Reference	A x B				Ean
VIVRM	130 x 400 mm	9	0.19 kg	6	5604612170684

## Bulb planter

### Features:

> Stainless steel;




Reference	A x B	Ø			Ean
VIPB	225 x 100 mm	55 mm	0.30 kg	6	5604612170707

## T-shaped bulb planter

### Features:

> Stainless steel;




Reference	A x B			Ean
VIPBB	115 x 285 mm	0.16 kg	6	5604612170691

### Small garden trowel

**Features:**

> Hardened steel.




Reference	A x B x C			Ean
VI0050	95 x 155 x 305 mm	0.28 kg	6	5604612157067

### Double hoe with handle

**Features:**

> Hardened steel.




Reference	A x B x C			Ean
VI1710	80 x 220 x 400 mm	0.44 kg	6	5604612004484

### Double hoe with handle 2 prong

**Features:**

> Hardened steel.




Reference	A x B x C			Ean
VI0013	80 x 215 x 400 mm	0.44 kg	6	5604612139506

### Double hoe with handle 3 prong

**Features:**

> Hardened steel.




Reference	A x B x C			Ean
VI0014	80 x 220 x 400 mm	0.48 kg	6	5604612139513

### 3-pointed prong weeding hoe with handle

**Features:**

> Hardened steel.




Reference	A x B x C			Ean
VI1015	85 x 220 x 400 mm	0.41 kg	6	5604612000318

### Weeding hoe

**Features:**

> Hardened steel.




Reference	A x B x C			Ean
VI1000	60 x 130 x 360 mm	0.27 kg	6	5604612000219

## Bulb planter

**NEW**

### Features:

- > Steel;



Reference	A x B	Ø	⚠	📦	Ean
VIPBP	240 x 130 mm	60 mm	0.30 kg	10	5604612709020

## Bulb planter with wooden handle

**NEW**

### Features:

- > Steel;





Reference	A	Ø	⚠	📦	Ean
VIPBBM	380 mm	43 mm	0.20 kg	10	5604612709013

## Fruit picker

**NEW**

### Features:

- > Steel;




Reference	A x B	🔗	⚠	📦	Ean
VIAFA	325 x 150 mm	VICM2	0.31 kg	1	5604612703929

## Pointed garden hoe

**NEW**

### Features:

- > S235 JR steel;
- > Thermosetting paint layer;
- > Beechwood handle.




Reference	A x B x C	⚠	📦	Ean
VIBJMS	55 x 160 x 330 mm	0.23 kg	12	5604612710699

## Double hoe

**NEW**

### Features:

- > S235 JR steel;
- > Thermosetting paint layer;
- > Beechwood handle.




Reference	A x B x C	⚠	📦	Ean
VISPBMS	50 x 150 x 160 mm	0.19 kg	12	5604612710637

## Small 2-tine double hoe

**NEW**

### Features:

- > S235 JR steel;
- > Thermosetting paint layer;
- > Beechwood handle.




Reference	A x B x C	⚠	📦	Ean
VISPQMS	75 x 170 x 250 mm	0.21 kg	12	5604612710644

## Transplanting trowel

**NEW**

**Features:**

- > S235 JR steel;
- > Thermosetting paint layer;
- > Beechwood handle.




Reference	A x B x C			Ean
VIPTPMS	75 x 130 x 270 mm	0.18 kg	12	5604612710613
VIPTGMS	90 x 160 x 300 mm	0.24 kg	12	5604612710688

## Weeding knife

**NEW**

**Features:**

- > S235 JR steel;
- > Thermosetting paint layer;
- > Beechwood handle.




Reference	A	Ø			Ean
VIAREMS	330 mm	40 mm	0.20 kg	12	5604612710668

## 3-tine cultivator

**NEW**

**Features:**

- > S235 JR steel;
- > Thermosetting paint layer;
- > Beechwood handle.




Reference	A x B x C			Ean
VIC3DMS	100 x 120 x 300 mm	0.20 kg	12	5604612710620

## 3-tine hand fork

**NEW**

**Features:**

- > S235 JR steel;
- > Thermosetting paint layer;
- > Beechwood handle.




Reference	A x B x C			Ean
VIA3DMS	85 x 140 x 295 mm	0.25 kg	12	5604612710651

## 5-tine hand fork

**NEW**

**Features:**

- > S235 JR steel;
- > Thermosetting paint layer;
- > Beechwood handle.



Reference	A x B x C			Ean
VIA5DMS	85 x 65 x 245 mm	0.23 kg	12	5604612710675



## Garden kit 3 pieces

**NEW**

- › Transplanting trowel;
- › Double hoe;
- › 5-tine hand fork.

### Features:

- › S235 JR steel;
- › Thermosetting paint layer;
- › Beechwood handle.



Reference	Dim Box			Ean
VIKJ3C	220 x 75 x 295 mm	0.81 kg	1	5604612714048


## Garden kit 6 pieces

**NEW**

- › Pointed garden hoe;
- › Weeding knife;
- › 3-tine cultivator;
- › Small 2-tine double hoe;
- › 3-tine hand fork;
- › Transplanting trowel.

### Features:


- › S235 JR steel;
- › Thermosetting paint layer;
- › Beechwood handle.



Reference	Dim Box			Ean
VIKJ6C	580 x 75 x 345 mm	1.94 kg	1	5604612714055

### Galvanised steel fixed-teeth lawn rake


Features:  
 > Zinc alloy;



Reference	A x B	Ø	🔧	🔩	🏠	Ean
VIVRZF21	415 x 420 mm	25 mm	21	VICJ101	0,48 kg	6 5604612691882

### Galvanised steel adjustable lawn rake


Features:  
 > Zinc alloy;



Reference	A x B	Ø	🔧	🔩	🏠	Ean
VIVRZR21	300 - 500 x 430 mm	25 mm	21	VICJ103	0,54 kg	6 5604612691899

### Fixed teeth lawn rake without handle


Features:  
 > Lacquered metal;



Reference	A x B	Ø	🔧	🔩	🏠	Ean
VIVR200SC	410 x 400 mm	22 mm	22	VICJ101	0.40 kg	24 5604612693145

### Fixed round teeth lawn rake without handle NEW



Features:  
 > Lacquered metal;



Reference	A x B	Ø	🔧	🔩	🏠	Ean
VIVR179SC	450 x 410 mm	22 mm	22	VICJ101	0.57 kg	1 5604612712488

### Large-head, fixed teeth lawn rake


Features:  
 > Lacquered metal;



Reference	A x B	Ø	🔧	🔩	🏠	Ean
VIVR199SC	555 x 450 mm	22 mm	22	VICJ101	0.55 kg	18 5604612693169

### Adjustable lawn rake

Features:  
 > Zinc alloy;




Reference	A x B	Ø	🔧	🔩	🏠	Ean
VIVR202SC	370 - 490 x 390 mm	22 mm	22	VICJ101	0.49 kg	24 5604612693152

## Galvanised steel, fixed teeth lawn rake

### Features:

- > Zinc alloy;
- > Wooden handle.




Reference	A x B x C				Ean
VIVRZF21CM	415 x 420 x 1545 mm	21	0,96 kg	6	5604612693251

## Galvanised steel adjustable lawn rake

### Features:

- > Zinc alloy;
- > Wooden handle.




Reference	A x B x C				Ean
VIVRZR21CM	300 - 500 x 430 x 1550 mm	21	0,99 kg	6	5604612693268

## Fixed teeth lawn rake

### Features:

- > Lacquered metal;
- > Wooden handle.




Reference	A x B x C				Ean
VIVR200	410 x 400 x 1550 mm	22	0.72 kg	6	5604612008536

## Round tine fixed lawn rake NEW

### Features:

- > Lacquered metal;
- > Wooden handle.




Reference	A x B x C				Ean
VIVR179	450 x 410 x 1550 mm	22	1.03 kg	1	5604612709037

## Large-head fixed teeth lawn rake

### Features:

- > Lacquered metal;
- > Wooden handle.




Reference	A x B x C				Ean
VIVR199	555 x 450 x 1575 mm	22	0.91 kg	6	5604612011239

## Adjustable lawn rake

### Features:

- > Zinc alloy;
- > Wooden handle.





Reference	A x B x C				Ean
VIVR202	370 - 490 x 390 x 1535 mm	22	0.81 kg	6	5604612008543



### Plastic-head rake without handle

**Features:**

- > Plastic;




Reference	A x B	Ø					Ean
VIVR208SC	540 x 400 mm	25 mm	22	VICJ102	0.24 kg	18	5604612693138

### Plastic rake

**Features:**

- > Plastic;
- > Wooden handle.





Reference	A x B x C				Ean
VIVR208	540 x 400 x 1540 mm	22	0.53 kg	6	5604612021108

### Adjustable lawn rake with telescopic handle

**Features:**

- > Aluminium.




Reference	A x B				Ean
VIVRRE	185 - 630 x 900 - 1450 mm	15	0.68 kg	12	5604612699642

### Traditional garden broom **NEW**

**Features:**

- > Mypren-pp thread 400 mm;
- > Iron ring.



Reference	A x B x C			Ean
VIVJT	320 x 405 x 1510 mm	1.2 kg	1	5604612717841

### Wooden handle for pointed garden hoe



Reference	Dim	Ø			Ean
VI4926E	130 mm	17 mm	0.06 kg	25	5604612684785

### Wooden handle for sickle



Reference	Dim	Ø			Ean
VI4033	200 mm	27 mm	0.10 kg	25	5604612649203

### Wooden handle for hatchet



Reference	Dim	Ø			Ean
VI4030E	370 mm	42 x 26 mm	0.17 kg	25	5604612644840

### Wooden handle for double hoe



Reference	Dim	Ø			Ean
VI4925E	385 mm	28 mm	0.15 kg	25	5604612654405

### Wooden handle for hatchet



Reference	Dim	Ø			Ean
VI4031	700 mm	49 mm	0.45 kg	25	5604612109363
VI4032	700 mm	51 mm	0.55 kg	25	5604612676056

### Handle for splitting axe



Reference	Dim	Ø			Ean
VI3312	900 mm	47 mm	0.76 kg	25	5604612654726

### Wooden handle for axe



Reference	Dim	Ø			Ean
VI4035	1000 mm	59 mm	1.04 kg	25	5604612004552

### Wooden handle



Reference	Dim	Ø			Ean
VICM2	2000 mm	31 mm	1.13 kg	1	5604612660673

**Handle for double hoe**



Reference	Dim	Ø			Ean
VI4059	1400 mm	34 mm	0.65 kg	25	5604612618421

**Handle for hoe**



Reference	Dim	Ø			Ean
VI4015	1400 mm	36 mm	1.28 kg	25	5604612004521
VI4016	1200 mm	41 mm	0.79 kg	25	5604612109349
VI4017	1110 mm	38 mm	0.87 kg	25	5604612109332
VI4018	1285 mm	41 mm	1.1 kg	25	5604612109356

**Handle for lawn rake**



Reference	Dim	Ø			Ean
VICJ101	1200 mm	26 mm	0.43 kg	50	5604612017088
VICJ102	1200 mm	26 mm	0.43 kg	50	5604612692421
VICJ103	1200 mm	26 mm	0.45 kg	50	5604612692438

**Handle for manure fork**



Reference	Dim	Ø			Ean
VI4020	1400 mm	31 mm	1.02 kg	25	5604612006365

**Handle for rake**



Reference	Dim	Ø			Ean
VI4010	1400 mm	28 mm	0.56 kg	25	5604612004514

**Handle for double hoe**



Reference	Dim	Ø			Ean
VI4055	1400 mm	36 mm	0.81 kg	25	5604612004569
VI4056	1205 mm	36 mm	0.65 kg	25	5604612109424
VI4057	1285 mm	35 mm	0.61 kg	25	5604612109431
VI4058	1110 mm	35 mm	0.62 kg	25	5604612109417

**Soil sieve**



Reference	Ø			Ean
VICR	345 mm	0.68 kg	1	5604612649715

**Sieve**




Reference	No.	Ø			Ean
VIP1	1	180 mm	0.10 kg	1	5604612649722
VIP2	2	220 mm	0.15 kg	1	5604612649739
VIP3	3	270 mm	0.23 kg	1	5604612649746
VIP4	4	310 mm	0.30 kg	1	5604612649753
VIP5	5	355 mm	0.42 kg	1	5604612649760

# PRUNING TOOLS



### Bypass pruner Cork Edition


- Features:**
- > Cork-coated handle;
  - > SK5 steel blade;
  - > Opening adjustment;
  - > Safety lock.



Reference	A x B x C			Ean
VITP11	50 x 35 x 210 mm	0,22 kg	6	5604612703455

### Bypass pruner Plus


- Features:**
- > Carbon steel blade;
  - > Safety lock.



Reference	A x B x C			Ean
VITPP220	65 x 65 x 225 mm	0.25 kg	6	5604612640071

### Bypass pruner


- Features:**
- > Carbon steel blade;
  - > Safety lock.



Reference	A x B x C			Ean
VITP04	55 x 50 x 215 mm	0.26 kg	6	5604612014469

### Bypass pruner


- Features:**
- > SK5 steel blade;
  - > Safety lock.



Reference	A x B x C			Ean
VITP06	55 x 55 x 215 mm	0.25 kg	6	5604612682712

### Bypass pruner

- Features:**
- > SK5 steel blade;
  - > Safety lock.




Reference	A x B x C			Ean
VITP09	50 x 60 x 220 mm	0.24 kg	6	5604612682743



## Bypass pruner

### Features:

- › Forged blade;
- › Safety lock.




Reference	A x B x C			Ean
VITP07	65 x 70 x 210 mm	0.23 kg	6	5604612682729

## Bypass pruner

### Features:

- › SK5 steel blade;
- › Safety lock.





Reference	A x B x C			Ean
VITP08	55 x 70 x 215 mm	0.26 kg	6	5604612682736

## Traditional bypass pruner

### Features:

- › Carbon steel blade;
- › Safety lock.





Reference	A x B x C			Ean
VITP22	75 x 75 x 220 mm	0.29 kg	20	5604612027049
VITP23	80 x 90 x 235 mm	0.31 kg	20	5604612119294
VITP24	85 x 95 x 240 mm	0.38 kg	15	5604612027056
VITP26	90 x 95 x 260 mm	0.43 kg	15	5604612105464

## Curved-blade harvest shears

### Features:

- › Carbon steel blade;
- › Safety lock.




Reference	A x B x C			Ean
VITV180B	50 x 50 x 180 mm	0.17 kg	6	5604612001537

## Straight-blade harvest shears

### Features:

- › Carbon steel blade;
- › Safety lock.




Reference	A x B x C			Ean
VITV190B	60 x 70 x 190 mm	0.17 kg	6	5604612001544

### Straight-blade harvest shears

**Features:**

- > Carbon steel blade;
- > Safety lock.




Reference	A x B x C			Ean
VITVD	50 x 30 x 190 mm	0.14 kg	12	5604612014520

### Curved-blade harvest shears

**Features:**

- > Carbon steel blade;
- > Safety lock.




Reference	A x B x C			Ean
VITVC	40 x 30 x 180 mm	0.15 kg	12	5604612014537

### Straight-blade, stainless steel harvest shears

**Features:**

- > Stainless steel blade;
- > Safety lock.




Reference	A x B x C			Ean
VITVID190	45 x 50 x 190 mm	0.08 kg	20	5604612672652

### Curved-blade, stainless steel harvest shears

**Features:**

- > Stainless steel blade;
- > Safety lock.




Reference	A x B x C			Ean
VITVIC190	45 x 50 x 190 mm	0.09 kg	20	5604612672669

### Curved-blade harvest shears

**Features:**

- > Carbon steel blade;
- > Safety lock.




Reference	A x B x C			Ean
VITV18	50 x 50 x 185 mm	0.09 kg	12	5604612640057

### Rose shears

**Features:**

- > Carbon steel blade;
- > Safety lock.




Reference	A x B x C			Ean
VITPR	55 x 60 x 200 mm	0.19 kg	6	5604612038151



## Grafting shears

### Features:

- > Carbon steel blades (x3);
- > Ergonomical handle;
- > Safety lock.




See video:

Reference	A x B			Ean
VITENX	95 x 215 mm	0.30 kg	6	5604612704353

## Grafting pocket knife

### Features:

- > Carbon steel blade.





Reference	A x B			Ean
VICTE	20 x 190 mm	0.07 kg	6	5604612642341

## Plant tying tape tool

**NEW**

### Features:

- > 10 mm tape;
- > Ergonomic and comfortable.




Consumables Page 118

Reference	A x B			Ean
VIAAT	175 x 310 mm	0.54 kg	1	5604612726249

### Swivel grass shears

**Features:**

- > 130mm Carbon steel blade;
- > Non-slip handle;
- > Aluminium body.




Reference	A x B x C	📦	📦	Ean
VITCS	140 x 105 x 360 mm	0.35 kg	12	5604612014568

### 360° Swivel grass shears **NEW**

**Features:**

- > Carbon steel blade;
- > Ergonomical handle;
- > Position lock.




Reference	A x B x C	📦	📦	Ean
VITCS360	125 x 100 x 255 mm	0.30 kg	4	5604612709006

### Nickel-plated hedge shears

**Features:**

- > 180mm Carbon steel blade;




Reference	A x B x C	📦	📦	Ean
VITCSN10	265 x 180 x 510 mm	1.04 kg	6	5604612641658
VITCSN12	290 x 200 x 550 mm	1.29 kg	6	5604612641665

### Cast aluminium handle hedge shears

**Features:**

- > 275mm Carbon steel blade.




Reference	A x B x C	📦	📦	Ean
VITCSA11	300 x 200 x 620 mm	0.97 kg	6	5604612690373

### Bimaterial handle hedge shears

**Features:**

- > 275mm Carbon steel blade.




Reference	A x B x C	📦	📦	Ean
VITCS11	320 x 245 x 645 mm	1.28 kg	6	5604612690380

## Anvil lopper

### 2 hands - bumper

#### Features:

- > Curved forged steel blade;
- > Anti-corrosion blade;
- > Aluminium body.




Reference	A x B x C			Ean
VITPBA	200 x 320 x 800 mm	1.73 kg	8	5604612705084

## Anvil lopper

### 2 hands - bypass

#### Features:

- > Carbon steel blade (75%);
- > Aluminium body.




Reference	A x B x C			Ean
VITPBY	170 x 275 x 735 mm	1.06 kg	8	5604612705091

## Anvil lopper

### 2 hands telescopic

#### Features:

- > Curved forged steel blade;
- > Anti-corrosion blade;
- > Aluminium body.




Reference	A x B x C			Ean
VITTC	155 x 245 x 620 - 935 mm	1.32 kg	8	5604612022143

## Anvil lopper

### 2 hands telescopic with bumper

#### Features:

- > Straight carbon steel blade;
- > Aluminium body.




Reference	A x B x C			Ean
VITTD	160 x 210 x 630 - 945 mm	1.52 kg	8	5604612022136

### Folding pruning saw

**Features:**

- > Extra hardened steel blade;
- > Blade with triple-edged teeth.




Reference	A x B x C			Ean
VISP160	160 x 65 x 380 mm	0.19 kg	6	5604612014513

### Japanese-teeth pruning saw

**Features:**

- > Hardened steel blade.




Reference	A x B x C			Ean
VISPB11	295 x 110 x 430 mm	0.20 kg	6	5604612692483
VISPB13	340 x 115 x 480 mm	0.21 kg	6	5604612692490

### Japanese-teeth pruning saw with wooden handle

**Features:**

- > Hardened steel blade.




Reference	A x B x C			Ean
VISP11	275 x 100 x 435 mm	0.23 kg	6	5604612629892
VISP13	325 x 105 x 480 mm	0.26 kg	6	5604612629908

### Tree pruner with or without handle

**Features:**

- > 2mm Carbon steel blade.




Reference	A x B x C				Ean
VISP350	355 x 95 x 2440 mm	1.27 kg		12	5604612657253
VISP350SC	355 x 95 mm	0.31 kg	VICM2	12	5604612660666

### Tree pruner with aluminium telescopic handle

**Features:**

- > 130mm Carbon steel blade.




Reference	A x B x C			Ean
VISPA	460 x 115 x 1530 - 2590 mm	1.27 kg	6	5604612682767

## Telescopic tree pruner

### Features:

- > Carbon steel blade.




Reference	A x B x C				Ean
VITPA	325 x 215 x 565 mm	0.81 kg	VICEA	12	5604612087227

## Bow saw

### Features:

- > Hardened steel blade.



Reference	A x B			Ean
VISA533	610 x 205 mm	0.5 kg	24	5604612012458
VISA610	690 x 220 mm	0.58 kg	24	5604612012540
VISA762	840 x 225 mm	0.81 kg	24	5604612012557
VISA914	990 x 250 mm	0.91 kg	12	5604612014360

## Raker teeth bow saw blade

### Features:

- > Hardened steel blade.



Reference	Dim			Ean
VIFSA533	533 mm	0.05 kg	10	5604612012571
VIFSA610	610 mm	0.06 kg	10	5604612012595
VIFSA762	762 mm	0.08 kg	10	5604612012618
VIFSA914	914 mm	0.09 kg	10	5604612012625

## Peg teeth bow saw blade


### Features:

- > Hardened steel blade.



Reference	Dim			Ean
VIFSC533	533 mm	0.05 kg	10	5604612012564
VIFSC610	610 mm	0.06 kg	10	5604612012588
VIFSC762	762 mm	0.08 kg	10	5604612012601
VIFSC914	914 mm	0.09 kg	10	5604612012632

## Holster for pruning saw



Reference	A x B			Ean
VICSP	425 x 60 mm	0.15 kg	10	5604612697327

### Blade for anvil lopper



Reference	Compatible		Ean
VILTP09	VITPP220	12	5604612690625
VILTPP220	VITPP220	1	5604612641979
VILTP06	VITP06	12	5604612690649
VILSTP07	VITP07	12	5604612690595
VILITP07	VITP07	12	5604612690601
VILTP08	VITP08	12	5604612690618
VILTTD	VITTD	1	5604612639976
VILTPA	VITPA	1	5604612639983
VILTPBA	VITPBA	1	5604612715083

### Spring for anvil lopper



Reference	Compatible	Dim		Ean
VIMTP06	VITP06		12	5604612690670
VIMTP0709	VITP07 / VITP09		12	5604612690663
VILTV	VITVC/VITVD		12	5604612640026
VIMP60A	VITP08		12	5604612690656
VIMP60B	VITP08		12	56046126701369
VILTP04	VITP04	80 mm	12	5604612640019
VIMV35	VITV18	35 mm	12	5604612701604
VIMV50B	VITV180/90B	50 mm	12	5604612142056
VIMV50A	VITV180/90B	50 mm	12	5604612119317
VIMP80B	VITP22/23/24/26	80 mm	12	5604612142063
VIMP80A	VITP22/23/24/26	80 mm	12	5604612119331
VIMTPA	VITPA		12	5604612658861
VIMVI50	VITVIC190		12	5604612675950
VIMVI50B	VITVID190		12	5604612701345

### Bumper for anvil lopper



Reference			Ean
VIBTTD	VITTD	1	5604612641061
VIBTPBA	VITPBA	1	5604612715090

### Saw blade

Features:  
 > Carbon steel blade.



Reference		Ean
VISTPA	6	5604612639990

### Telescopic handle

Features:  
 > Aluminium handle.



Reference	Dim		Ean
VICEA	1,22 - 2,40 m	12	5604612088910

### Tape for plant tying tape tool

**NEW**



Reference	Dim		Ean
VIFAAT	22 m	20	5604612726256

### Staples for plant tying tape tool

**NEW**




Reference	No.		Ean
VIAAAT	25	20	5604612726263




# WIRES AND MESHES





**Plant support mesh**




Reference	Dim	Mesh		Ean
VIRF25	2 x 5 m	150 mm	25	5604612676568
VIRF210	2 x 10 m	150 mm	25	5604612676575
VIRF225	2 x 25 m	150 mm	12	5604612676582
VIRF250	2 x 50 m	150 mm	6	5604612676599


**Anti-bird netting**



Reference	Dim	Mesh		Ean
VIRAP25	2 x 5 m	105 mm	36	5604612676520
VIRAP210	2 x 10 m	105 mm	25	5604612676537
VIRAP46	4 x 6 m	105 mm	16	5604612676544
VIRAP412	4 x 12 m	105 mm	12	5604612676551


**Shade netting**  
80%







Reference	Dim	Area		Ean
VIRS1	1 x 125 m	125 m <sup>2</sup>	1	5604612037819
VIRS15	1.5 x 125 m	187.5 m <sup>2</sup>	1	5604612094263
VIRS2	2 x 125 m	250 m <sup>2</sup>	1	5604612094287
VIRS2.5	2.5 x 125 m	312.5 m <sup>2</sup>	1	5604612094270
VIRS3	3 x 125 m	375 m <sup>2</sup>	1	5604612094294
VIRS4	4 x 125 m	500 m <sup>2</sup>	1	5604612094300

**Green mosquito net**

Features:  
> 100% Polyethylene.




Reference	Dim	Colour		Ean
VIRM50V	0.50 x 35 m		1	5604612118532
VIRM100V	1.00 x 35 m		1	5604612136536
VIRM120V	1.20 x 35 m		1	5604612136550

## White mosquito net


### Features:

>100% Polyethylene.




Reference	Dim	Colour	☐ Ean
VIRM50	0.50 x 35 m	○	1 5604612118501
VIRM100B	1.00 x 35 m	○	1 5604612136529
VIRM120B	1.20 x 35 m	○	1 5604612136543

## Green plastic mesh




Reference	Dim	Mesh	Colour	☐ Ean
VIRV5V	1 x 30 m	5 mm	●	1 5604612136475
VIRV10V	1 x 30 m	10 mm	●	1 5604612136499
VIRV15V	1 x 30 m	15 mm	●	1 5604612136512

## White plastic mesh




Reference	Dim	Mesh	Colour	☐ Ean
VIRV5B	1 x 30 m	5 mm	○	1 5604612136468
VIRV10B	1 x 30 m	10 mm	○	1 5604612136482
VIRV15B	1 x 30 m	15 mm	○	1 5604612136505

## PVC-coated wire mesh




Reference	Dim	Mesh	∅ Inner	∅ Outer	☐ Ean
VIRCP131305	0.5 x 25 m	13 x 13 mm	0.9 mm	1.3 mm	1 5604612122362
VIRCP1313	1 x 25 m	13 x 13 mm	0.9 mm	1.3 mm	1 5604612114442
VIRCP191905	0.5 x 25 m	19 x 19 mm	1.2 mm	1.5 mm	1 5604612122386
VIRCP1919	1 x 25 m	19 x 19 mm	1.2 mm	1.5 mm	1 5604612122379
VIRCP2525	1 x 25 m	25 x 25 mm	1.0 mm	1.4 mm	1 5604612122393

## Welded wire mesh



Reference	Dim	Mesh	∅	☐ Ean
VIRC1313	1 x 25 m	13 x 13 mm	1.05 mm	1 5604612037727
VIRC131305	0.5 x 25 m	13 x 13 mm	1.05 mm	1 5604612112318
VIRC131315	1.5 x 25 m	13 x 13 mm	1.05 mm	1 5604612108021
VIRC1313G	1 x 25 m	13 x 13 mm	1.45 mm	1 5604612037734
VIRC1313G05	0.5 x 25 m	13 x 13 mm	1.45 mm	1 5604612112325
VIRC1325	1 x 25 m	13 x 25 mm	1.45 mm	1 5604612122324
VIRC1919	1 x 25 m	19 x 19 mm	1.05 mm	1 5604612037758
VIRC191905	0.5 x 25 m	19 x 19 mm	1.05 mm	1 5604612122331
VIRC191915	1.5 x 25 m	19 x 19 mm	1.05 mm	1 5604612112332
VIRC1919G	1 x 25 m	19 x 19 mm	1.45 mm	1 5604612037765
VIRC1919G05	0.5 x 25 m	19 x 19 mm	1.45 mm	1 5604612122348
VIRC2525	1 x 25 m	25 x 25 mm	1.60 mm	1 5604612037772
VIRC252522	1 x 25 m	25 x 25 mm	2.20 mm	1 5604612122355
VIRC2525G	1 x 25 m	25 x 25 mm	1.80 mm	1 5604612037789

## Sheep netting




Reference	Dim	Ean
VIROV100	1.00 cm x 100 m	1 5604612114411
VIROV120	1.20 cm x 100 m	1 5604612107062
VIROV140	1.40 cm x 100 m	1 5604612114831
VIROV10050	1.00 cm x 50 m	1 5604612614744
VIROV12050	1.20 cm x 50 m	1 5604612614751
VIROV14050	1.40 cm x 50 m	1 5604612614768

## PVC-coated chain link fencing


### Features:

> BWG 14/11 | Ø ± 1.80/2.80 mm.



Reference	Dim	Mesh	Ean
VIRP505014	50 cm x 25 m	50 x 50 mm	1 5604612105068
VIRP506014	50 cm x 25 m	60 x 60 mm	1 5604612109998
VIRP755014	75 cm x 25 m	50 x 50 mm	1 5604612114152
VIRP756014	75 cm x 25 m	60 x 60 mm	1 5604612102906
VIRP1005014	100 cm x 25 m	50 x 50 mm	1 5604612037796
VIRP1006014	100 cm x 25 m	60 x 60 mm	1 5604612037802
VIRP1255014	125 cm x 25 m	50 x 50 mm	1 5604612115869
VIRP1256014	125 cm x 25 m	60 x 60 mm	1 5604612115920
VIRP1505014	150 cm x 25 m	50 x 50 mm	1 5604612114404
VIRP1506014	150 cm x 25 m	60 x 60 mm	1 5604612102685
VIRP1755014	175 cm x 25 m	50 x 50 mm	1 5604612105327
VIRP1756014	175 cm x 25 m	60 x 60 mm	1 5604612118518
VIRP2005014	200 cm x 25 m	50 x 50 mm	1 5604612105334
VIRP2006014	200 cm x 25 m	60 x 60 mm	1 5604612118525

## Hexagonal galvanised wire netting



Reference	Dim	Mesh	Ø	Ean
VIRHG50,12	0.5 cm x 50 m	1/2 "	0.71 mm	1 5604612102661
VIRHG75,12	0.75 cm x 50 m	1/2 "	0.71 mm	1 5604612121891
VIRHG100,12	1 cm x 50 m	1/2 "	0.71 mm	1 5604612037680
VIRHG150,12	1.5 cm x 50 m	1/2 "	0.71 mm	1 5604612121907
VIRHG200,12	2 cm x 50 m	1/2 "	0.71 mm	1 5604612121914
VIRHG50,1	0.5 cm x 50 m	1"	0.80 mm	1 5604612121938
VIRHG75,1	0.75 cm x 50 m	1"	0.80 mm	1 5604612102678
VIRHG100,1	1 cm x 50 m	1"	0.80 mm	1 5604612037703
VIRHG150,1	1.5 cm x 50 m	1"	0.80 mm	1 5604612102630
VIRHG200,1	2 cm x 50 m	1"	0.80 mm	1 5604612110086
VIRHG50,2	0.5 cm x 50 m	2	0.75 mm	1 5604612121983
VIRHG75,2	0.75 cm x 50 m	2	0.75 mm	1 5604612121990
VIRHG100,2	1 cm x 50 m	2	0.75 mm	1 5604612037710
VIRHG150,2	1.5 cm x 50 m	2	0.75 mm	1 5604612102647
VIRHG200,2	2 cm x 50 m	2	0.75 mm	1 5604612102654
VIRHG50,34	0.5 cm x 50 m	3/4 "	0.71 mm	1 5604612121952
VIRHG100,34	1 cm x 50 m	3/4 "	0.71 mm	1 5604612037697
VIRHG150,34	1.5 cm x 50 m	3/4 "	0.71 mm	1 5604612121969
VIRHG200,34	2 cm x 50 m	3/4 "	0.71 mm	1 5604612121976
VIRHG75,112	0.75 cm x 50 m 1"   1/2"		0.71 mm	1 5604612121921

## PVC coated iron wire



Reference	No.	Ø	Ean
VIAP128	12/8	4.19 mm 30 kg	1 5604612094416
VIAP1411	14/11	3.05 mm 30 kg	1 5604612037833

**PVC coated wire**

Reference	No.	Ø	▲	📦 Ean
VIAZ8	NO. 8	4.19 mm	25 kg	1 5604612122454
VIAZ9	NO. 9	3.76 mm	25 kg	1 5604612122461
VIAZ10	NO. 10	3.40 mm	25 kg	1 5604612120184
VIAZ11	NO. 11	3.05 mm	25 kg	1 5604612037826
VIAZ12	NO. 12	2.77 mm	25 kg	1 5604612122478
VIAZ13	NO. 13	2.41 mm	25 kg	1 5604612122485
VIAZ14	NO. 14	2.11 mm	25 kg	1 5604612122492
VIAZ15	NO. 15	1.83 mm	25 kg	1 5604612093532
VIAZ16	NO. 16	1.50 mm	25 kg	1 5604612122508
VIAZ17	NO. 17	1.47 mm	25 kg	1 5604612122515
VIAZ18	NO. 18	1.25 mm	25 kg	1 5604612122522
VIAZ19	NO. 19	1.00 mm	25 kg	1 5604612122539
VIAZ20	NO. 20	0.90 mm	25 kg	1 5604612122546
VIAZ21	NO. 21	0.80 mm	25 kg	1 5604612122553

**Galvanised iron wire**

Reference	Ø	Roll	📦 Ean
VIAG11	0.7 x 1.1 mm	50 m	20 5604612679071
VIAG13	0.9 x 1.3 mm	50 m	20 5604612679088
VIAG15	1.1 x 1.5 mm	50 m	20 5604612679095

**PVC-coated iron wire**

Reference	Ø	Roll	📦 Ean
VIAP11	0.7 x 1.1 mm	50 m	20 5604612679101
VIAP13	0.9 x 1.3 mm	50 m	20 5604612679118
VIAP15	1.1 x 1.5 mm	50 m	20 5604612679125

**Galvanized barbed wire**


Reference	📦 Ean
VIAFZ100	BWG 15/15   Ø ± 1.83 mm   100 m. 1 5604612037840

**PVC-coated barbed wire**

Reference	📦 Ean
VIAFP100	BWG 14/11   Ø ± 2.111/3.05 mm   100 m. 1 5604612136567


**Galvanised fencing wire tensioning ratchet**



Reference		Ean
VIER1	50	5604612643263

**Lacquered fencing wire tensioning ratchet**



Reference		Ean
VIER2	50	5604612643270

**Waterproof tarpaulin**

Features:  
> 120 g/m<sup>2</sup>.



Reference	Dim		Ean
VIOC35	3 x 5 m	8	5604612031084
VIOC46	4 x 6 m	5	5604612031091
VIOC58	5 x 8 m	3	5604612031107
VIOC610	6 x 10 m	2	5604612031114

# GARDEN MACHINERY



VIAC250A

**Grass trimmer**  
**250W**



Find out more:

VIAC450A

**Grass trimmer**  
**450W**



Find out more:

**Main features:**

- > Protective guard with nylon line cutting knife.

**Technical data**

Power	250 W
Rotation speed	11000 rpm
Cutting diameter	230 mm
Nylon line diameter	1.2 mm
Nylon line length	2 x 4 m
Supply voltage	230 V - 50 Hz
Sound power level (L <sub>WA</sub> )	93 dB
Weight	1.4 kg
Dimensions	250 x 1000 x 190 mm
Weight with packaging	1.8 kg
Packaging dimensions	375 x 1100 x 1000 mm
Barcode	5604612664107



Nylon line



Auxiliary handle

**Packaging content**

- > Nylon line 2 x 4 m;
- > Guard.

Accessories Page 139-140

**Main features:**

- > Protective guard with nylon line cutting knife;
- > Telescopic shaft 32 - 54 cm.

**Technical data**

Power	450 W
Rotation speed	11000 rpm
Cutting diameter	250 mm
Nylon line diameter	1.5 mm
Nylon line length	2 x 2.5 m
Supply voltage	230 V - 50 Hz
Sound power level (L <sub>WA</sub> )	95 dB
Weight	2.3 kg
Dimensions	235 x 1120 x 285 mm
Weight with packaging	3 kg
Packaging dimensions	440 x 1200 x 1010 mm
Barcode	5604612664114



Adjustable auxiliary handle



Rotating head



Cutting guide

**Packaging content**

- > Nylon line 2 x 2.5 m;
- > Guard;
- > Cutting guide.

Accessories Page 139-140





VIRCR1000

## Robot lawnmower



Find out more:



### Main features:

- › Ensures a lawn with a perfect finish;
- › Autonomous;
- › Efficient and silent;
- › Rain, obstacle, lift and tilt sensors;
- › Security pin;
- › Mulching function.



Easy to programm



Adjustable cutting  
height



Emergency STOP  
button

### Packaging content

- › Docking station and charger;
- › Set of extra blades and screws (x3);
- › Pegs for boundary wire (x150);
- › Boundary wire (100 m);
- › Boundary wire joints (x4).

Accessories Page 139

### Technical data

Rated voltage	28 V
Battery capacity	4 Ah
Motor	Brushless
Cutting motor power	70 W
Motion motor power	50 W
Rotation speed	2900 rpm
Number of blades	3
Cutting area	120 m <sup>2</sup> /h
Cutting width	240 mm
Cutting heights	25 - 65 mm
Cutting mode	Random straight-line
Recommend working area	1000 m <sup>2</sup>
Maximum slope angle	30°
Charger supply voltage	230 V - 50 Hz
Insulation class	II
IP code	IPX4
Sound power level (L <sub>WA</sub> )	65 dB
Weight	10.3 kg
Dimensions	590 x 270 x 450 mm
Weight with packaging	18.5 kg
Packaging dimensions	810 x 580 x 320 mm
Barcode	5604612704148

VIMR1200

**Lawnmower  
1200W**



Find out more:

VIMR1400

**Lawnmower  
1400W**



Find out more:

**Main features:**

- > Induction motor;
- > 3 cutting heights.

**Technical data**

Motor	Induction
Power	1200 W
Rotation speed	2800 rpm
Supply voltage	230 V - 50 Hz
Cutting diameter	320 mm
3 cutting heights	25, 45, 65 mm
Recommend cutting area	300 m <sup>2</sup>
Grass box capacity	30 L
Wheels diameter	130 mm
Sound power level (L <sub>WA</sub> )	93 dB
Weight	12 kg
Dimensions	375 x 1100 x 1000 mm
Weight with packaging	13.3 kg
Packaging dimensions	615 x 380 x 270 mm
Barcode	5604612677909



Switch with safety button



Carrying handle

**Packaging content**

- > Grass box;
- > Spanner.

Accessories Page 139

**Main features:**

- > Induction motor;
- > 5 cutting heights.

**Technical data**

Motor	Induction
Power	1400 W
Rotation speed	2850 rpm
Supply voltage	230 V - 50 Hz
Cutting diameter	340 mm
5 cutting heights	20, 30, 38, 48, 68 mm
Recommend cutting area	600 m <sup>2</sup>
Grass box capacity	35 L
Wheels diameter	170 - 200 mm
Sound power level (L <sub>WA</sub> )	96 dB
Weight	16 kg
Dimensions	440 x 1200 x 1010 mm
Weight with packaging	17 kg
Packaging dimensions	755 x 470 x 345 mm
Barcode	5604612677916



Lever for adjusting the cutting height



Carrying handle



Full grass box indicator

**Packaging content**

- > Grass box;
- > Spanner.

Accessories Page 139



VIMR1800

## Lawnmower 1800W



Find out more:



### Main features:

- > Induction motor;
- > 5 cutting heights.



Lever for adjusting the cutting height



Carrying handle



Full grass box indicator

### Packaging content

- > Grass box;
- > Spanner.

Accessories Page 139

### Technical data

Motor	Induction
Power	1800 W
Rotation speed	2850 rpm
Supply voltage	230 V - 50 Hz
Cutting diameter	420 mm
5 cutting heights	25, 35, 45, 55, 75 mm
Recommend cutting area	800 m <sup>2</sup>
Grass box capacity	50 L
Wheels diameter	170 - 250 mm
Sound power level (L <sub>WA</sub> )	94 dB
Weight	22 kg
Dimensions	500 x 1240 x 1050 mm
Weight with packaging	23.2 kg
Packaging dimensions	800 x 525 x 390 mm
Barcode	5604612677923



VIMR5D

## Lawnmower with traction 5hp



Find out more:

VIMR65B

## Lawnmower with traction 6,5hp



Find out more:

### Main features:

- > Metal body;
- > Rear discharge;
- > Mulching function;
- > 6 cutting heights.

### Technical data

Engine	4-ST combustion
Power	5 hp / 3.7 kW
Engine displacement	144 cc
Fuel	Petrol
Fuel tank capacity	1 L
Rotation speed	2800 rpm
Cutting diameter	480 mm
6 cutting heights	25 - 75 mm
Recommend cutting area	1500 m <sup>2</sup>
Grass box capacity	65 L
Wheels diameter	177 - 203 mm
Sound power level (L <sub>WA</sub> )	98 dB
Weight	36 kg
Dimensions	540 x 1565 x 1030 mm
Weight with packaging	37.7 kg
Packaging dimensions	785 x 565 x 485 mm
Barcode	5604612717247



Cutting height adjustment



Allows hose coupling for washing

### Packaging content

- > Grass box;
- > Blade;
- > Spanner.

Accessories Page 139

### Main features:

- > Metal body;
- > Rear and side discharge;
- > Mulching function;
- > 6 cutting heights.
- > CHOKE lever - opening and closing of the air flow.

### Technical data

Engine	4-ST combustion
Power	6.5 hpv / 4.8 kW
Engine displacement	196 cc
Fuel	Petrol
Fuel tank capacity	1 L
Rotation speed	2800 rpm
Cutting diameter	525 mm
6 cutting heights	25 - 75 mm
Recommend cutting area	2000 m <sup>2</sup>
Grass box capacity	65 L
Wheels diameter	203 - 279 mm
Sound power level (L <sub>WA</sub> )	98 dB
Weight	42 kg
Dimensions	560 x 1590 x 1045 mm
Weight with packaging	43.2 kg
Packaging dimensions	855 x 570 x 500 mm
Barcode	5604612703219



Cutting height adjustment



Side discharge



Allows hose coupling for washing

### Packaging content

- > Grass box;
- > Blade;
- > Spanner.

Accessories Page 139

VIMRRG65

## Lawnmower with swivel wheels and traction

6,5hp

**NEW**



Find out more:

VIE54

## Scarifier 5,4hp

**NEW**



Find out more:

### Main features:

- > Metal body;
- > Rear and side discharge;
- > Mulching function;
- > 6 cutting heights;
- > Multidirectional wheels.

### Technical data

Engine	4-ST combustion
Power	6.5 hp / 4.8 kW
Engine displacement	196 cc
Fuel	Petrol
Fuel tank capacity	1 L
Rotation speed	2800 rpm
Cutting diameter	508 mm
6 cutting heights	25 - 75 mm
Recommend cutting area	2000 m <sup>2</sup>
Grass box capacity	65 L
Wheels diameter	203 - 279 mm
Sound power level (L <sub>WA</sub> )	98 dB
Weight	41 kg
Dimensions	550 x 1600 x 1100 mm
Weight with packaging	43.2 kg
Packaging dimensions	855 x 570 x 500 mm
Barcode	5604612721800



Cutting height adjustment



Side discharge



360° rotation wheels

### Packaging content

- > Grass box;
- > Spanner.

Accessories Page 139

### Main features:


- > Metal body;
- > Blades' brake handle;
- > Depth adjustment knob;
- > Belt-driven.

### Technical data

Engine	4-ST combustion
Power	5.4 hp   4.0 kW
Engine displacement	212 cc
Fuel	Petrol
Fuel tank capacity	3.6 L
Rotation speed	3600 rpm
Cutting width	400 mm
Maximum cutting depth	5 - 15 mm
Grass bag capacity	45 L
Wheels diameter	203
Sound power level (L <sub>WA</sub> )	105 dB
Weight	37 kg
Dimensions	610 x 1040 x 1300 mm
Weight with packaging	43 kg
Packaging dimensions	636 x 660 x 570 mm
Barcode	5604612721817



Depth adjustment knob



Blade height adjustment lever



Blades shaft and spring tines shaft

### Packaging content

- > Grass box;
- > Blades shaft and spring tines shaft;
- > Spark plug wrench.

Accessories Page 140



VITR2500

## Garden Shredder 2500W



Find out more:



### Main features:

- › Easy to move;
- › For shredding thin branches;
- › Dual safety switch;
- › 45L collection box;
- › Thermal protection.



Disc with two blades



Easy opening of the blade housing



Safety switch.

### Technical data

Power	2500 W
Rotation speed	4500 rpm
Supply voltage	230 V - 50 Hz
Maximum cutting diameter	Ø 45 mm
Collection box capacity	45 L
IP code	IP24
Sound power level (L <sub>WA</sub> )	106 dB
Weight	12 kg
Dimensions	545 x 1015 x 444 mm
Weight with packaging	13.4 kg
Packaging dimensions	530 x 370 x 510 mm
Barcode	5604612709730

### Packaging content

- › Collection box;
- › Push stick.

VICS550

## Hedge trimmer 550W



Find out more:

VICS600A

## Hedge trimmer 600W



Find out more:

### Main features:

- > Double-sided blade;
- > Auxiliary handle with safety switch;
- > For medium-sized branches.

### Technical data

Power	550 W
Rotation speed	1600 rpm
Cutting diameter	18 mm
Blade length	510 mm
Teeth height	22 mm
Teeth spacing	18 mm
Supply voltage	230 V - 50 Hz
Sound power level (L <sub>WA</sub> )	102 dB
Weight	2.4 kg
Dimensions	140 x 460 x 170 mm
Weight with packaging	2.9 kg
Packaging dimensions	920 x 150 x 180 mm
Barcode	5604612664312

### Main features:

- > Double-sided blade;
- > Auxiliary handle with safety switch;
- > For medium-sized hedges.

### Technical data

Power	600 W
Rotation speed	1600 rpm
Cutting diameter	18 mm
Blade length	590 mm
Teeth height	15 mm
Teeth spacing	20 mm
Supply voltage	230 V - 50 Hz
Sound power level (L <sub>WA</sub> )	100 dB
Weight	2.9 kg
Dimensions	185 x 460 x 170 mm
Weight with packaging	3.4 kg
Packaging dimensions	980 x 200 x 180 mm
Barcode	5604612676339



Blade guard



Hand guard

### Packaging content

- > Hand guard;
- > Cutting blade;
- > Blade guard.

Accessories Page 140



Blade guard



Hand guard

### Packaging content

- > Hand guard;
- > Cutting blade;
- > Blade guard.

Accessories Page 140





VICS25

## Petrol hedge trimmer 25cc




Find out more:



### Main features:

- › Bidirectional blade;
- › Safety trigger;
- › 90° adjustable handle;
- › For hedges with thick branches.



Blade guard



Hand guard



90° adjustable handle

### Packaging content

- › Hand guard;
- › Cutting blade;
- › Blade guard;
- › Tool kit.

### Technical data

Engine	2-ST combustion
Power	1.1 hp / 0.85 kW
Engine displacement	25 cc
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	0.33 L
Rotation speed	9500 rpm
Cutting diameter	18 mm
Blade length	550 mm
Teeth height	35 mm
Teeth spacing	20 mm
Adjustable handle	90°
Sound power level (L <sub>WA</sub> )	110 dB
Weight	5.6 kg
Dimensions	220 x 510 x 210 mm
Weight with packaging	7.5 kg
Packaging dimensions	1112 x 240 x 220 mm
Barcode	5604612642013

Accessories Page 140



VISM52

## Backpack blower

### 52cc



Find out more:

VISA27

## Blower/vacuum cleaner

### 27cc



Find out more:

#### Main features:

- › Handle adjustment;
- › ON/OFF switch.

#### Technical data

Engine	2-ST combustion
Power	2 hp / 1.5 kW
Engine displacement	52 cc
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	1.5 L
Running time	1.5h
Rotation speed (idle)	2800 ± 150
Maximum rotation speed	6500 ± 200
Air maximum speed	90 m/s
Maximum airflow	0.24 m <sup>3</sup> /s
Sound power level (L <sub>WA</sub> )	109.9 dB
Weight	9 kg
Dimensions	425 x 1500 x 460 mm
Weight with packaging	11.3 kg
Packaging dimensions	470 x 370 x 460 mm
Barcode	5604612687342



Padded straps



Multi-function control handle

#### Packaging content


- › Tool kit;
- › Fuel dispenser.

#### Main features:

- › Easy handling;
- › Collection bag;
- › Auxiliary handle.

#### Technical data


Engine	2-ST combustion
Power	0.95 hp / 0.7 kW
Engine displacement	27 cc
Fuel	Mixture - 1:40 ratio
Fuel tank capacity	0.5 L
Rotation speed	1500 rpm
Air maximum speed	50 m/s
Maximum airflow	0.17 m <sup>3</sup> /s
Maximum suction flow rate	0.18 m <sup>3</sup> /s
Grass box	50 L
Sound power level (L <sub>WA</sub> )	112 dB
Weight	5.2 kg
Dimensions	250 x 970 x 380 mm
Weight with packaging	8 kg
Packaging dimensions	590 x 300 x 400 mm
Barcode	5604612670849



Permanent throttle



Grinding blades



Example of aspiration

#### Packaging content

- › Collection bag;
- › Tool kit;
- › Fuel dispenser.

Accessories Page 140



VIAS3000A

## Blower/vacuum cleaner 3000W



Find out more:



### Main features:

- › Easy to handle;
- › Collection bag;
- › Adjustable auxiliary handle.



Mode selector



Blowing and vacuuming



Accessories

### Packaging content

- › Collection bag;
- › Carrying strap.

Accessories Page 140


### Technical data

Power	3000 W
Rotation speed	15000 rpm
Air maximum speed	75 m/s
Maximum airflow	0.22 m <sup>3</sup> /s
Maximum suction flow rate	0.22 m <sup>3</sup> /s
Collection box	35 L
Supply voltage	230 V - 50 Hz
Sound power level (L <sub>WA</sub> )	105 dB
Weight	3 kg
Dimensions	160 x 1200 x 340 mm
Weight with packaging	3.9 kg
Packaging dimensions	440 x 255 x 325 mm
Barcode	5604612704131

## Pegs for robot lawnmower

**NEW**




Reference	Compatible:		Ean
VIRCR1000.E50	VIRCR1000	50	5604612708078

## Set of 3 blades for robot lawnmower

**NEW**




Reference	Compatible:		Ean
VIRCR1000.L3	VIRCR1000	3	5604612708061

## Boundary wire for robot lawnmower


**NEW**



Reference	Compatible:		Ean
VIRCR1000.F100	VIRCR1000	50	5604612708085


## Blade for electric lawnmower



Reference	Dim	Compatible:		Ean
VIMR1200.1.01.027	320 x 40 mm	VIMR1200	1	5604612680428
VIMR1400.1.01.018	340 x 50 mm	VIMR1400	1	5604612680435
VIMR1800.1.01.021	420 x 50 mm	VIMR1800	1	5604612680442

## Blade for combustion lawnmower



Reference	Dim	Compatible:		Ean
VIMR5C.C.C11	480 x 50 mm	VIMR5C	1	5604612729271
VIMR65B.C.C11	525 x 55 mm	VIMR65B	1	5604612708177
VIMRRG65.1.C.C10	525 x 55 mm	VIMRRG65	1	5604612729288

## Set of 2 nylon line reels for grass grimmer



Reference	Dim	Compatible:		Ean
VIBFAC250A	35 x 50 mm	VIAC250A	1	5604612672768
VIBFAC450A	25 x 65 mm	VIAC450A	1	5604612672775

**Head cover  
for grass grimmer**



Reference	Dim	Ø	Compatible:		Ean
VICBAC250A	30 mm	65 mm	VIAC250A	1	5604612672799
VICBAC450A	30 mm	80 mm	VIAC450A	1	5604612672805

**Full blade for  
electric hedge trimmer**



Reference	Dim	Compatible:		Ean
VICS550.1.01.004	510 mm	VICS550	1	5604612690557
VICS600A.1.01.068	590 mm	VICS600A	1	5604612680497

**Full blade for  
combustion hedge trimmer**



Reference	Dim	Compatible:		Ean
VICS25.1.02.030	700 x 60 mm	VICS25	1	5604612680480
VICS25.1.02.030A	700 x 60 mm	VICS25	1	5604612729400

**Collection bag for  
blower/vacuum cleaner**



Reference	Dim	Compatible:		Ean
VIAS1400.1.01.020	660 x 545 mm	VIAS3000	1	5604612717629
VISA27.1.02.048	890 x 490 mm	VISA27	1	5604612680510

**Spring tines shaft  
for scarifier**

**NEW**



Reference	Dim	Compatible:		Ean
VIE54VA	400 mm	VIE54	1	5604612726683

**Blades shaft  
for scarifier**

**NEW**



Reference	Dim	Compatible:		Ean
VIE54VL	400 mm	VIE54	1	5604612726676


# IRRIGATION



## Irrigation kit with hose

**Features:**

- > Quick coupling accessories.



Reference	Ø	Dim	Bar		Ean
VIK1215	12 mm   1/2 "	15 m	17	1	5604612712471
VIK6010	15 mm   5/8 "	10 m	20	1	5604612011079
VIK6015	15 mm   5/8 "	15 m	20	1	5604612011086
VIK6020	15 mm   5/8 "	20 m	20	1	5604612011093
VIK1915	19 mm   3/4 "	15 m	20	1	5604612644574
VIK1925	19 mm   3/4 "	25 m	20	1	5604612644581

## Green braided hose



Reference	Ø	Dim	Bar		Ean
VIMVJ15	15 mm   5/8 "	50 m	20	1	5604612653927
VIMVJ1525	15 mm   5/8 "	25 m	20	1	5604612726874
VIMVJ19	19 mm   3/4 "	50 m	20	1	5604612648770
VIMVJ1915	19 mm   3/4 "	15 m	20	1	5604612653958
VIMVJ1925	19 mm   3/4 "	25 m	20	1	5604612653965
VIMVJ25	25 mm   1 "	50 m	20	1	5604612653934
VIMVJ32	32 mm   1 1/4 "	50 m	20	1	5604612653941

## Reinforced hose

**Features:**

- > Flexible PVC;
- > Layers (x3);
- > Knitted mesh (x1).



Reference	Ø	Dim	Bar		Ean
VIMTF15	15 mm   5/8 "	50 m	21	1	5604612653880
VIMTF1525	15 mm   5/8 "	25 m	21	1	5604612667566
VIMTF19	19 mm   3/4 "	50 m	21	1	5604612653897
VIMTF1925	19 mm   3/4 "	25 m	21	1	5604612667573
VIMTF25	25 mm   1 "	50 m	21	1	5604612653903
VIMTF2525	25 mm   1 "	25 m	21	1	5604612685607

## 5-layer garden hose

**NEW**

**Features:**

- > Flexible PVC;
- > Layers (x5);
- > Knitted mesh (x1).



Reference	Ø	Dim	Bar		Ean
VIMAP1520	15 mm   5/8 "	20 m	8 - 20	1	5604612710835
VIMAP1920	19 mm   3/4 "	20 m	8 - 20	1	5604612710842

## 5-layer garden hose

**NEW**

**Features:**

- > Flexible PVC;
- > Layers (x5);
- > Knitted mesh (x1).




Reference	Ø	Dim	Bar		Ean
VIMCD1520	15 mm   5/8 "	20 m	8 - 20	1	5604612710859
VIMCD1920	19 mm   3/4 "	20 m	8 - 20	1	5604612710866




## Stainless steel hose holder



Reference	No.	Dim		Ean
VISMI2	1	380 mm	6	5604612026233
VISMI1	2	500 mm	6	5604612026226
VISMI0	0	550 mm	6	5604612700812


## Lacquered stainless steel hose holder



Reference	No.	Dim		Ean
VISMP2	1	380 mm	6	5604612026257
VISMP1	2	500 mm	6	5604612026240
VISMP0	0	550 mm	6	5604612700829

## Plastic hose holder



Reference	Dim		Ean
VIPEMA	250 x 121 x 151 mm	10	5604612010898

## Hose cart

### Features:

> Quick coupling.



Reference		Ean
VIEM6006	5	5604612011062



## Dual tap connector

### Features:

> Quick coupling.



Reference	Ø	Ean
VIRDTB	3/4 - 1 "	48 5604612666675

## Garden water gun 8 functions

### Features:

> Quick coupling.



Reference	Ean
VIPR8J	12 5604612665784

## Adjustable garden water gun with rubber handle

### Features:

> Quick coupling.



Reference	Ean
VIPRPBA	12 5604612659424

## Adjustable garden water gun with rubber handle

### Features:

> Quick coupling.



Reference	Ean
VIPRA	12 5604612665791

## 5-piece irrigation kit

### Features:

> Quick coupling.



Reference	Ø - connector	Ø - hose repair connector	Ean
VIKR3A	3/4 - 1 "	1/2 - 5/8	12 5604612666682

### 2/3-way hose connector

Features:  
> Quick coupling.



Reference	Format		Ean
VILRD	2-way	24	5604612010942
VILRT	3-way	24	5604612010959

### Female tap adaptor

Features:  
> Quick coupling.



Reference	Ø		Ean
VIRF1234	1/2 - 3/4 "	24	5604612662288
VIRF341	3/4 - 1 "	24	5604612010935
VIRF1	1 "	24	5604612680725

### Hose repair connector



Reference	Ø		Ean
VIRM1258	1/2 - 5/8 "	24	5604612662899
VIRM34	3/4 "	24	5604612662912
VIRM1	1 "	24	5604612680732

### Quick coupling hose connector

Features:  
> Quick coupling.



Reference	Ø		Ean
VIJR1258	1/2 - 5/8 "	24	5604612662905
VIJR34	3/4 "	24	5604612662882
VIJR1	1 "	24	5604612680718

### Water-stop hose connector

Features:  
> Quick coupling.



Reference	Ø		Ean
VIJR1258S	1/2 - 5/8 "	24	5604612662936
VIJR34S	3/4 "	24	5604612662929

### Adjustable spray nozzle

Features:  
> Quick coupling.



Reference		Ean
VIARER	12	5604612010782
VIARER1	12	5604612680701

### Full irrigation kit 5 pieces

Features:  
> Quick coupling.



Reference	Ø - connector	Ø - hose repair connector		Ean
VIKR1B	3/4 - 1 "	1/2 - 5/8	12	5604612666699

## Brass 2/3-way hose connector

### Features:

> Quick coupling.



Reference	Format		Ean
VILRDM	2-way	6	5604612022075
VILRTM	3-way	6	5604612022082

## Brass tap adaptor

### Features:

> Quick coupling.



Reference	Ø		Ean
VIRFAM2	3/4 - 1 "	6	5604612022105

## Brass hose repair connector



Reference	Ø		Ean
VIRMM1258	1/2 - 5/8 "	6	5604612664077

## Brass quick-coupling hose connector

### Features:

> Quick coupling.



Reference	Ø		Ean
VIJR34M	3/4 "	6	5604612022099
VIJR58M	5/8 "	6	5604612117498

## Brass adjustable spray nozzle

### Features:

> Quick coupling.




Reference		Ean
VIARM34	6	5604612022068

## Brass full irrigation kit

### Features:

> Quick coupling.



Reference	Ø - connector	Ø - hose repair connector		Ean
VIKRM341	3/4 - 1 "	3/4	6	5604612026134
VIKRM581	3/4 - 1 "	5/8	6	5604612664022

VIPR2H

## Water timer



VIPRDI

## Electronic digital display water time



Find out more:

### Main features:

- > Quick coupling.

### Technical data

Threads for tap	3/4 - 1"
Operating hours	2 h
Operating temperature	5 - 60 °C
Weight	0.240 kg
Dimensions	145 x 90 x 235 mm
Units per box	6
Barcode	5604612661984



Coupled to the tap

### Main features:

- > Quick coupling;
- > Automatic watering control;
- > Key lock.

### Technical data

Supply voltage	9 V
Battery type	Alkaline - 9V
Static current	≤ 18
Battery autonomy (normal use)	6 months
Error	± 0.25 s/day
Maximum pressure	8 bar
Operating pressure	0.5 - 8 bar
Threads for tap	3/4 - 1"
Day combinations	15
Intervals	8
Operating temperature	5 - 60 °C
Weight	0.45 kg
Dimensions	110 x 100 x 145 mm
Units per box	6
Barcode	5604612694098



Coupled to the tap

### Packaging content


- > Digital water timer.
- > Quick coupling hose connector 3/4.

## Multifunction sprinkler 8 functions

**Features:**

> Quick coupling.



Reference		Ean
VIARMF	6	560461266668

## Spike sprinkler

**Features:**

> Quick coupling.




Reference		Ean
VIACESP	6	5604612010836

## Impact sprinkler with spike

**Features:**

> Quick coupling.



Reference		Ean
VIACHESP	6	5604612010850

## 3-arm rotary sprinkler with spike

**Features:**

> Quick coupling.




Reference		Ean
VIARBE	6	5604612010881

## Impact sprinkler on aluminium tripod

**Features:**

> Quick coupling.



Reference		Ean
VIACTRIA	1	5604612665777

**Ball valve tap**



Reference	Ø		Ean
VITPE1	1"	16	5604612660611
VITPE12	1/2 "	20	5604612663926
VITPE34	3/4 "	20	5604612660628

**Water tap**

**Features:**

> Quick coupling.



Reference	Ø		Ean
VITS1	1"	8	5604612665807
VITS12	1/2 "	15	5604612660635
VITS34	3/4 "	10	5604612660642



# LUBRIFICATION



## Multipurpose lubricant spray

**Features:**

- > Anti-moisture;
- > Penetrating and unlocking;
- > Lubricant;
- > Protective.



Reference	Cap.		Ean
VILM400	400 ml	12	5604612626747

## Grease

**Features:**

- > General lubrication;
- > Water resistant;
- > Protection against rust;
- > Excellent sticking power.



Reference	Cap.		Ean
VIMC400	400 gr	24	5604612626877
VIMCL1	1 kg	12	5604612644918
VIMC5	5 kg	4	5604612626884

## 4-stroke engine oil

**Features:**

- > 15W40;
- > Suitable for high-performance engines;
- > Optimises operation and extends engine life;
- > ACEA E2; API CH-4; MB Approval 228.1; CAT TO-2 (Level); Mack EO-M.



Reference	Cap.		Ean
VIOM4T	1 L	6	5604612177263

## Chainsaw chain

**Features:**

- > Oil formulated with highly refined paraffinic bases;
- > Recommended for lubricating chains with guide bars.



Reference	Cap.		Ean
VIOCM1	1 L	6	5604612626860
VIOCM5	5 L	4	5604612639259

## 2-stroke engine oil with dispenser

### Features:

- > Semi-synthetic lubricant;
- > Extends engine life and prevents the formation of fuel accumulations and smoke;
- > JASO FC, API TC, ISO-L-EGC.




Reference	Cap.		Ean
VIOM2TD	1 L	1	5604612690588

## 2-stroke engine oil

### Features:

- > Semi-synthetic lubricant;
- > Extends engine life and prevents the formation of fuel accumulations and smoke;
- > JASO FC, API TC, ISO-L-EGC.



Reference	Cap.		Ean
VIOM2T100	100 ml	12	5604612639723
VIOM2T	1 L	6	5604612177256
VIOM2T5	5 L	4	5604612644932

## Combi jerry can

### Features:

- > Capacity: 5 litres for petrol + 3 for oil.
- > Made of high-density polyethylene;
- > Cap with fixing strap;
- > Flexible spout included.




Reference	Cap.		Ean
VIJCC53	5 L + 3 L	4	5604612670733

## Jerry can

### Features:

- > Made of high-density polyethylene;
- > Cap with fixing strap;
- > Flexible spout included.



Reference	Cap.		Ean
VIJCG3	3 L	12	5604612670726
VIJCG5	5 L	10	5604612135782
VIJCG10	10 L	6	5604612135799
VIJCG20	20 L	6	5604612135805

# DISPLAYS


# VITO



**VITO**

**VITO**

**VITO**



## Perforated display racks

**Features:**

> Module prepared for wall covering in conjunction with other modules.



Reference	Designation	Dim	Qty.
VIEXB	Base	9,7 x 44,7 x 3,0 cm	1
VIEXPFB	Front base panel	97 x 10 cm	1
VIEXSB	Base holder	9,5 x 51,7 x 6,5 cm	2
VIEXP1,5	Rail	1,5 m	2
VIEX0,3	Rail	0,3 m (1,65 m)	2
VIEXTI	Illuminated top	96,5 x 25 cm	1
VIEXPPP	Perforated black panel	96 x 30 cm	6
VIEXGC	Chrome-plated hook	5 x 25 cm	10
VIEXGCPP	Chrome-plated hook with price tag holder	5 x 25 cm	40
VIEXPP1,5	Base foot		4
VIEXVI	Acrylic + VITO AGRO/GARDEN sticker	96 x 27 cm - 96 x 16 cm	1

## Double-sided Perforated display rack

**Features:**

> Module prepared for central location in a shop.



Reference	Designation	Dim	Qty.
VIEXB	Base	9.7 x 44.7 x 3.0 cm	2
VIEXPFB	Front base panel	97 x 10 cm	2
VIEXSBD	Dual base holder	9.5 x 51.7 x 6.5 cm	2
VIEXP1,5	Rail	1.5 m (1.65 m)	2
VIEX0,3	Rail	0.3 m (1.65 m)	2
VIEXTI	Illuminated top	96.5 x 25 cm	2
VIEXPPP	Perforated black panel	96 x 30 cm	12
VIEXGC	Chrome-plated hook	5 x 25 cm	20
VIEXGCPP	Chrome-plated hook with price tag holder	5 x 25 cm	80
VIEXPP1,5	Base foot		6
VIEXVI	Acrylic + VITO AGRO/GARDEN sticker	96 x 27 cm - 96 x 16 cm	2

Accessories

### Chrome-plated hook

**Features:**

> Dim. 5 mm x 25 cm



### Chrome-plated hook with price tag holder

**Features:**

> Dim. 5 mm x 25 cm



### Hammer holder 1

**Features:**

> Dim. 23 x 19 x 7.5 cm



### Hammer holder 2

**Features:**

> Dim. 23 x 19 x 7.5 cm



### Shelf

**Features:**

> Dim. 96.5 x 40 x 3.0 cm



Ref.	Ean
VIEXGC	1 5604612649517

Ref.	Ean
VIEXGCPP	1 5604612649524

Ref.	Ean
VIEXSM1	1 5604612649593

Ref.	Ean
VIEXSM2	1 5604612649609

Ref.	Ean
VIEXPRA	1 5604612649616

**VITO AGRO  
accessories**



**VITO AGRO  
spraying**



**VITO GARDEN  
irrigation**



**VITO AGRO**  
cutting and pruning



**VITO AGRO / GARDEN**  
agricultural / garden tools






**Brush cutters  
displays**



Ref.  Ean  
VIEXROC 1 5604612658410

**Chainsaws  
displays**



Ref.  Ean  
VIEMV 1 5604612656492





[www.vito-tools.com](http://www.vito-tools.com)

